

**Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007****Session Type:** Rate**Suggested Citation****Software:** Surveillance Research Program, National Cancer Institute SEER\*Stat software ([www.seer.cancer.gov/seerstat](http://www.seer.cancer.gov/seerstat)) version 6.6.2.**Data:** Alaska Cancer Registry SEER\*Stat Database - Incidence data for diagnosis years 1996 to 2007. Released May 2010. Alaska population data for rate calculations are from the SEER program (<http://www.seer.cancer.gov/popdata/>) and include populations by borough/census area, expanded races, and Hispanic origin.**Data****Database:** ACR w/Borough, Race, & Hispanic Pops (1996-2007), April 2010**Statistic****Statistic:** Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)**P-Values:** .05**Options:** Display Confidence Intervals (Tiwari mod) and Standard Errors**Selection****Select Only:** Malignant Behavior, Known Age, Male or Female Sex**Table****Page:** Year of diagnosis**Row:** Site rec w/Kaposi and meso-no sex sites [Site rec with Kaposi and mesothelioma]**Output****Title:** Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007**Suppress:** Statistics based on fewer than 6 cases**Display Rates as:** Cases per 100,000**Precision:** 1 decimal place (default)

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

## Total

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	489.5	482.9	496.1	25,596
<b>Oral Cavity and Pharynx</b>	11.5	10.6	12.5	646
Lip	0.9	0.6	1.3	42
Tongue	2.8	2.3	3.3	161
Salivary Gland	1.1	0.8	1.5	60
Floor of Mouth	0.9	0.6	1.2	49
Gum and Other Mouth	1.4	1.1	1.8	71
Nasopharynx	1.5	1.2	1.9	84
Tonsil	1.5	1.2	1.8	101
Oropharynx	0.5	0.3	0.7	27
Hypopharynx	0.7	0.5	1.0	37
Other Oral Cavity and Pharynx	0.2	0.1	0.3	14
<b>Digestive System</b>	98.4	95.4	101.5	4,722
Esophagus	5.9	5.2	6.6	297
Stomach	8.5	7.6	9.4	409
Small Intestine	1.9	1.5	2.3	95
Colon and Rectum	55.4	53.1	57.8	2,603
Colon excluding Rectum	40.4	38.4	42.5	1,815
Cecum	9.5	8.5	10.5	401
Appendix	0.4	0.3	0.6	30
Ascending Colon	6.7	5.8	7.6	274
Hepatic Flexure	2.2	1.8	2.7	98
Transverse Colon	3.5	3.0	4.2	152
Splenic Flexure	1.1	0.8	1.5	50
Descending Colon	2.3	1.8	2.8	104
Sigmoid Colon	11.7	10.7	12.8	565
Large Intestine, NOS	3.0	2.5	3.6	141
Rectum and Rectosigmoid Junction	15.0	13.8	16.2	788
Rectosigmoid Junction	3.8	3.2	4.4	192
Rectum	11.2	10.2	12.2	596
Anus, Anal Canal and Anorectum	1.9	1.5	2.3	110
Liver and Intrahepatic Bile Duct	7.2	6.5	8.1	390
Liver	6.6	5.8	7.4	353
Intrahepatic Bile Duct	0.7	0.5	1.0	37
Gallbladder	1.5	1.1	2.0	60
Other Biliary	2.0	1.6	2.5	92
Pancreas	11.8	10.7	12.9	551

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

## Total

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.2	0.1	0.4	16
Peritoneum, Omentum and Mesentery	0.5	0.3	0.7	25
Other Digestive Organs	1.7	1.3	2.1	74
Respiratory System	80.5	77.7	83.3	3,781
Nose, Nasal Cavity and Middle Ear	0.7	0.5	1.0	39
Larynx	3.9	3.3	4.5	211
Lung and Bronchus	75.6	72.9	78.3	3,516
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.2	0.1	0.4	14
Bones and Joints	1.1	0.9	1.4	81
Soft Tissue including Heart	3.0	2.6	3.5	199
Skin excluding Basal and Squamous	12.7	11.8	13.7	797
Melanoma of the Skin	11.3	10.4	12.2	719
Other Non-Epithelial Skin	1.4	1.1	1.8	78
Urinary System	39.0	37.1	40.9	1,886
Urinary Bladder	23.3	21.8	24.8	1,049
Kidney and Renal Pelvis	14.8	13.7	16.0	799
Ureter	0.6	0.4	0.9	28
Other Urinary Organs	0.3	0.1	0.5	10
Eye and Orbit	0.6	0.4	0.9	41
Brain and Other Nervous System	6.3	5.7	7.0	403
Brain	6.1	5.4	6.8	384
Cranial Nerves Other Nervous System	0.3	0.2	0.4	19
Endocrine System	10.1	9.3	10.9	736
Thyroid	9.4	8.7	10.2	693
Other Endocrine including Thymus	0.7	0.5	0.9	43
Lymphoma	23.0	21.7	24.5	1,293
Hodgkin Lymphoma	2.6	2.2	3.0	186
Hodgkin - Nodal	2.6	2.2	3.0	185
Hodgkin - Extranodal	^	^	^	^
Non-Hodgkin Lymphoma	20.4	19.1	21.8	1,107
NHL - Nodal	14.2	13.1	15.4	776
NHL - Extranodal	6.2	5.5	7.0	331
Myeloma	5.3	4.6	6.0	264
Leukemia	13.5	12.5	14.7	713
Lymphocytic Leukemia	6.9	6.1	7.7	365
Acute Lymphocytic Leukemia	1.4	1.2	1.7	113

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

Total				
	Rate	Lower CI	Upper CI	Count
<b>Chronic Lymphocytic Leukemia</b>	4.9	4.2	5.6	222
<b>Other Lymphocytic Leukemia</b>	0.5	0.4	0.8	30
<b>Myeloid and Monocytic Leukemia</b>	5.9	5.2	6.7	308
<b>Acute Myeloid Leukemia</b>	3.5	2.9	4.1	176
<b>Acute Monocytic Leukemia</b>	0.3	0.2	0.5	19
<b>Chronic Myeloid Leukemia</b>	2.0	1.6	2.5	105
<b>Other Myeloid/Monocytic Leukemia</b>	0.1	0.0	0.3	8
<b>Other Leukemia</b>	0.8	0.5	1.1	40
<b>Other Acute Leukemia</b>	0.2	0.1	0.4	11
<b>Aleukemic, Subleukemic and NOS</b>	0.5	0.3	0.8	29
<b>Mesothelioma</b>	1.8	1.4	2.3	71
<b>Kaposi Sarcoma</b>	0.2	0.1	0.4	18
<b>Miscellaneous</b>	12.2	11.1	13.3	558

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1996

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	481.6	455.7	508.5	1,673
<b>Oral Cavity and Pharynx</b>	14.3	10.2	19.3	50
Lip	^	^	^	^
Tongue	2.7	1.3	5.0	11
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	3.5	1.4	6.8	9
Nasopharynx	^	^	^	^
Tonsil	2.2	0.8	4.5	9
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	1.1	0
<b>Digestive System</b>	92.8	80.8	105.9	282
Esophagus	4.9	2.4	8.6	14
Stomach	8.9	5.7	13.2	29
Small Intestine	1.8	0.5	4.3	6
Colon and Rectum	55.9	46.8	66.1	171
Colon excluding Rectum	40.3	32.4	49.3	117
Cecum	6.2	3.3	10.3	18
Appendix	0.0	0.0	1.1	0
Ascending Colon	5.5	2.8	9.4	14
Hepatic Flexure	^	^	^	^
Transverse Colon	4.9	2.3	8.7	12
Splenic Flexure	^	^	^	^
Descending Colon	3.8	1.6	7.3	9
Sigmoid Colon	13.2	9.0	18.3	42
Large Intestine, NOS	4.8	2.4	8.3	15
Rectum and Rectosigmoid Junction	15.7	11.3	21.0	54
Rectosigmoid Junction	4.8	2.4	8.4	14
Rectum	10.9	7.5	15.2	40
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.7	3.8	10.6	19
Liver	5.4	2.9	9.0	15
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	12.1	7.9	17.4	35

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1996

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	1.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	86.8	75.9	98.8	278
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	6.5	3.9	10.1	22
Lung and Bronchus	79.5	69.0	91.0	253
Pleura	0.0	0.0	1.1	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.1	0.4	2.6	6
Soft Tissue including Heart	3.3	1.8	5.6	17
Skin excluding Basal and Squamous	11.3	8.0	15.6	49
Melanoma of the Skin	11.2	7.9	15.4	48
Other Non-Epithelial Skin	^	^	^	^
Urinary System	35.2	28.3	43.1	111
Urinary Bladder	19.9	14.8	26.2	62
Kidney and Renal Pelvis	13.0	9.1	18.0	43
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.9	3.1	7.5	26
Brain	4.9	3.1	7.5	26
Cranial Nerves Other Nervous System	0.0	0.0	1.1	0
Endocrine System	9.9	6.9	13.8	47
Thyroid	9.6	6.6	13.5	45
Other Endocrine including Thymus	^	^	^	^
Lymphoma	21.8	16.9	27.6	92
Hodgkin Lymphoma	4.4	2.8	6.7	27
Hodgkin - Nodal	4.2	2.7	6.5	26
Hodgkin - Extranodal	^	^	^	^
Non-Hodgkin Lymphoma	17.4	12.9	22.9	65
NHL - Nodal	12.2	8.6	16.7	48
NHL - Extranodal	5.2	2.7	8.9	17
Myeloma	5.5	3.1	8.9	18
Leukemia	18.2	13.2	24.3	58
Lymphocytic Leukemia	8.2	5.1	12.4	28
Acute Lymphocytic Leukemia	1.0	0.4	2.4	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1996

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	6.3	3.4	10.3	17
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	8.5	5.1	12.9	25
Acute Myeloid Leukemia	3.5	1.6	6.4	12
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	4.3	2.0	7.9	11
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	3.5	1.6	6.5	10
Kaposi Sarcoma	^	^	^	^
Miscellaneous	7.9	4.6	12.4	22

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1997

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	507.0	481.0	533.9	1,819
<b>Oral Cavity and Pharynx</b>	12.6	9.0	17.1	50
Lip	^	^	^	^
Tongue	2.7	1.2	5.1	11
Salivary Gland	2.4	0.9	4.9	7
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.9	0.7	4.0	7
Tonsil	1.0	0.4	2.4	6
Oropharynx	0.0	0.0	1.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
<b>Digestive System</b>	97.6	86.1	110.1	326
<b>Esophagus</b>	6.6	3.9	10.2	22
<b>Stomach</b>	9.0	5.8	13.3	31
Small Intestine	^	^	^	^
<b>Colon and Rectum</b>	53.7	45.2	63.1	178
<b>Colon excluding Rectum</b>	38.7	31.3	47.1	122
Cecum	9.6	5.9	14.4	27
Appendix	1.1	0.4	2.7	6
Ascending Colon	6.8	3.9	10.9	19
Hepatic Flexure	^	^	^	^
Transverse Colon	4.5	2.2	7.9	14
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	11.2	7.4	16.1	34
Large Intestine, NOS	2.0	0.7	4.1	7
<b>Rectum and Rectosigmoid Junction</b>	15.0	11.0	19.8	56
Rectosigmoid Junction	3.8	2.0	6.5	14
Rectum	11.2	7.8	15.4	42
<b>Anus, Anal Canal and Anorectum</b>	3.0	1.4	5.5	12
<b>Liver and Intrahepatic Bile Duct</b>	6.6	3.9	10.2	24
Liver	4.7	2.6	7.7	19
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
<b>Pancreas</b>	12.4	8.5	17.3	38

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1997

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	84.7	74.1	96.2	280
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	5.1	2.8	8.3	18
Lung and Bronchus	78.3	68.2	89.4	257
Pleura	0.0	0.0	1.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.1	0
Bones and Joints	1.0	0.4	2.4	7
Soft Tissue including Heart	2.8	1.2	5.5	11
Skin excluding Basal and Squamous	13.0	9.7	17.2	65
Melanoma of the Skin	12.5	9.2	16.6	62
Other Non-Epithelial Skin	^	^	^	^
Urinary System	47.6	39.5	56.8	151
Urinary Bladder	30.5	23.8	38.2	89
Kidney and Renal Pelvis	16.1	11.8	21.3	59
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	1.1	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.5	3.5	8.4	28
Brain	5.5	3.5	8.4	28
Cranial Nerves Other Nervous System	0.0	0.0	1.1	0
Endocrine System	7.7	5.3	10.9	43
Thyroid	7.3	4.9	10.4	40
Other Endocrine including Thymus	^	^	^	^
Lymphoma	25.8	20.3	32.2	104
Hodgkin Lymphoma	2.5	1.3	4.5	14
Hodgkin - Nodal	2.5	1.3	4.5	14
Hodgkin - Extranodal	0.0	0.0	1.1	0
Non-Hodgkin Lymphoma	23.3	18.0	29.6	90
NHL - Nodal	16.1	11.7	21.5	62
NHL - Extranodal	7.2	4.5	10.8	28
Myeloma	2.7	1.2	5.2	11
Leukemia	13.5	9.5	18.5	52
Lymphocytic Leukemia	7.0	4.2	10.9	26
Acute Lymphocytic Leukemia	1.6	0.8	3.2	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1997

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.9	2.4	8.5	14
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	4.5	2.4	7.5	19
Acute Myeloid Leukemia	3.1	1.4	5.9	11
Acute Monocytic Leukemia	0.0	0.0	1.1	0
Chronic Myeloid Leukemia	1.4	0.6	2.9	8
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.1	0
Other Leukemia	2.0	0.7	4.3	7
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	7.5	4.5	11.6	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1998

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	511.9	486.7	537.9	1,918
<b>Oral Cavity and Pharynx</b>	12.2	8.8	16.3	53
Lip	^	^	^	^
Tongue	3.9	2.0	6.7	15
Salivary Gland	^	^	^	^
Floor of Mouth	1.6	0.6	3.5	7
Gum and Other Mouth	1.5	0.5	3.4	6
Nasopharynx	2.0	0.7	4.3	7
Tonsil	1.0	0.3	2.3	6
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
<b>Digestive System</b>	107.0	95.0	119.9	357
Esophagus	4.7	2.7	7.5	18
Stomach	11.6	7.8	16.3	37
Small Intestine	^	^	^	^
Colon and Rectum	62.1	52.8	72.3	197
Colon excluding Rectum	45.3	37.2	54.4	134
Cecum	11.7	7.7	16.9	33
Appendix	^	^	^	^
Ascending Colon	7.6	4.4	12.0	19
Hepatic Flexure	4.3	2.0	7.8	11
Transverse Colon	3.7	1.8	6.6	12
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	13.2	9.1	18.2	41
Large Intestine, NOS	2.5	1.1	4.7	10
Rectum and Rectosigmoid Junction	16.8	12.5	21.9	63
Rectosigmoid Junction	4.3	2.3	7.2	15
Rectum	12.5	8.8	17.0	48
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.1	4.4	10.6	28
Liver	6.8	4.2	10.3	26
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	2.0	0.8	4.0	7
Other Biliary	1.9	0.7	4.0	7
Pancreas	13.4	9.6	18.2	48

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1998

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	87.3	77.0	98.5	299
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.4	1.8	6.0	14
Lung and Bronchus	82.9	72.8	93.9	281
Pleura	0.0	0.0	1.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	3.5	2.0	5.8	19
Skin excluding Basal and Squamous	11.0	8.1	14.7	55
Melanoma of the Skin	8.7	6.2	11.9	45
Other Non-Epithelial Skin	2.3	1.1	4.4	10
Urinary System	35.7	29.1	43.2	125
Urinary Bladder	23.4	17.8	29.9	71
Kidney and Renal Pelvis	11.7	8.4	15.7	52
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	1.0	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.2	5.0	10.2	39
Brain	7.2	5.0	10.2	39
Cranial Nerves Other Nervous System	0.0	0.0	1.0	0
Endocrine System	8.6	6.2	11.6	49
Thyroid	8.4	6.1	11.4	48
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.4	19.3	30.4	99
Hodgkin Lymphoma	1.9	0.7	4.0	7
Hodgkin - Nodal	1.9	0.7	4.0	7
Hodgkin - Extranodal	0.0	0.0	1.0	0
Non-Hodgkin Lymphoma	22.5	17.6	28.3	92
NHL - Nodal	13.3	9.7	17.7	56
NHL - Extranodal	9.3	6.1	13.4	36
Myeloma	7.2	4.6	10.6	27
Leukemia	14.4	10.3	19.6	51
Lymphocytic Leukemia	7.2	4.4	10.9	26
Acute Lymphocytic Leukemia	2.2	0.9	4.4	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1998

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.4	2.2	7.7	12
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.5	3.7	10.2	22
Acute Myeloid Leukemia	4.2	2.0	7.4	13
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.8	0.5	4.2	6
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	2.5	1.0	5.1	8
Kaposi Sarcoma	^	^	^	^
Miscellaneous	7.0	4.3	10.5	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1999

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	505.0	480.5	530.4	1,961
<b>Oral Cavity and Pharynx</b>	13.3	9.7	17.8	55
Lip	^	^	^	^
Tongue	4.6	2.5	7.6	18
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	2.2	1.0	4.2	11
Tonsil	1.4	0.5	3.0	7
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
<b>Digestive System</b>	104.8	93.2	117.3	362
<b>Esophagus</b>	4.9	2.9	7.7	20
<b>Stomach</b>	9.7	6.5	13.8	36
<b>Small Intestine</b>	1.6	0.5	3.6	6
<b>Colon and Rectum</b>	62.0	53.1	71.8	209
<b>Colon excluding Rectum</b>	48.1	40.2	56.9	157
Cecum	10.4	6.9	14.8	34
Appendix	0.0	0.0	1.0	0
Ascending Colon	8.1	5.0	12.1	24
Hepatic Flexure	3.6	1.8	6.5	12
Transverse Colon	4.7	2.6	7.8	17
Splenic Flexure	2.9	1.1	5.7	9
Descending Colon	2.0	0.7	4.3	7
Sigmoid Colon	13.4	9.5	18.2	46
Large Intestine, NOS	3.0	1.2	5.8	8
Rectum and Rectosigmoid Junction	13.9	10.0	18.7	52
Rectosigmoid Junction	3.0	1.6	5.2	13
Rectum	10.9	7.4	15.4	39
Anus, Anal Canal and Anorectum	^	^	^	^
<b>Liver and Intrahepatic Bile Duct</b>	6.7	4.2	10.0	27
Liver	6.3	3.9	9.5	26
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	3.6	1.5	6.9	8
Other Biliary	^	^	^	^
<b>Pancreas</b>	13.6	9.5	18.6	44

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1999

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	84.6	74.6	95.5	298
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.3	2.4	7.0	17
Lung and Bronchus	79.2	69.4	89.8	275
Pleura	0.0	0.0	1.0	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.9	0.3	2.1	6
Soft Tissue including Heart	2.0	0.8	4.1	9
Skin excluding Basal and Squamous	13.7	10.0	18.2	61
Melanoma of the Skin	11.2	7.9	15.2	51
Other Non-Epithelial Skin	2.5	1.0	5.0	10
Urinary System	38.7	31.9	46.4	139
Urinary Bladder	22.4	17.1	28.7	71
Kidney and Renal Pelvis	15.7	11.8	20.5	66
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.5	5.1	10.8	35
Brain	7.4	4.9	10.6	34
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	8.9	6.5	11.9	53
Thyroid	8.7	6.4	11.7	52
Other Endocrine including Thymus	^	^	^	^
Lymphoma	21.5	17.1	26.6	103
Hodgkin Lymphoma	1.9	1.0	3.5	13
Hodgkin - Nodal	1.9	1.0	3.5	13
Hodgkin - Extranodal	0.0	0.0	1.0	0
Non-Hodgkin Lymphoma	19.6	15.3	24.6	90
NHL - Nodal	14.7	11.1	19.0	69
NHL - Extranodal	4.9	2.8	7.9	21
Myeloma	6.0	3.5	9.4	20
Leukemia	14.8	10.7	19.9	57
Lymphocytic Leukemia	7.8	4.9	11.6	29
Acute Lymphocytic Leukemia	1.2	0.3	3.0	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

1999

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	6.6	4.0	10.2	23
Other Lymphocytic Leukemia	0.0	0.0	1.0	0
Myeloid and Monocytic Leukemia	4.8	2.6	7.8	21
Acute Myeloid Leukemia	2.9	1.3	5.5	13
Acute Monocytic Leukemia	0.0	0.0	1.0	0
Chronic Myeloid Leukemia	1.7	0.5	3.8	7
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	2.2	0.8	4.8	7
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	2.7	1.1	5.4	8
Kaposi Sarcoma	^	^	^	^
Miscellaneous	8.6	5.4	12.8	26

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2000

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	513.0	488.9	538.0	2,046
<b>Oral Cavity and Pharynx</b>	12.3	8.8	16.6	48
Lip	^	^	^	^
Tongue	3.8	2.0	6.5	17
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.4	0.4	3.2	6
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	0.9	0
<b>Digestive System</b>	109.3	97.9	121.6	394
Esophagus	7.3	4.7	10.7	29
Stomach	10.8	7.4	15.0	38
Small Intestine	1.7	0.5	3.8	6
Colon and Rectum	66.2	57.2	76.1	231
Colon excluding Rectum	46.5	38.9	55.0	154
Cecum	12.3	8.5	17.0	39
Appendix	^	^	^	^
Ascending Colon	7.3	4.4	11.3	22
Hepatic Flexure	^	^	^	^
Transverse Colon	3.9	1.9	6.9	11
Splenic Flexure	^	^	^	^
Descending Colon	3.2	1.5	5.8	11
Sigmoid Colon	15.0	10.8	20.0	51
Large Intestine, NOS	1.6	0.7	3.2	9
Rectum and Rectosigmoid Junction	19.7	15.2	25.1	77
Rectosigmoid Junction	3.7	2.0	6.2	15
Rectum	16.0	11.9	21.0	62
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.4	4.9	10.7	31
Liver	6.4	4.1	9.6	27
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	2.0	0.8	4.1	7
Pancreas	10.5	7.3	14.5	41

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2000

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	0.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	76.6	67.2	86.9	277
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.9	1.4	5.2	12
Lung and Bronchus	72.0	62.9	82.0	260
Pleura	0.0	0.0	0.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.4	0.6	2.9	8
Soft Tissue including Heart	2.8	1.4	4.9	15
Skin excluding Basal and Squamous	11.2	8.1	15.1	56
Melanoma of the Skin	10.6	7.6	14.3	54
Other Non-Epithelial Skin	^	^	^	^
Urinary System	36.2	29.6	43.7	127
Urinary Bladder	23.9	18.4	30.4	78
Kidney and Renal Pelvis	12.3	8.8	16.6	49
Ureter	0.0	0.0	0.9	0
Other Urinary Organs	0.0	0.0	0.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.9	3.9	8.6	31
Brain	5.6	3.7	8.2	30
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	7.9	5.7	10.7	47
Thyroid	7.6	5.4	10.3	45
Other Endocrine including Thymus	^	^	^	^
Lymphoma	23.2	18.4	28.7	101
Hodgkin Lymphoma	2.5	1.2	4.6	13
Hodgkin - Nodal	2.5	1.2	4.6	13
Hodgkin - Extranodal	0.0	0.0	0.9	0
Non-Hodgkin Lymphoma	20.6	16.1	26.0	88
NHL - Nodal	12.8	9.3	17.1	55
NHL - Extranodal	7.8	5.1	11.3	33
Myeloma	6.1	3.8	9.4	23
Leukemia	16.4	12.3	21.3	67
Lymphocytic Leukemia	6.6	4.3	9.6	30
Acute Lymphocytic Leukemia	1.2	0.5	2.5	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2000

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.7	2.7	7.4	19
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	9.5	6.3	13.7	35
Acute Myeloid Leukemia	7.0	4.2	10.7	25
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	2.1	0.8	4.4	7
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.9	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	0.9	0
Miscellaneous	13.7	9.7	18.7	46

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2001

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	515.4	492.0	539.6	2,182
<b>Oral Cavity and Pharynx</b>	10.9	7.9	14.5	52
Lip	^	^	^	^
Tongue	2.8	1.4	5.0	12
Salivary Gland	1.0	0.4	2.4	6
Floor of Mouth	1.4	0.6	3.0	7
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.2	0.4	2.8	6
Tonsil	2.0	1.0	3.7	11
Oropharynx	0.0	0.0	0.9	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
<b>Digestive System</b>	108.8	97.7	120.7	416
Esophagus	8.0	5.1	11.8	28
Stomach	9.0	6.0	12.9	33
Small Intestine	^	^	^	^
Colon and Rectum	63.7	55.2	72.9	238
Colon excluding Rectum	44.9	37.8	52.9	161
Cecum	10.2	7.1	14.1	39
Appendix	^	^	^	^
Ascending Colon	8.2	5.1	12.4	23
Hepatic Flexure	2.4	1.1	4.5	10
Transverse Colon	3.7	1.9	6.3	13
Splenic Flexure	1.4	0.5	3.2	6
Descending Colon	3.0	1.3	5.7	9
Sigmoid Colon	12.6	9.1	16.9	48
Large Intestine, NOS	3.1	1.4	5.7	11
Rectum and Rectosigmoid Junction	18.7	14.4	23.8	77
Rectosigmoid Junction	3.4	1.7	5.9	13
Rectum	15.4	11.5	20.0	64
Anus, Anal Canal and Anorectum	2.0	0.8	3.9	9
Liver and Intrahepatic Bile Duct	9.5	6.6	13.3	42
Liver	8.0	5.2	11.5	34
Intrahepatic Bile Duct	1.6	0.6	3.3	8
Gallbladder	1.3	0.4	3.0	6
Other Biliary	2.3	0.9	4.6	7
Pancreas	10.3	7.2	14.1	41

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2001

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	79.1	69.8	89.2	305
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.6	2.0	6.0	16
Lung and Bronchus	74.4	65.3	84.2	283
Pleura	0.0	0.0	0.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.7	0.9	3.1	12
Soft Tissue including Heart	2.0	0.9	3.9	11
Skin excluding Basal and Squamous	15.2	11.6	19.4	75
Melanoma of the Skin	14.6	11.1	18.8	71
Other Non-Epithelial Skin	^	^	^	^
Urinary System	41.1	34.5	48.4	160
Urinary Bladder	25.5	20.4	31.4	98
Kidney and Renal Pelvis	14.2	10.5	18.7	58
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.2	4.8	10.3	35
Brain	6.7	4.4	9.8	33
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	10.1	7.6	13.3	60
Thyroid	7.8	5.7	10.5	49
Other Endocrine including Thymus	2.3	1.1	4.4	11
Lymphoma	22.6	18.1	27.9	103
Hodgkin Lymphoma	1.9	1.0	3.5	12
Hodgkin - Nodal	1.9	1.0	3.5	12
Hodgkin - Extranodal	0.0	0.0	0.9	0
Non-Hodgkin Lymphoma	20.7	16.3	25.8	91
NHL - Nodal	14.2	10.7	18.5	65
NHL - Extranodal	6.4	4.0	9.7	26
Myeloma	4.7	2.6	7.6	17
Leukemia	11.6	8.3	15.6	51
Lymphocytic Leukemia	4.8	2.8	7.4	22
Acute Lymphocytic Leukemia	1.1	0.5	2.4	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2001

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	3.4	1.7	6.0	13
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	5.7	3.5	8.7	25
Acute Myeloid Leukemia	2.6	1.3	4.6	13
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	2.4	0.9	4.7	9
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	16.3	12.1	21.4	60

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2002

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	501.1	478.6	524.2	2,236
<b>Oral Cavity and Pharynx</b>	9.9	7.2	13.3	50
Lip	^	^	^	^
Tongue	2.0	0.8	3.8	9
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.3	0.5	2.8	7
Nasopharynx	2.3	1.1	4.3	11
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
<b>Digestive System</b>	99.1	88.8	110.2	397
Esophagus	6.3	3.8	9.5	23
Stomach	10.6	7.3	14.7	39
Small Intestine	2.0	0.8	3.9	9
Colon and Rectum	55.5	47.8	64.0	217
Colon excluding Rectum	37.6	31.3	44.8	142
Cecum	8.5	5.4	12.5	26
Appendix	^	^	^	^
Ascending Colon	5.2	3.1	8.0	21
Hepatic Flexure	4.1	2.1	7.0	13
Transverse Colon	3.4	1.8	5.8	14
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	11.0	7.8	14.9	46
Large Intestine, NOS	3.1	1.6	5.4	13
Rectum and Rectosigmoid Junction	17.9	13.8	22.8	75
Rectosigmoid Junction	4.3	2.5	6.8	20
Rectum	13.6	10.0	18.1	55
Anus, Anal Canal and Anorectum	2.2	1.1	4.0	12
Liver and Intrahepatic Bile Duct	6.2	4.0	9.2	29
Liver	6.1	3.8	9.1	28
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	1.9	0.8	3.9	9
Pancreas	11.7	8.4	15.8	49

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2002

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.8	0
Other Digestive Organs	2.3	0.9	4.7	8
Respiratory System	75.8	67.0	85.4	306
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.4	1.2	4.4	12
Lung and Bronchus	72.0	63.4	81.5	288
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.2	0.4	2.8	7
Soft Tissue including Heart	2.9	1.6	4.9	16
Skin excluding Basal and Squamous	14.3	11.0	18.3	77
Melanoma of the Skin	12.7	9.6	16.5	70
Other Non-Epithelial Skin	1.6	0.6	3.3	7
Urinary System	41.5	35.0	48.7	170
Urinary Bladder	24.3	19.2	30.1	90
Kidney and Renal Pelvis	16.0	12.3	20.4	76
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	6.0	4.1	8.6	35
Brain	5.9	4.0	8.4	34
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	9.0	6.6	11.9	55
Thyroid	8.0	5.8	10.7	50
Other Endocrine including Thymus	^	^	^	^
Lymphoma	25.0	20.2	30.5	117
Hodgkin Lymphoma	2.4	1.4	4.0	17
Hodgkin - Nodal	2.4	1.4	4.0	17
Hodgkin - Extranodal	0.0	0.0	0.8	0
Non-Hodgkin Lymphoma	22.6	18.0	28.0	100
NHL - Nodal	16.1	12.2	20.7	70
NHL - Extranodal	6.5	4.2	9.6	30
Myeloma	5.0	3.1	7.6	24
Leukemia	12.3	9.1	16.2	59
Lymphocytic Leukemia	7.6	5.0	10.9	33
Acute Lymphocytic Leukemia	1.7	0.8	3.1	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2002

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	5.6	3.3	8.7	20
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	4.6	2.8	7.0	25
Acute Myeloid Leukemia	2.4	1.3	4.2	14
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.6	0.7	3.2	9
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	12.4	9.0	16.5	55

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2003

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	490.0	468.2	512.6	2,252
<b>Oral Cavity and Pharynx</b>	11.0	8.0	14.8	52
Lip	^	^	^	^
Tongue	2.6	1.3	4.6	12
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.2	0.3	2.8	6
Nasopharynx	2.4	1.1	4.4	10
Tonsil	1.0	0.4	2.1	7
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
<b>Digestive System</b>	94.8	85.0	105.3	410
Esophagus	5.2	3.3	7.6	28
Stomach	7.2	4.7	10.6	30
Small Intestine	1.9	0.7	4.0	7
Colon and Rectum	53.0	45.8	61.0	225
Colon excluding Rectum	38.1	31.8	45.1	148
Cecum	7.7	4.9	11.3	27
Appendix	^	^	^	^
Ascending Colon	5.8	3.6	8.8	23
Hepatic Flexure	1.9	0.7	3.9	8
Transverse Colon	2.6	1.2	4.8	10
Splenic Flexure	^	^	^	^
Descending Colon	3.1	1.5	5.5	12
Sigmoid Colon	11.9	8.6	16.0	50
Large Intestine, NOS	3.7	1.8	6.3	13
Rectum and Rectosigmoid Junction	15.0	11.6	19.0	77
Rectosigmoid Junction	4.9	3.0	7.6	22
Rectum	10.0	7.4	13.3	55
Anus, Anal Canal and Anorectum	2.9	1.5	5.0	14
Liver and Intrahepatic Bile Duct	6.6	4.4	9.5	35
Liver	6.5	4.3	9.3	34
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	1.8	0.7	3.7	8
Other Biliary	2.2	0.8	4.4	7
Pancreas	11.1	7.9	15.2	46

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2003

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	2.1	0.8	4.2	8
Respiratory System	81.1	71.9	91.1	322
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.1	2.4	6.5	19
Lung and Bronchus	76.5	67.5	86.2	299
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	3.3	1.8	5.4	18
Skin excluding Basal and Squamous	16.8	13.2	21.1	92
Melanoma of the Skin	14.5	11.3	18.5	82
Other Non-Epithelial Skin	2.3	1.0	4.3	10
Urinary System	39.3	33.2	46.2	170
Urinary Bladder	24.3	19.4	30.1	95
Kidney and Renal Pelvis	14.5	11.1	18.6	73
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	0.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.9	3.8	8.6	31
Brain	5.4	3.5	8.1	28
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	10.9	8.3	14.1	68
Thyroid	9.6	7.3	12.5	62
Other Endocrine including Thymus	1.3	0.4	3.0	6
Lymphoma	22.3	17.9	27.4	108
Hodgkin Lymphoma	3.4	2.0	5.3	21
Hodgkin - Nodal	3.4	2.0	5.3	21
Hodgkin - Extranodal	0.0	0.0	0.8	0
Non-Hodgkin Lymphoma	19.0	14.8	23.8	87
NHL - Nodal	13.4	10.0	17.6	64
NHL - Extranodal	5.5	3.3	8.5	23
Myeloma	4.6	2.7	7.2	21
Leukemia	9.3	6.6	12.6	47
Lymphocytic Leukemia	4.4	2.7	6.7	23
Acute Lymphocytic Leukemia	1.3	0.6	2.5	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2003

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	2.4	1.1	4.5	10
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	4.4	2.6	7.0	21
Acute Myeloid Leukemia	2.5	1.2	4.6	12
Acute Monocytic Leukemia	0.0	0.0	0.8	0
Chronic Myeloid Leukemia	1.8	0.7	3.6	8
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	2.0	0.7	4.3	6
Kaposi Sarcoma	^	^	^	^
Miscellaneous	15.9	12.0	20.7	66

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2004

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	504.7	483.0	527.1	2,405
<b>Oral Cavity and Pharynx</b>	10.9	8.1	14.5	57
Lip	^	^	^	^
Tongue	1.9	1.0	3.5	13
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	2.0	0.9	4.0	9
Nasopharynx	1.0	0.4	2.2	7
Tonsil	1.6	0.7	3.1	10
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
<b>Digestive System</b>	104.4	94.4	115.2	463
<b>Esophagus</b>	6.2	4.0	9.0	28
<b>Stomach</b>	7.0	4.7	10.1	32
<b>Small Intestine</b>	2.1	0.9	4.2	9
<b>Colon and Rectum</b>	55.0	47.8	62.9	247
<b>Colon excluding Rectum</b>	41.6	35.3	48.6	181
Cecum	10.2	7.1	14.0	41
Appendix	^	^	^	^
Ascending Colon	5.0	3.0	7.7	21
Hepatic Flexure	1.6	0.7	3.4	8
Transverse Colon	3.9	2.0	6.6	13
Splenic Flexure	1.5	0.5	3.4	6
Descending Colon	2.5	1.2	4.6	11
Sigmoid Colon	12.9	9.6	17.0	61
Large Intestine, NOS	3.5	2.0	5.7	17
Rectum and Rectosigmoid Junction	13.4	10.1	17.4	66
Rectosigmoid Junction	3.5	1.9	5.9	16
Rectum	9.8	7.1	13.3	50
Anus, Anal Canal and Anorectum	3.0	1.5	5.2	14
Liver and Intrahepatic Bile Duct	10.7	7.7	14.5	50
Liver	9.8	6.9	13.4	46
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	2.2	0.8	4.3	8
<b>Pancreas</b>	12.6	9.2	16.8	51

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2004

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	3.2	1.6	5.5	12
Respiratory System	81.7	72.7	91.4	343
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.8	0
Larynx	3.0	1.6	5.0	16
Lung and Bronchus	77.7	68.9	87.3	324
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.4	0.5	3.1	6
Soft Tissue including Heart	3.2	1.9	5.2	20
Skin excluding Basal and Squamous	15.4	12.1	19.3	85
Melanoma of the Skin	13.4	10.3	17.1	74
Other Non-Epithelial Skin	2.0	1.0	3.8	11
Urinary System	43.5	37.2	50.6	193
Urinary Bladder	24.4	19.7	29.8	107
Kidney and Renal Pelvis	17.3	13.5	21.9	79
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	1.2	0.4	2.6	6
Brain and Other Nervous System	7.4	5.1	10.4	40
Brain	6.8	4.6	9.7	36
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.4	9.0	14.4	79
Thyroid	11.2	8.8	14.1	77
Other Endocrine including Thymus	^	^	^	^
Lymphoma	21.9	17.6	27.0	105
Hodgkin Lymphoma	2.3	1.3	3.9	15
Hodgkin - Nodal	2.3	1.3	3.9	15
Hodgkin - Extranodal	0.0	0.0	0.8	0
Non-Hodgkin Lymphoma	19.6	15.4	24.5	90
NHL - Nodal	14.3	10.7	18.5	65
NHL - Extranodal	5.3	3.3	8.1	25
Myeloma	8.4	5.7	11.8	37
Leukemia	11.3	8.2	15.2	53
Lymphocytic Leukemia	7.5	5.0	10.7	34
Acute Lymphocytic Leukemia	1.4	0.6	2.8	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2004

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	5.1	3.0	8.0	21
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.7	2.1	6.0	18
Acute Myeloid Leukemia	1.5	0.5	3.2	7
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.8	0.7	3.6	8
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	1.9	0.7	3.9	7
Kaposi Sarcoma	^	^	^	^
Miscellaneous	13.0	9.5	17.1	57

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2005

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	475.2	454.6	496.5	2,336
<b>Oral Cavity and Pharynx</b>	10.3	7.6	13.6	56
Lip	^	^	^	^
Tongue	2.3	1.1	4.0	12
Salivary Gland	^	^	^	^
Floor of Mouth	1.1	0.4	2.4	7
Gum and Other Mouth	1.7	0.6	3.4	7
Nasopharynx	1.1	0.4	2.4	6
Tonsil	0.8	0.3	1.8	6
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	0.7	0
<b>Digestive System</b>	97.8	88.2	108.2	438
Esophagus	6.1	4.0	8.8	31
Stomach	6.9	4.7	9.7	36
Small Intestine	3.0	1.5	5.1	13
Colon and Rectum	55.1	47.9	63.1	240
Colon excluding Rectum	42.6	36.2	49.7	181
Cecum	11.8	8.5	15.9	47
Appendix	^	^	^	^
Ascending Colon	9.5	6.5	13.2	36
Hepatic Flexure	1.8	0.7	3.6	7
Transverse Colon	4.3	2.4	7.0	16
Splenic Flexure	^	^	^	^
Descending Colon	2.0	1.0	3.8	11
Sigmoid Colon	8.9	6.3	12.3	43
Large Intestine, NOS	2.7	1.3	4.8	13
Rectum and Rectosigmoid Junction	12.5	9.3	16.4	59
Rectosigmoid Junction	3.4	1.9	5.6	16
Rectum	9.1	6.4	12.5	43
Anus, Anal Canal and Anorectum	1.6	0.6	3.3	8
Liver and Intrahepatic Bile Duct	6.1	3.9	8.9	30
Liver	5.7	3.6	8.4	28
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	2.5	1.1	4.7	9
Pancreas	11.4	8.1	15.3	46

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2005

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	3.6	2.1	5.8	18
Respiratory System	82.2	73.3	91.8	353
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.9	1.6	4.9	15
Lung and Bronchus	78.6	69.9	88.1	334
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.7	0
Bones and Joints	1.2	0.5	2.5	8
Soft Tissue including Heart	3.7	2.1	5.9	20
Skin excluding Basal and Squamous	10.5	7.8	13.7	61
Melanoma of the Skin	8.0	5.8	10.7	50
Other Non-Epithelial Skin	2.5	1.1	4.5	11
Urinary System	40.2	34.3	46.8	190
Urinary Bladder	23.2	18.7	28.4	102
Kidney and Renal Pelvis	16.2	12.6	20.3	84
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.4	5.1	10.4	39
Brain	7.2	4.8	10.1	37
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.7	9.0	15.0	71
Thyroid	11.5	8.8	14.7	69
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.5	20.0	29.6	125
Hodgkin Lymphoma	2.5	1.3	4.2	15
Hodgkin - Nodal	2.5	1.3	4.2	15
Hodgkin - Extranodal	0.0	0.0	0.7	0
Non-Hodgkin Lymphoma	22.0	17.7	26.9	110
NHL - Nodal	16.0	12.4	20.3	79
NHL - Extranodal	6.0	3.9	8.8	31
Myeloma	5.2	3.3	7.7	25
Leukemia	14.8	11.4	18.8	77
Lymphocytic Leukemia	8.4	5.9	11.5	43
Acute Lymphocytic Leukemia	1.3	0.6	2.5	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2005

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	6.5	4.3	9.4	31
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	5.7	3.7	8.4	30
Acute Myeloid Leukemia	3.7	2.1	6.0	18
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.5	0.6	3.1	8
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	2.0	0.8	3.9	8
Kaposi Sarcoma	^	^	^	^
Miscellaneous	13.3	9.8	17.6	57

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2006

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	469.8	449.8	490.5	2,432
<b>Oral Cavity and Pharynx</b>	11.3	8.4	14.8	60
Lip	^	^	^	^
Tongue	2.0	1.0	3.7	11
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.0	0.3	2.4	6
Nasopharynx	1.7	0.8	3.3	10
Tonsil	2.7	1.5	4.5	17
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	0.7	0
<b>Digestive System</b>	94.9	85.7	104.7	466
Esophagus	6.3	4.2	9.1	34
Stomach	5.8	3.8	8.6	29
Small Intestine	2.3	1.2	3.8	15
Colon and Rectum	52.0	45.3	59.5	249
Colon excluding Rectum	40.2	34.1	46.9	182
Cecum	10.8	7.8	14.6	47
Appendix	^	^	^	^
Ascending Colon	7.0	4.5	10.3	28
Hepatic Flexure	1.8	0.8	3.4	10
Transverse Colon	2.4	1.1	4.4	11
Splenic Flexure	1.2	0.4	2.6	6
Descending Colon	3.2	1.7	5.4	14
Sigmoid Colon	10.1	7.3	13.5	50
Large Intestine, NOS	3.3	1.7	5.6	13
Rectum and Rectosigmoid Junction	11.9	9.0	15.4	67
Rectosigmoid Junction	2.7	1.4	4.7	15
Rectum	9.1	6.7	12.2	52
Anus, Anal Canal and Anorectum	2.5	1.3	4.2	15
Liver and Intrahepatic Bile Duct	7.0	4.8	9.7	41
Liver	6.6	4.5	9.3	38
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	2.0	0.8	4.1	7
Other Biliary	2.4	1.2	4.3	13
Pancreas	11.6	8.5	15.5	52

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2006

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	1.9	0.7	4.0	6
Respiratory System	81.0	72.5	90.3	376
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.2	2.5	6.5	21
Lung and Bronchus	75.3	67.1	84.2	348
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.0	0.4	2.1	7
Soft Tissue including Heart	3.5	2.1	5.4	21
Skin excluding Basal and Squamous	10.2	7.6	13.3	60
Melanoma of the Skin	9.2	6.8	12.2	56
Other Non-Epithelial Skin	^	^	^	^
Urinary System	36.1	30.5	42.4	175
Urinary Bladder	22.3	17.8	27.5	98
Kidney and Renal Pelvis	13.7	10.6	17.5	76
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	0.7	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.7	3.0	7.1	26
Brain	4.5	2.8	6.9	24
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.0	8.5	14.0	72
Thyroid	10.6	8.1	13.6	69
Other Endocrine including Thymus	^	^	^	^
Lymphoma	23.9	19.6	28.7	129
Hodgkin Lymphoma	2.9	1.6	4.7	18
Hodgkin - Nodal	2.9	1.6	4.7	18
Hodgkin - Extranodal	0.0	0.0	0.7	0
Non-Hodgkin Lymphoma	21.0	17.0	25.6	111
NHL - Nodal	14.3	11.1	18.2	78
NHL - Extranodal	6.6	4.4	9.5	33
Myeloma	4.3	2.5	6.8	20
Leukemia	16.6	12.9	21.0	81
Lymphocytic Leukemia	8.4	5.9	11.5	42
Acute Lymphocytic Leukemia	1.8	0.9	3.2	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2006

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	6.0	3.8	8.9	27
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	7.6	5.2	10.7	36
Acute Myeloid Leukemia	4.8	2.8	7.5	20
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	2.1	1.0	3.8	12
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	11.6	8.5	15.3	54

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2007

	Rate	Lower CI	Upper CI	Count
<b>All Sites</b>	434.0	415.1	453.4	2,336
<b>Oral Cavity and Pharynx</b>	10.8	8.1	14.1	63
Lip	^	^	^	^
Tongue	3.1	1.8	4.9	20
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.7	0.7	3.6	7
Nasopharynx	^	^	^	^
Tonsil	1.8	1.0	3.2	13
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
<b>Digestive System</b>	80.1	71.9	88.9	411
Esophagus	4.0	2.4	6.2	22
Stomach	7.7	5.3	10.8	39
Small Intestine	2.0	0.9	3.7	11
Colon and Rectum	39.9	34.2	46.3	201
Colon excluding Rectum	27.7	22.8	33.1	136
Cecum	5.1	3.1	7.8	23
Appendix	^	^	^	^
Ascending Colon	4.9	3.0	7.4	24
Hepatic Flexure	1.5	0.5	3.3	6
Transverse Colon	1.9	0.8	3.7	9
Splenic Flexure	0.0	0.0	0.7	0
Descending Colon	1.2	0.4	2.7	7
Sigmoid Colon	10.2	7.5	13.6	53
Large Intestine, NOS	2.5	1.2	4.6	12
Rectum and Rectosigmoid Junction	12.3	9.3	15.9	65
Rectosigmoid Junction	3.7	2.1	6.0	19
Rectum	8.5	6.1	11.5	46
Anus, Anal Canal and Anorectum	2.1	1.1	3.7	14
Liver and Intrahepatic Bile Duct	6.3	4.2	9.1	34
Liver	5.9	3.9	8.5	32
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	3.3	1.8	5.5	17
Pancreas	11.9	8.9	15.6	60

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2007

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	69.8	62.1	78.1	344
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.7	3.0	6.9	29
Lung and Bronchus	64.9	57.4	73.0	314
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.7	0
Bones and Joints	1.2	0.5	2.5	8
Soft Tissue including Heart	3.1	1.9	4.7	22
Skin excluding Basal and Squamous	10.5	7.9	13.8	61
Melanoma of the Skin	9.6	7.1	12.8	56
Other Non-Epithelial Skin	^	^	^	^
Urinary System	34.6	29.3	40.5	175
Urinary Bladder	18.2	14.3	22.7	88
Kidney and Renal Pelvis	16.0	12.5	20.2	84
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.9	4.1	8.2	38
Brain	5.5	3.7	7.8	35
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	13.5	10.8	16.7	92
Thyroid	12.6	10.0	15.7	87
Other Endocrine including Thymus	^	^	^	^
Lymphoma	19.3	15.5	23.7	107
Hodgkin Lymphoma	2.1	1.1	3.7	14
Hodgkin - Nodal	2.1	1.1	3.7	14
Hodgkin - Extranodal	0.0	0.0	0.7	0
Non-Hodgkin Lymphoma	17.2	13.6	21.4	93
NHL - Nodal	12.3	9.2	15.9	65
NHL - Extranodal	4.9	3.2	7.3	28
Myeloma	3.8	2.3	6.0	21
Leukemia	11.8	8.8	15.5	60
Lymphocytic Leukemia	5.6	3.6	8.2	29
Acute Lymphocytic Leukemia	1.7	0.9	3.0	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007

2007

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	3.4	1.9	5.7	15
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.2	4.1	9.0	31
Acute Myeloid Leukemia	3.7	2.1	5.9	18
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	2.4	1.2	4.4	12
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.7	0
Other Leukemia	0.0	0.0	0.7	0
Other Acute Leukemia	0.0	0.0	0.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	0.7	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	14.9	11.3	19.2	67

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.