

Incidence Rates by Diagnosis Year by Sex.sim**Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex****Session Type:** Rate**Suggested Citation****Software:** Surveillance Research Program, National Cancer Institute SEER*Stat software (www.seer.cancer.gov/seerstat) version 6.6.2.**Data:** Alaska Cancer Registry SEER*Stat Database - Incidence data for diagnosis years 1996 to 2007. Released May 2010. Alaska population data for rate calculations are from the SEER program (<http://www.seer.cancer.gov/popdata/>) and include populations by borough/census area, expanded races, and Hispanic origin.**Data****Database:** ACR w/Borough, Race, & Hispanic Pops (1996-2007), April 2010**Statistic****Statistic:** Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)**P-Values:** .05**Options:** Display Confidence Intervals (Tiwari mod) and Standard Errors**Selection****Select Only:** Malignant Behavior, Known Age, Male or Female Sex**Table****Page:** Year of diagnosis**Row:** Site rec with Kaposi and mesothelioma**Column:** Sex - M & F only [Sex]**Output****Title:** Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex**Suppress:** Statistics based on fewer than 6 cases**Display Rates as:** Cases per 100,000**Precision:** 1 decimal place (default)

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

	Total							
	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	553.5	542.8	564.3	13,471	439.4	431.1	447.9	12,125
Oral Cavity and Pharynx	16.2	14.6	18.0	469	6.8	5.8	7.9	177
Lip	1.5	0.9	2.2	32	0.4	0.2	0.8	10
Tongue	4.0	3.2	4.9	118	1.6	1.1	2.2	43
Salivary Gland	1.3	0.8	1.9	32	0.9	0.6	1.4	28
Floor of Mouth	1.1	0.8	1.6	34	0.6	0.3	1.0	15
Gum and Other Mouth	1.8	1.2	2.5	47	1.1	0.7	1.6	24
Nasopharynx	2.0	1.5	2.7	58	1.0	0.6	1.5	26
Tonsil	2.5	2.0	3.2	90	0.4	0.2	0.7	11
Oropharynx	0.6	0.4	1.1	18	0.3	0.1	0.7	9
Hypopharynx	1.0	0.6	1.6	28	0.4	0.2	0.7	9
Other Oral Cavity and Pharynx	0.3	0.2	0.6	12	^	^	^	^
Digestive System	115.0	110.0	120.1	2,702	83.6	79.8	87.5	2,020
Esophagus	8.8	7.5	10.2	224	3.0	2.3	3.8	73
Stomach	12.0	10.4	13.8	270	5.5	4.5	6.5	139
Small Intestine	2.2	1.6	2.9	56	1.6	1.1	2.2	39
Colon and Rectum	62.0	58.4	65.8	1,420	49.5	46.6	52.6	1,183
Colon excluding Rectum	44.4	41.2	47.7	954	37.2	34.6	39.9	861
Cecum	8.9	7.4	10.5	175	10.2	8.9	11.7	226
Appendix	0.6	0.4	1.0	23	0.2	0.1	0.5	7
Ascending Colon	7.2	6.0	8.6	145	6.1	5.1	7.3	129
Hepatic Flexure	2.1	1.4	2.8	49	2.3	1.7	3.0	49
Transverse Colon	3.3	2.5	4.3	74	3.7	2.9	4.6	78
Splenic Flexure	1.2	0.7	1.9	24	1.0	0.7	1.5	26
Descending Colon	3.1	2.3	4.0	63	1.6	1.2	2.3	41
Sigmoid Colon	14.2	12.5	16.0	319	9.6	8.4	11.0	246
Large Intestine, NOS	3.8	2.9	4.9	82	2.4	1.8	3.1	59
Rectum and Rectosigmoid Junction	17.6	15.9	19.6	466	12.3	10.9	13.8	322
Rectosigmoid Junction	5.1	4.1	6.2	124	2.6	2.0	3.3	68
Rectum	12.5	11.0	14.1	342	9.7	8.5	11.1	254
Anus, Anal Canal and Anorectum	1.2	0.8	1.8	37	2.6	2.0	3.3	73
Liver and Intrahepatic Bile Duct	10.2	8.9	11.8	273	4.5	3.7	5.5	117
Liver	9.4	8.1	10.9	252	3.9	3.2	4.8	101
Intrahepatic Bile Duct	0.8	0.5	1.3	21	0.6	0.3	0.9	16
Gallbladder	1.6	1.0	2.3	29	1.5	1.0	2.2	31
Other Biliary	2.0	1.4	2.8	45	2.0	1.5	2.7	47

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

	Total							
	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	12.7	11.1	14.5	292	11.0	9.7	12.5	259
Retroperitoneum	0.3	0.1	0.6	10	0.2	0.1	0.4	6
Peritoneum, Omentum and Mesentery	^	^	^	^	0.8	0.5	1.2	20
Other Digestive Organs	1.8	1.3	2.6	41	1.5	1.0	2.1	33
Respiratory System	97.1	92.6	101.8	2,207	65.9	62.5	69.4	1,574
Nose, Nasal Cavity and Middle Ear	0.9	0.6	1.4	23	0.5	0.3	0.9	16
Larynx	6.6	5.5	7.7	174	1.3	0.9	1.8	37
Lung and Bronchus	89.3	85.0	93.8	2,001	63.8	60.5	67.3	1,515
Pleura	0.0	0.0	0.2	0	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.3	0.1	0.6	9	^	^	^	^
Bones and Joints	1.1	0.8	1.6	44	1.1	0.7	1.5	37
Soft Tissue including Heart	3.4	2.7	4.2	111	2.7	2.2	3.4	88
Skin excluding Basal and Squamous	14.6	13.0	16.3	439	11.2	10.0	12.5	358
Melanoma of the Skin	12.5	11.1	14.0	390	10.3	9.1	11.5	329
Other Non-Epithelial Skin	2.1	1.4	2.9	49	1.0	0.6	1.4	29
Breast	0.7	0.4	1.1	19	134.8	130.4	139.3	4,029
Female Genital System	0.0	0.0	0.2	0	46.4	43.9	49.1	1,406
Cervix Uteri	0.0	0.0	0.2	0	8.4	7.4	9.5	295
Corpus and Uterus, NOS	0.0	0.0	0.2	0	21.4	19.7	23.3	627
Corpus Uteri	0.0	0.0	0.2	0	20.7	19.0	22.5	609
Uterus, NOS	0.0	0.0	0.2	0	0.7	0.4	1.1	18
Ovary	0.0	0.0	0.2	0	12.5	11.1	13.9	369
Vagina	0.0	0.0	0.2	0	0.9	0.6	1.4	24
Vulva	0.0	0.0	0.2	0	2.2	1.7	2.9	63
Other Female Genital Organs	0.0	0.0	0.2	0	1.0	0.7	1.5	28
Male Genital System	163.8	158.1	169.7	3,933	0.0	0.0	0.1	0
Prostate	156.9	151.3	162.7	3,664	0.0	0.0	0.1	0
Testis	5.7	5.0	6.5	241	0.0	0.0	0.1	0
Penis	1.0	0.5	1.5	22	0.0	0.0	0.1	0
Other Male Genital Organs	0.2	0.1	0.6	6	0.0	0.0	0.1	0
Urinary System	60.7	57.1	64.5	1,387	19.8	18.0	21.7	499
Urinary Bladder	40.2	37.1	43.3	842	8.7	7.5	10.1	207
Kidney and Renal Pelvis	19.5	17.7	21.5	523	10.3	9.1	11.7	276
Ureter	0.7	0.4	1.2	16	0.5	0.3	0.9	12
Other Urinary Organs	0.3	0.1	0.7	6	^	^	^	^
Eye and Orbit	0.9	0.6	1.3	31	0.3	0.2	0.6	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

	Total							
	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	6.8	5.8	7.9	219	5.9	5.0	6.9	184
Brain	6.6	5.6	7.7	210	5.6	4.8	6.6	174
Cranial Nerves Other Nervous System	0.2	0.1	0.5	9	0.3	0.1	0.5	10
Endocrine System	5.5	4.7	6.4	195	15.0	13.7	16.4	541
Thyroid	4.9	4.1	5.8	174	14.3	13.1	15.6	519
Other Endocrine including Thymus	0.6	0.3	1.0	21	0.7	0.4	1.1	22
Lymphoma	27.0	24.8	29.4	753	19.4	17.7	21.3	540
Hodgkin Lymphoma	3.1	2.5	3.8	113	2.0	1.6	2.6	73
Hodgkin - Nodal	3.1	2.5	3.8	113	2.0	1.5	2.6	72
Hodgkin - Extranodal	0.0	0.0	0.2	0	^	^	^	^
Non-Hodgkin Lymphoma	23.9	21.8	26.2	640	17.4	15.8	19.2	467
NHL - Nodal	16.9	15.1	18.9	454	11.9	10.6	13.4	322
NHL - Extranodal	7.0	5.9	8.3	186	5.5	4.6	6.5	145
Myeloma	6.1	5.0	7.2	152	4.5	3.7	5.5	112
Leukemia	16.7	14.9	18.7	425	10.6	9.3	12.0	288
Lymphocytic Leukemia	9.0	7.7	10.5	234	4.9	4.0	5.8	131
Acute Lymphocytic Leukemia	1.7	1.3	2.3	66	1.2	0.9	1.6	47
Chronic Lymphocytic Leukemia	6.6	5.4	7.9	146	3.4	2.6	4.2	76
Other Lymphocytic Leukemia	0.8	0.4	1.2	22	0.3	0.1	0.7	8
Myeloid and Monocytic Leukemia	6.9	5.7	8.1	169	5.0	4.2	6.0	139
Acute Myeloid Leukemia	3.9	3.0	4.9	93	3.0	2.4	3.8	83
Acute Monocytic Leukemia	0.3	0.1	0.5	10	0.3	0.1	0.6	9
Chronic Myeloid Leukemia	2.6	1.9	3.4	62	1.6	1.1	2.2	43
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^
Other Leukemia	0.9	0.5	1.4	22	0.7	0.4	1.1	18
Other Acute Leukemia	0.3	0.1	0.6	6	^	^	^	^
Aleukemic, Subleukemic and NOS	0.6	0.3	1.1	16	0.5	0.2	0.9	13
Mesothelioma	3.7	2.7	4.9	62	0.4	0.2	0.7	9
Kaposi Sarcoma	0.4	0.2	0.7	16	^	^	^	^
Miscellaneous	13.7	12.0	15.6	307	10.9	9.5	12.4	251

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1996

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	534.5	491.6	579.7	841	446.8	414.1	481.4	832
Oral Cavity and Pharynx	17.8	11.6	26.0	33	10.5	5.8	17.0	17
Lip	^	^	^	^	^	^	^	^
Tongue	3.5	1.5	7.5	8	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	2.0	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	0.0	0.0	2.0	0
Tonsil	4.1	1.3	9.2	8	^	^	^	^
Oropharynx	0.0	0.0	2.8	0	^	^	^	^
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Digestive System	107.8	87.4	130.8	155	82.0	67.2	98.7	127
Esophagus	5.7	1.6	12.9	8	4.4	1.5	9.5	6
Stomach	12.1	6.9	19.5	20	5.6	2.3	10.9	9
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	66.1	50.0	85.0	92	50.2	39.1	63.3	79
Colon excluding Rectum	46.9	33.3	63.4	63	36.5	26.8	48.2	54
Cecum	4.9	1.2	11.9	8	7.6	3.5	13.8	10
Appendix	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Ascending Colon	^	^	^	^	7.1	3.2	13.0	10
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	6.1	1.7	14.0	6	4.4	1.5	9.5	6
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	6.1	1.7	14.1	6	^	^	^	^
Sigmoid Colon	16.4	9.6	25.7	26	10.3	5.5	17.0	16
Large Intestine, NOS	7.0	2.8	14.0	9	3.1	1.0	7.1	6
Rectum and Rectosigmoid Junction	19.2	11.4	29.6	29	13.7	8.6	20.6	25
Rectosigmoid Junction	6.4	1.9	14.2	8	4.0	1.4	8.7	6
Rectum	12.8	7.1	20.9	21	9.7	5.6	15.4	19
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	7.4	3.3	14.0	10	5.9	2.5	11.4	9
Liver	7.0	2.9	13.5	9	3.9	1.3	8.7	6
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	2.0	0
Other Biliary	0.0	0.0	2.8	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1996

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	13.2	6.4	23.2	17	11.5	6.4	18.6	18
Retroperitoneum	^	^	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Other Digestive Organs	0.0	0.0	2.8	0	^	^	^	^
Respiratory System	105.9	87.7	126.4	166	70.0	56.9	84.9	112
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	2.0	0
Larynx	10.8	5.8	18.0	17	^	^	^	^
Lung and Bronchus	93.5	76.3	113.0	146	67.4	54.5	82.1	107
Pleura	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	2.0	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	4.1	1.7	8.6	10	2.6	1.0	5.7	7
Skin excluding Basal and Squamous	13.2	7.9	20.7	26	9.7	5.8	15.2	23
Melanoma of the Skin	13.0	7.7	20.4	25	9.7	5.8	15.2	23
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	2.0	0
Breast	^	^	^	^	131.9	115.1	150.3	267
Female Genital System	0.0	0.0	2.8	0	44.6	35.5	55.3	97
Cervix Uteri	0.0	0.0	2.8	0	10.4	6.8	15.5	28
Corpus and Uterus, NOS	0.0	0.0	2.8	0	20.6	14.2	28.7	40
Corpus Uteri	0.0	0.0	2.8	0	18.0	12.2	25.5	35
Uterus, NOS	0.0	0.0	2.8	0	^	^	^	^
Ovary	0.0	0.0	2.8	0	12.0	7.6	18.0	26
Vagina	0.0	0.0	2.8	0	^	^	^	^
Vulva	0.0	0.0	2.8	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Male Genital System	161.4	137.7	187.5	236	0.0	0.0	2.0	0
Prostate	156.4	132.8	182.4	217	0.0	0.0	2.0	0
Testis	5.0	3.0	8.6	19	0.0	0.0	2.0	0
Penis	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Other Male Genital Organs	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Urinary System	53.9	40.9	69.4	80	18.7	12.2	27.0	31
Urinary Bladder	32.2	21.8	45.2	45	10.0	5.5	16.3	17
Kidney and Renal Pelvis	17.8	11.4	26.3	30	8.0	4.0	14.0	13
Ureter	^	^	^	^	^	^	^	^
Other Urinary Organs	^	^	^	^	0.0	0.0	2.0	0
Eye and Orbit	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1996

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	6.1	3.3	10.7	16	3.8	1.8	7.4	10
Brain	6.1	3.3	10.7	16	3.8	1.8	7.4	10
Cranial Nerves Other Nervous System	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Endocrine System	^	^	^	^	16.9	11.8	23.6	42
Thyroid	^	^	^	^	16.6	11.5	23.3	41
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	20.5	14.2	28.6	46	22.2	15.5	30.6	46
Hodgkin Lymphoma	4.7	2.4	8.9	13	4.2	2.3	7.4	14
Hodgkin - Nodal	4.7	2.4	8.9	13	3.8	2.0	6.9	13
Hodgkin - Extranodal	0.0	0.0	2.8	0	^	^	^	^
Non-Hodgkin Lymphoma	15.7	10.1	23.3	33	18.0	11.7	26.2	32
NHL - Nodal	11.3	6.8	17.6	25	12.5	7.5	19.3	23
NHL - Extranodal	4.5	1.5	9.8	8	5.5	2.2	10.9	9
Myeloma	5.1	1.7	11.0	7	6.2	3.0	11.3	11
Leukemia	23.1	15.0	33.6	37	13.6	8.0	21.2	21
Lymphocytic Leukemia	11.9	6.7	19.4	21	4.3	1.5	9.3	7
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	8.8	4.1	16.0	12	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	2.0	0
Myeloid and Monocytic Leukemia	8.4	3.6	15.8	12	8.6	4.3	15.0	13
Acute Myeloid Leukemia	5.0	1.5	11.2	7	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.8	0	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	4.9	1.7	10.4	6
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	2.0	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	7.4	3.2	14.0	10	0.0	0.0	2.0	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	2.0	0
Miscellaneous	2.0	0.7	5.2	6	12.4	6.8	20.1	16

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1997

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	605.6	560.9	652.5	982	432.7	401.3	465.7	837
Oral Cavity and Pharynx	16.2	10.5	23.9	33	8.8	4.9	14.5	17
Lip	^	^	^	^	^	^	^	^
Tongue	3.0	1.0	7.2	7	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	1.9	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.9	0
Digestive System	120.5	101.0	142.2	192	77.7	64.1	93.0	134
Esophagus	10.5	5.3	18.1	16	3.3	1.2	7.2	6
Stomach	10.6	6.0	17.3	19	7.0	3.3	12.5	12
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	65.4	51.8	81.2	105	42.4	32.5	54.1	73
Colon excluding Rectum	47.1	35.3	61.2	72	30.6	22.1	41.1	50
Cecum	9.6	4.7	16.9	15	8.9	4.4	15.5	12
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	9.1	4.3	16.5	12	4.7	1.8	9.7	7
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	4.5	1.6	9.7	8	4.1	1.3	9.0	6
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	16.8	9.6	26.6	21	7.0	3.5	12.3	13
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	18.3	12.1	26.5	33	11.8	7.2	18.0	23
Rectosigmoid Junction	6.1	2.8	11.6	10	^	^	^	^
Rectum	12.2	7.3	19.1	23	10.1	5.8	16.0	19
Anus, Anal Canal and Anorectum	^	^	^	^	5.0	2.1	9.6	9
Liver and Intrahepatic Bile Duct	11.9	5.9	20.6	20	^	^	^	^
Liver	8.9	4.3	15.9	17	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1997

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	13.9	7.6	22.7	20	11.5	6.6	18.3	18
Retroperitoneum	^	^	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	2.6	0	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	114.0	95.5	134.7	180	59.2	47.5	72.6	100
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	9.2	4.3	16.6	15	^	^	^	^
Lung and Bronchus	103.1	85.6	122.8	162	56.6	45.1	69.8	95
Pleura	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	2.7	0.9	6.4	6	^	^	^	^
Skin excluding Basal and Squamous	15.7	9.4	24.2	33	11.8	7.9	17.1	32
Melanoma of the Skin	14.9	8.8	23.4	31	11.5	7.6	16.6	31
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	139.4	122.5	157.8	289
Female Genital System	0.0	0.0	2.6	0	51.7	41.4	63.7	103
Cervix Uteri	0.0	0.0	2.6	0	9.8	6.3	14.6	27
Corpus and Uterus, NOS	0.0	0.0	2.6	0	21.8	14.9	30.5	38
Corpus Uteri	0.0	0.0	2.6	0	19.8	13.4	28.1	35
Uterus, NOS	0.0	0.0	2.6	0	^	^	^	^
Ovary	0.0	0.0	2.6	0	16.9	11.1	24.5	31
Vagina	0.0	0.0	2.6	0	^	^	^	^
Vulva	0.0	0.0	2.6	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.6	0	^	^	^	^
Male Genital System	181.7	156.9	208.7	263	0.0	0.0	1.9	0
Prostate	175.7	151.1	202.7	242	0.0	0.0	1.9	0
Testis	6.0	3.7	9.8	21	0.0	0.0	1.9	0
Penis	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Other Male Genital Organs	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Urinary System	76.4	59.7	95.8	107	25.4	18.0	34.6	44
Urinary Bladder	55.1	40.4	72.6	69	12.1	7.1	18.9	20
Kidney and Renal Pelvis	19.0	12.2	28.0	35	13.3	8.2	20.2	24
Ureter	^	^	^	^	0.0	0.0	1.9	0
Other Urinary Organs	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Eye and Orbit	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1997

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	5.7	2.7	10.6	15	5.6	2.9	9.9	13
Brain	5.7	2.7	10.6	15	5.6	2.9	9.9	13
Cranial Nerves Other Nervous System	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Endocrine System	4.0	2.1	7.5	13	11.4	7.4	16.9	30
Thyroid	3.1	1.5	6.4	10	11.4	7.4	16.9	30
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	1.9	0
Lymphoma	33.2	24.8	43.4	73	17.1	11.0	25.1	31
Hodgkin Lymphoma	3.8	1.8	7.5	11	^	^	^	^
Hodgkin - Nodal	3.8	1.8	7.5	11	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Non-Hodgkin Lymphoma	29.4	21.4	39.3	62	16.0	10.0	23.8	28
NHL - Nodal	19.6	13.1	28.0	41	11.6	6.6	18.5	21
NHL - Extranodal	9.8	5.5	16.1	21	4.4	1.6	9.0	7
Myeloma	^	^	^	^	2.6	0.9	5.9	6
Leukemia	16.2	10.0	24.6	33	10.5	5.8	17.0	19
Lymphocytic Leukemia	9.7	4.7	17.2	18	4.6	1.7	9.4	8
Acute Lymphocytic Leukemia	2.0	0.8	5.1	7	^	^	^	^
Chronic Lymphocytic Leukemia	7.7	3.0	15.1	11	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.6	0	^	^	^	^
Myeloid and Monocytic Leukemia	4.7	2.1	9.2	11	3.9	1.4	8.2	8
Acute Myeloid Leukemia	3.5	1.2	7.9	7	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	^	^	^	^	0.0	0.0	1.9	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	1.9	0
Miscellaneous	7.7	3.3	14.9	13	7.4	3.6	13.3	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1998

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	569.2	527.5	613.1	957	475.6	443.6	509.2	961
Oral Cavity and Pharynx	16.3	10.9	23.5	37	7.9	4.3	13.2	16
Lip	^	^	^	^	^	^	^	^
Tongue	5.2	2.3	10.1	11	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	2.5	0.8	6.0	6	^	^	^	^
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	^	^	^	^	0.0	0.0	1.8	0
Hypopharynx	0.0	0.0	2.4	0	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.8	0
Digestive System	118.9	99.4	140.6	192	97.5	82.3	114.5	165
Esophagus	5.4	2.6	10.0	11	3.8	1.5	7.8	7
Stomach	17.6	10.2	27.4	24	7.1	3.6	12.4	13
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	60.6	46.6	76.9	93	63.7	51.3	77.9	104
Colon excluding Rectum	46.3	33.4	61.7	63	45.6	35.1	58.0	71
Cecum	10.3	4.3	19.4	13	13.6	8.1	21.0	20
Appendix	^	^	^	^	0.0	0.0	1.8	0
Ascending Colon	10.2	4.4	19.2	11	6.0	2.5	11.5	8
Hepatic Flexure	^	^	^	^	4.2	1.5	9.0	6
Transverse Colon	^	^	^	^	3.9	1.5	8.0	7
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	11.8	6.4	19.5	18	14.1	8.6	21.5	23
Large Intestine, NOS	3.7	1.3	8.1	7	^	^	^	^
Rectum and Rectosigmoid Junction	14.3	9.5	20.9	30	18.0	12.0	25.8	33
Rectosigmoid Junction	4.5	1.8	9.2	7	4.2	1.7	8.4	8
Rectum	9.9	6.1	15.3	23	13.8	8.5	20.9	25
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	7.1	4.0	11.8	18	6.3	2.8	11.6	10
Liver	6.8	3.8	11.5	17	5.9	2.6	11.2	9
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1998

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	20.1	12.6	29.9	32	8.1	4.4	13.3	16
Retroperitoneum	^	^	^	^	0.0	0.0	1.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	100.2	83.6	118.9	167	76.3	63.3	91.1	132
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	5.7	2.7	10.7	12	^	^	^	^
Lung and Bronchus	93.9	77.8	112.1	154	73.9	61.1	88.5	127
Pleura	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	2.7	1.1	6.1	8	4.3	2.0	8.2	11
Skin excluding Basal and Squamous	14.5	9.6	21.0	33	7.7	4.7	12.0	22
Melanoma of the Skin	11.9	7.6	18.0	28	5.5	3.2	9.2	17
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	153.1	135.7	172.1	331
Female Genital System	0.0	0.0	2.4	0	47.9	38.5	58.8	106
Cervix Uteri	0.0	0.0	2.4	0	12.5	8.2	18.3	32
Corpus and Uterus, NOS	0.0	0.0	2.4	0	22.7	16.3	30.6	47
Corpus Uteri	0.0	0.0	2.4	0	22.7	16.3	30.6	47
Uterus, NOS	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Ovary	0.0	0.0	2.4	0	9.2	5.4	14.6	21
Vagina	0.0	0.0	2.4	0	^	^	^	^
Vulva	0.0	0.0	2.4	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.4	0	^	^	^	^
Male Genital System	171.6	148.6	196.7	266	0.0	0.0	1.8	0
Prostate	162.4	140.3	186.7	248	0.0	0.0	1.8	0
Testis	3.1	1.5	6.2	11	0.0	0.0	1.8	0
Penis	^	^	^	^	0.0	0.0	1.8	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	1.8	0
Urinary System	60.2	46.7	76.0	92	15.8	10.6	22.6	33
Urinary Bladder	42.3	30.7	56.4	56	8.1	4.4	13.6	15
Kidney and Renal Pelvis	16.4	10.4	24.5	34	7.7	4.4	12.4	18
Ureter	^	^	^	^	0.0	0.0	1.8	0
Other Urinary Organs	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Eye and Orbit	^	^	^	^	0.0	0.0	1.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1998

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	7.9	4.7	12.7	22	6.4	3.5	10.7	17
Brain	7.9	4.7	12.7	22	6.4	3.5	10.7	17
Cranial Nerves Other Nervous System	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Endocrine System	3.2	1.4	6.8	9	14.3	10.1	19.9	40
Thyroid	3.2	1.4	6.8	9	14.0	9.7	19.5	39
Other Endocrine including Thymus	0.0	0.0	2.4	0	^	^	^	^
Lymphoma	29.2	20.2	40.5	54	21.3	15.1	29.0	45
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Non-Hodgkin Lymphoma	26.6	18.0	37.5	50	20.1	14.1	27.6	42
NHL - Nodal	17.2	11.0	25.4	36	9.9	5.9	15.6	20
NHL - Extranodal	9.4	4.1	17.5	14	10.2	6.1	15.8	22
Myeloma	8.5	4.6	14.2	16	5.9	2.8	10.6	11
Leukemia	23.4	15.0	34.3	36	7.4	3.8	12.7	15
Lymphocytic Leukemia	10.4	5.1	18.3	16	4.8	2.1	9.2	10
Acute Lymphocytic Leukemia	3.4	0.6	9.3	6	^	^	^	^
Chronic Lymphocytic Leukemia	6.3	2.5	12.5	8	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	11.4	5.7	19.6	17	^	^	^	^
Acute Myeloid Leukemia	6.5	2.6	12.9	9	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	1.8	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	1.8	0
Other Leukemia	^	^	^	^	0.0	0.0	1.8	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	1.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	1.8	0
Mesothelioma	5.2	1.8	10.9	7	^	^	^	^
Kaposi Sarcoma	^	^	^	^	0.0	0.0	1.8	0
Miscellaneous	4.7	2.0	9.2	9	8.9	4.8	14.8	15

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1999

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	566.8	527.3	608.3	1,025	454.9	423.9	487.3	936
Oral Cavity and Pharynx	19.2	12.8	27.3	42	7.5	3.8	13.0	13
Lip	^	^	^	^	0.0	0.0	1.8	0
Tongue	7.2	3.2	13.4	14	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.0	0.0	2.3	0	^	^	^	^
Nasopharynx	3.5	1.3	7.6	8	^	^	^	^
Tonsil	1.8	0.6	4.5	6	^	^	^	^
Oropharynx	^	^	^	^	0.0	0.0	1.8	0
Hypopharynx	^	^	^	^	0.0	0.0	1.8	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.8	0
Digestive System	122.9	104.2	143.7	209	87.8	73.7	103.7	153
Esophagus	9.1	5.1	14.8	18	^	^	^	^
Stomach	13.2	7.1	21.9	20	7.5	4.1	12.5	16
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	72.2	58.1	88.4	119	52.3	41.5	64.9	90
Colon excluding Rectum	57.3	44.7	71.9	91	39.4	30.0	50.5	66
Cecum	9.4	5.0	15.9	17	10.9	6.2	17.5	17
Appendix	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Ascending Colon	12.5	7.2	19.8	18	3.9	1.4	8.4	6
Hepatic Flexure	4.2	1.1	10.0	6	3.6	1.3	7.6	6
Transverse Colon	4.4	1.8	8.9	9	4.7	1.9	9.3	8
Splenic Flexure	^	^	^	^	4.1	1.5	8.6	7
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	19.4	12.5	28.3	31	8.1	4.3	13.5	15
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	14.9	9.0	22.9	28	12.9	8.0	19.6	24
Rectosigmoid Junction	3.0	1.2	6.5	7	3.0	1.0	6.5	6
Rectum	12.0	6.5	19.6	21	10.0	5.6	16.1	18
Anus, Anal Canal and Anorectum	0.0	0.0	2.3	0	^	^	^	^
Liver and Intrahepatic Bile Duct	9.7	5.4	15.9	19	3.9	1.6	7.8	8
Liver	9.0	4.9	15.0	18	3.9	1.6	7.8	8
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	1.8	0
Gallbladder	^	^	^	^	4.8	1.7	9.8	6
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1999

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	12.1	6.7	19.8	21	14.4	8.9	21.7	23
Retroperitoneum	^	^	^	^	0.0	0.0	1.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.3	0	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	92.1	77.0	109.2	159	77.4	64.4	92.0	139
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	5.7	2.7	10.5	11	3.0	1.0	6.5	6
Lung and Bronchus	85.6	70.8	102.2	145	73.2	60.6	87.5	130
Pleura	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	^	^	^	^
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	^	^	^	^	2.8	0.9	6.5	6
Skin excluding Basal and Squamous	18.3	11.4	27.2	36	10.3	6.4	15.7	25
Melanoma of the Skin	15.6	9.2	24.2	30	8.2	4.9	12.9	21
Other Non-Epithelial Skin	2.7	0.8	6.5	6	^	^	^	^
Breast	^	^	^	^	132.8	117.2	149.8	304
Female Genital System	0.0	0.0	2.3	0	47.3	38.2	57.9	107
Cervix Uteri	0.0	0.0	2.3	0	7.7	4.4	12.3	20
Corpus and Uterus, NOS	0.0	0.0	2.3	0	18.8	13.5	25.5	45
Corpus Uteri	0.0	0.0	2.3	0	18.8	13.5	25.5	45
Uterus, NOS	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Ovary	0.0	0.0	2.3	0	14.6	9.4	21.4	29
Vagina	0.0	0.0	2.3	0	^	^	^	^
Vulva	0.0	0.0	2.3	0	3.9	1.6	8.0	8
Other Female Genital Organs	0.0	0.0	2.3	0	^	^	^	^
Male Genital System	178.1	156.3	201.7	312	0.0	0.0	1.8	0
Prostate	170.5	149.0	194.0	286	0.0	0.0	1.8	0
Testis	7.5	4.9	11.5	26	0.0	0.0	1.8	0
Penis	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Other Male Genital Organs	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Urinary System	59.7	46.8	74.6	103	20.2	13.8	28.3	36
Urinary Bladder	35.9	25.7	48.3	55	10.8	6.0	17.4	16
Kidney and Renal Pelvis	22.6	15.5	31.7	46	9.4	5.5	14.9	20
Ureter	^	^	^	^	0.0	0.0	1.8	0
Other Urinary Organs	^	^	^	^	0.0	0.0	1.8	0
Eye and Orbit	^	^	^	^	0.0	0.0	1.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

1999

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	6.8	3.5	11.7	16	8.4	4.9	13.4	19
Brain	6.5	3.3	11.4	15	8.4	4.9	13.4	19
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	1.8	0
Endocrine System	7.7	4.6	12.4	22	10.2	6.8	14.8	31
Thyroid	7.5	4.4	12.1	21	10.2	6.8	14.8	31
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	1.8	0
Lymphoma	23.1	16.3	31.8	54	20.4	14.8	27.5	49
Hodgkin Lymphoma	2.2	1.0	5.1	8	^	^	^	^
Hodgkin - Nodal	2.2	1.0	5.1	8	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Non-Hodgkin Lymphoma	20.9	14.2	29.4	46	18.8	13.3	25.8	44
NHL - Nodal	15.5	10.2	22.6	36	14.0	9.4	20.1	33
NHL - Extranodal	5.4	1.9	11.2	10	4.8	2.2	8.9	11
Myeloma	8.1	3.8	14.6	13	4.2	1.6	8.6	7
Leukemia	13.2	8.1	20.2	27	15.2	9.7	22.4	30
Lymphocytic Leukemia	7.8	4.0	13.4	16	7.4	3.7	12.9	13
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	6.3	3.2	11.1	14	6.2	2.7	11.7	9
Other Lymphocytic Leukemia	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Myeloid and Monocytic Leukemia	4.2	1.6	8.9	9	5.0	2.3	9.3	12
Acute Myeloid Leukemia	^	^	^	^	3.1	1.1	6.6	8
Acute Monocytic Leukemia	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.3	0	^	^	^	^
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	6.2	2.3	12.8	8	0.0	0.0	1.8	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	1.8	0
Miscellaneous	7.2	3.5	12.9	12	9.3	5.0	15.6	14

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2000

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	585.9	545.9	627.8	1,067	460.5	430.1	492.2	979
Oral Cavity and Pharynx	19.3	13.0	27.5	38	5.5	2.5	10.2	10
Lip	^	^	^	^	^	^	^	^
Tongue	7.4	3.5	13.2	15	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	1.7	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	0.0	0.0	2.2	0	^	^	^	^
Hypopharynx	^	^	^	^	0.0	0.0	1.7	0
Other Oral Cavity and Pharynx	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Digestive System	127.0	108.9	147.1	229	92.7	78.5	108.6	165
Esophagus	12.7	7.6	19.6	24	^	^	^	^
Stomach	16.2	9.8	24.7	25	6.6	3.5	11.4	13
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	69.5	56.2	84.7	127	61.7	49.9	75.2	104
Colon excluding Rectum	48.4	37.1	61.8	81	44.3	34.3	55.9	73
Cecum	12.3	6.7	20.2	18	12.6	7.6	19.3	21
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	6.4	2.9	11.8	11	7.5	3.7	13.2	11
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	4.9	1.9	9.7	7
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	5.0	1.9	10.2	8	^	^	^	^
Sigmoid Colon	17.3	10.8	25.9	29	12.8	7.8	19.5	22
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	21.1	14.6	29.2	46	17.5	11.6	25.0	31
Rectosigmoid Junction	3.9	1.8	7.7	10	^	^	^	^
Rectum	17.2	11.2	24.9	36	14.2	9.0	21.1	26
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	12.3	7.6	18.8	25	2.8	1.0	6.1	6
Liver	10.8	6.4	17.0	22	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	0.0	0.0	2.2	0	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2000

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	9.6	5.2	16.1	17	11.8	7.4	17.7	24
Retroperitoneum	^	^	^	^	0.0	0.0	1.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Digestive Organs	^	^	^	^	0.0	0.0	1.7	0
Respiratory System	100.7	83.9	119.4	167	57.8	47.1	70.1	110
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	4.9	2.1	9.6	10	^	^	^	^
Lung and Bronchus	93.4	77.3	111.6	154	55.6	45.1	67.7	106
Pleura	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	^	^	^	^
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	4.0	1.6	8.2	10	^	^	^	^
Skin excluding Basal and Squamous	11.9	7.3	18.1	32	10.3	6.3	15.8	24
Melanoma of the Skin	11.6	7.1	17.8	31	9.5	5.7	14.7	23
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	152.0	135.7	169.6	358
Female Genital System	0.0	0.0	2.2	0	48.9	39.9	59.2	117
Cervix Uteri	0.0	0.0	2.2	0	7.2	4.4	11.1	22
Corpus and Uterus, NOS	0.0	0.0	2.2	0	21.6	15.8	28.9	51
Corpus Uteri	0.0	0.0	2.2	0	21.0	15.3	28.2	49
Uterus, NOS	0.0	0.0	2.2	0	^	^	^	^
Ovary	0.0	0.0	2.2	0	15.8	10.8	22.3	35
Vagina	0.0	0.0	2.2	0	^	^	^	^
Vulva	0.0	0.0	2.2	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.2	0	^	^	^	^
Male Genital System	183.6	161.6	207.5	321	0.0	0.0	1.7	0
Prostate	178.0	156.2	201.6	304	0.0	0.0	1.7	0
Testis	4.0	2.2	7.1	14	0.0	0.0	1.7	0
Penis	^	^	^	^	0.0	0.0	1.7	0
Other Male Genital Organs	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Urinary System	54.9	42.2	69.8	92	20.8	14.2	29.0	35
Urinary Bladder	39.3	28.2	52.7	60	11.8	6.8	18.5	18
Kidney and Renal Pelvis	15.6	9.9	23.1	32	9.0	5.0	14.6	17
Ureter	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Urinary Organs	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Eye and Orbit	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2000

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	5.5	3.1	9.3	16	6.2	3.3	10.4	15
Brain	5.0	2.7	8.6	15	6.2	3.3	10.4	15
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	1.7	0
Endocrine System	5.6	3.1	9.5	16	10.4	7.0	15.0	31
Thyroid	5.0	2.6	8.9	14	10.4	7.0	15.0	31
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	1.7	0
Lymphoma	26.6	19.6	35.1	63	18.7	12.8	26.2	38
Hodgkin Lymphoma	2.9	1.0	6.5	7	2.2	0.7	5.1	6
Hodgkin - Nodal	2.9	1.0	6.5	7	2.2	0.7	5.1	6
Hodgkin - Extranodal	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Non-Hodgkin Lymphoma	23.7	17.2	31.9	56	16.5	10.9	23.8	32
NHL - Nodal	15.8	10.4	22.8	36	9.6	5.6	15.3	19
NHL - Extranodal	7.9	4.6	12.9	20	6.9	3.4	12.1	13
Myeloma	5.5	2.6	10.1	12	6.5	3.2	11.6	11
Leukemia	19.0	12.2	27.8	34	14.6	9.7	20.9	33
Lymphocytic Leukemia	7.5	4.0	12.7	17	5.8	3.0	10.1	13
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	6.4	3.1	11.5	13	3.1	1.1	6.7	6
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	11.5	6.1	19.2	17	8.2	4.5	13.3	18
Acute Myeloid Leukemia	7.9	3.6	14.5	12	6.3	3.1	11.1	13
Acute Monocytic Leukemia	0.0	0.0	2.2	0	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^
Other Leukemia	0.0	0.0	2.2	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2.2	0	^	^	^	^
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Miscellaneous	16.2	9.9	24.7	27	11.3	6.5	17.7	19

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2001

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	603.8	564.7	644.7	1,171	446.1	417.2	476.3	1,011
Oral Cavity and Pharynx	14.1	9.2	20.5	34	7.9	4.6	12.7	18
Lip	^	^	^	^	0.0	0.0	1.6	0
Tongue	4.0	1.5	8.3	8	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	3.5	1.6	7.0	10	^	^	^	^
Oropharynx	0.0	0.0	2.0	0	0.0	0.0	1.6	0
Hypopharynx	^	^	^	^	0.0	0.0	1.6	0
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Digestive System	120.2	102.9	139.2	227	98.1	83.9	113.8	189
Esophagus	10.8	6.2	17.4	20	5.0	2.1	9.7	8
Stomach	12.2	7.1	19.3	23	6.1	2.9	11.0	10
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	73.3	59.7	88.8	129	55.7	45.3	67.7	109
Colon excluding Rectum	50.7	39.2	64.1	85	40.7	31.8	51.2	76
Cecum	8.2	4.4	13.8	15	12.0	7.5	18.0	24
Appendix	^	^	^	^	0.0	0.0	1.6	0
Ascending Colon	12.8	6.7	21.3	15	5.0	2.1	9.6	8
Hepatic Flexure	3.2	1.2	6.9	7	^	^	^	^
Transverse Colon	4.6	1.8	9.4	8	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	14.0	8.6	21.3	25	11.5	7.2	17.4	23
Large Intestine, NOS	2.9	0.9	6.9	6	^	^	^	^
Rectum and Rectosigmoid Junction	22.7	15.8	31.3	44	15.0	10.0	21.5	33
Rectosigmoid Junction	6.3	2.8	11.9	10	^	^	^	^
Rectum	16.3	10.8	23.6	34	14.1	9.2	20.4	30
Anus, Anal Canal and Anorectum	^	^	^	^	2.9	1.1	6.2	7
Liver and Intrahepatic Bile Duct	10.5	6.1	16.7	25	8.4	4.7	13.6	17
Liver	8.5	4.5	14.2	20	7.3	3.8	12.4	14
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	3.5	1.3	7.5	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2001

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	7.1	3.9	11.8	17	12.9	8.1	19.3	24
Retroperitoneum	^	^	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	^	^
Other Digestive Organs	^	^	^	^	0.0	0.0	1.6	0
Respiratory System	96.3	80.7	113.6	175	64.9	53.7	77.5	130
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	5.4	2.4	10.3	10	2.2	0.8	4.9	6
Lung and Bronchus	89.0	74.0	105.9	160	62.3	51.3	74.9	123
Pleura	0.0	0.0	2.0	0	0.0	0.0	1.6	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	1.6	0
Bones and Joints	2.4	1.1	5.1	9	^	^	^	^
Soft Tissue including Heart	3.6	1.0	8.3	8	^	^	^	^
Skin excluding Basal and Squamous	14.9	10.2	21.1	39	14.8	10.0	20.9	36
Melanoma of the Skin	14.3	9.7	20.5	37	14.2	9.5	20.2	34
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	136.2	121.2	152.5	339
Female Genital System	0.0	0.0	2.0	0	45.5	37.0	55.3	112
Cervix Uteri	0.0	0.0	2.0	0	9.6	6.2	14.2	27
Corpus and Uterus, NOS	0.0	0.0	2.0	0	25.6	19.3	33.3	62
Corpus Uteri	0.0	0.0	2.0	0	24.9	18.7	32.4	61
Uterus, NOS	0.0	0.0	2.0	0	^	^	^	^
Ovary	0.0	0.0	2.0	0	7.7	4.4	12.5	17
Vagina	0.0	0.0	2.0	0	^	^	^	^
Vulva	0.0	0.0	2.0	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.0	0	^	^	^	^
Male Genital System	190.4	168.8	213.7	364	0.0	0.0	1.6	0
Prostate	183.2	161.8	206.4	340	0.0	0.0	1.6	0
Testis	6.8	4.3	10.6	23	0.0	0.0	1.6	0
Penis	^	^	^	^	0.0	0.0	1.6	0
Other Male Genital Organs	0.0	0.0	2.0	0	0.0	0.0	1.6	0
Urinary System	70.9	57.8	85.9	129	14.4	9.6	20.7	31
Urinary Bladder	45.5	35.2	57.8	82	7.5	4.1	12.4	16
Kidney and Renal Pelvis	23.4	16.1	32.5	44	6.2	3.3	10.6	14
Ureter	^	^	^	^	0.0	0.0	1.6	0
Other Urinary Organs	^	^	^	^	^	^	^	^
Eye and Orbit	^	^	^	^	0.0	0.0	1.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2001

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	10.5	5.9	16.9	23	4.6	2.3	8.2	12
Brain	10.5	5.9	16.9	23	3.7	1.7	7.0	10
Cranial Nerves Other Nervous System	0.0	0.0	2.0	0	^	^	^	^
Endocrine System	4.9	2.8	8.4	16	15.4	11.0	21.0	44
Thyroid	3.5	1.8	6.6	12	12.3	8.6	17.3	37
Other Endocrine including Thymus	^	^	^	^	3.0	1.1	6.5	7
Lymphoma	27.7	20.3	36.6	63	17.8	12.4	24.7	40
Hodgkin Lymphoma	2.6	1.1	5.7	8	^	^	^	^
Hodgkin - Nodal	2.6	1.1	5.7	8	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	2.0	0	0.0	0.0	1.6	0
Non-Hodgkin Lymphoma	25.0	18.0	33.8	55	16.6	11.3	23.4	36
NHL - Nodal	15.8	10.6	22.5	38	12.4	8.0	18.4	27
NHL - Extranodal	9.2	4.8	15.6	17	4.2	1.8	8.1	9
Myeloma	5.6	2.6	10.3	11	3.4	1.2	7.4	6
Leukemia	13.5	8.1	20.9	26	10.2	6.4	15.4	25
Lymphocytic Leukemia	6.8	3.3	12.1	14	3.1	1.3	6.3	8
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	5.1	2.0	10.2	8	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.6	0
Myeloid and Monocytic Leukemia	5.6	2.2	11.2	9	6.3	3.4	10.5	16
Acute Myeloid Leukemia	3.1	1.0	6.9	6	2.3	0.9	4.9	7
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	3.1	1.1	6.6	7
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.0	0	^	^	^	^
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	1.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	^	^	^	^	0.0	0.0	1.6	0
Kaposi Sarcoma	0.0	0.0	2.0	0	^	^	^	^
Miscellaneous	23.9	15.9	34.0	39	10.5	6.3	16.3	21

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2002

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	602.9	565.2	642.3	1,251	416.9	389.7	445.5	985
Oral Cavity and Pharynx	14.5	10.0	20.5	39	5.0	2.4	9.1	11
Lip	^	^	^	^	0.0	0.0	1.6	0
Tongue	3.1	1.3	6.4	8	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	1.6	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	2.1	0.7	5.0	6	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	1.6	0
Oropharynx	^	^	^	^	^	^	^	^
Hypopharynx	^	^	^	^	0.0	0.0	1.6	0
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Digestive System	115.7	99.0	134.2	226	84.0	71.2	98.2	171
Esophagus	12.5	7.2	19.7	21	^	^	^	^
Stomach	15.0	9.0	23.2	25	7.2	3.8	12.1	14
Small Intestine	^	^	^	^	3.0	1.1	6.4	7
Colon and Rectum	58.3	46.9	71.4	115	51.9	41.8	63.4	102
Colon excluding Rectum	37.9	28.5	49.2	69	37.3	28.9	47.2	73
Cecum	7.2	2.9	13.9	9	9.7	5.5	15.6	17
Appendix	^	^	^	^	0.0	0.0	1.6	0
Ascending Colon	4.6	2.1	8.8	10	5.6	2.7	10.0	11
Hepatic Flexure	^	^	^	^	6.1	2.9	11.0	10
Transverse Colon	4.9	2.1	9.6	10	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	13.0	7.7	20.2	23	9.8	6.0	14.9	23
Large Intestine, NOS	3.5	1.3	7.3	7	2.8	1.0	6.1	6
Rectum and Rectosigmoid Junction	20.3	14.4	27.8	46	14.6	9.5	21.2	29
Rectosigmoid Junction	6.6	3.5	11.3	15	^	^	^	^
Rectum	13.8	8.9	20.2	31	12.6	7.9	18.9	24
Anus, Anal Canal and Anorectum	^	^	^	^	3.3	1.3	6.6	8
Liver and Intrahepatic Bile Duct	10.1	5.6	16.4	21	3.1	1.3	6.3	8
Liver	9.8	5.3	16.1	20	3.1	1.3	6.3	8
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	1.6	0
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	2.3	0.6	5.8	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2002

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	14.6	9.1	21.8	29	9.2	5.4	14.5	20
Retroperitoneum	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Other Digestive Organs	^	^	^	^	3.5	1.2	7.4	6
Respiratory System	94.7	79.8	111.3	180	59.9	49.5	71.8	126
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	4.6	2.1	8.7	11	^	^	^	^
Lung and Bronchus	88.2	73.7	104.4	165	58.8	48.4	70.6	123
Pleura	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	1.6	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	2.3	0.9	5.1	7	3.5	1.5	6.8	9
Skin excluding Basal and Squamous	15.6	10.5	22.3	40	13.2	9.0	18.5	37
Melanoma of the Skin	13.8	9.0	20.2	36	11.9	8.0	16.9	34
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	127.7	113.4	143.2	325
Female Genital System	0.0	0.0	1.9	0	44.7	36.4	54.2	114
Cervix Uteri	0.0	0.0	1.9	0	7.8	4.8	12.0	23
Corpus and Uterus, NOS	0.0	0.0	1.9	0	17.5	12.4	24.0	42
Corpus Uteri	0.0	0.0	1.9	0	16.5	11.6	22.8	40
Uterus, NOS	0.0	0.0	1.9	0	^	^	^	^
Ovary	0.0	0.0	1.9	0	12.9	8.6	18.6	32
Vagina	0.0	0.0	1.9	0	^	^	^	^
Vulva	0.0	0.0	1.9	0	3.5	1.5	6.9	9
Other Female Genital Organs	0.0	0.0	1.9	0	^	^	^	^
Male Genital System	206.0	184.3	229.5	420	0.0	0.0	1.6	0
Prostate	197.6	176.1	220.9	392	0.0	0.0	1.6	0
Testis	7.9	5.1	11.9	26	0.0	0.0	1.6	0
Penis	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	1.6	0
Urinary System	67.3	55.0	81.4	134	17.9	12.3	25.0	36
Urinary Bladder	45.9	35.3	58.3	80	5.4	2.5	9.8	10
Kidney and Renal Pelvis	21.4	15.5	28.8	54	10.3	6.2	15.8	22
Ureter	0.0	0.0	1.9	0	^	^	^	^
Other Urinary Organs	0.0	0.0	1.9	0	^	^	^	^
Eye and Orbit	^	^	^	^	0.0	0.0	1.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2002

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	7.9	5.0	12.2	24	4.0	1.9	7.4	11
Brain	7.7	4.8	11.9	23	4.0	1.9	7.4	11
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	1.6	0
Endocrine System	3.6	1.6	7.1	10	14.5	10.4	19.7	45
Thyroid	2.8	1.3	5.8	9	13.1	9.3	18.1	41
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	33.7	24.8	44.4	70	18.8	13.5	25.4	47
Hodgkin Lymphoma	1.7	0.6	4.1	6	3.2	1.6	6.0	11
Hodgkin - Nodal	1.7	0.6	4.1	6	3.2	1.6	6.0	11
Hodgkin - Extranodal	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Non-Hodgkin Lymphoma	32.0	23.3	42.7	64	15.6	10.7	21.9	36
NHL - Nodal	22.5	15.3	31.5	45	11.2	7.0	16.7	25
NHL - Extranodal	9.6	5.1	16.0	19	4.4	2.1	8.0	11
Myeloma	6.4	3.3	11.0	15	3.7	1.6	7.1	9
Leukemia	15.0	10.1	21.4	40	9.2	5.4	14.5	19
Lymphocytic Leukemia	8.0	4.3	13.5	19	6.9	3.7	11.7	14
Acute Lymphocytic Leukemia	2.4	1.0	5.1	8	^	^	^	^
Chronic Lymphocytic Leukemia	5.4	2.2	10.6	10	5.6	2.6	10.2	10
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	6.7	3.9	10.8	20	^	^	^	^
Acute Myeloid Leukemia	3.5	1.7	6.6	11	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	2.9	1.1	6.3	8	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Other Leukemia	^	^	^	^	0.0	0.0	1.6	0
Other Acute Leukemia	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	1.6	0
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	^	^	^	^	0.0	0.0	1.6	0
Miscellaneous	15.0	9.5	22.3	33	10.1	6.2	15.5	22

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2003

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	566.6	530.7	604.2	1,210	428.3	401.0	456.8	1,042
Oral Cavity and Pharynx	16.6	11.1	23.7	41	5.6	2.7	10.1	11
Lip	^	^	^	^	0.0	0.0	1.5	0
Tongue	2.2	0.7	5.1	6	2.9	1.0	6.2	6
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	3.1	1.3	6.5	8	^	^	^	^
Tonsil	1.8	0.7	4.3	7	0.0	0.0	1.5	0
Oropharynx	^	^	^	^	0.0	0.0	1.5	0
Hypopharynx	^	^	^	^	0.0	0.0	1.5	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.5	0
Digestive System	122.7	105.8	141.3	253	71.2	59.9	83.9	157
Esophagus	6.9	4.0	11.2	20	3.3	1.4	6.7	8
Stomach	8.8	5.0	14.2	19	5.3	2.5	9.5	11
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	65.8	53.6	79.8	132	42.5	33.9	52.5	93
Colon excluding Rectum	47.9	37.1	60.5	85	30.3	23.0	39.1	63
Cecum	5.4	2.4	10.1	10	9.3	5.3	14.9	17
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	8.5	4.5	14.4	16	3.6	1.4	7.3	7
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	2.8	1.0	6.1	6	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	6.0	2.7	11.0	10	^	^	^	^
Sigmoid Colon	14.0	8.7	21.2	26	10.4	6.5	15.7	24
Large Intestine, NOS	6.6	2.7	12.6	10	^	^	^	^
Rectum and Rectosigmoid Junction	18.0	12.6	24.9	47	12.1	8.0	17.6	30
Rectosigmoid Junction	7.3	3.7	12.7	15	3.1	1.2	6.3	7
Rectum	10.7	7.0	15.7	32	9.1	5.6	13.9	23
Anus, Anal Canal and Anorectum	^	^	^	^	4.3	2.0	8.1	10
Liver and Intrahepatic Bile Duct	11.8	7.2	18.1	28	2.0	0.8	4.3	7
Liver	11.8	7.2	18.1	28	1.7	0.6	4.0	6
Intrahepatic Bile Duct	0.0	0.0	1.8	0	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2003

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	16.0	9.9	24.0	29	7.7	4.4	12.5	17
Retroperitoneum	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.8	0	^	^	^	^
Other Digestive Organs	3.4	0.9	7.9	6	^	^	^	^
Respiratory System	101.0	85.7	118.0	194	63.3	52.4	75.7	128
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	1.5	0
Larynx	7.9	4.5	12.8	18	^	^	^	^
Lung and Bronchus	92.4	77.6	108.8	173	62.6	51.7	75.0	126
Pleura	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	^	^	^	^
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	4.3	1.9	8.4	11	2.4	0.9	5.1	7
Skin excluding Basal and Squamous	21.2	15.5	28.4	60	12.3	8.2	17.8	32
Melanoma of the Skin	18.2	13.1	24.7	54	10.5	6.8	15.6	28
Other Non-Epithelial Skin	3.0	0.9	7.0	6	^	^	^	^
Breast	^	^	^	^	140.9	126.0	157.0	369
Female Genital System	0.0	0.0	1.8	0	45.7	37.4	55.2	120
Cervix Uteri	0.0	0.0	1.8	0	6.5	3.7	10.5	18
Corpus and Uterus, NOS	0.0	0.0	1.8	0	21.3	15.8	28.1	55
Corpus Uteri	0.0	0.0	1.8	0	20.4	15.0	27.0	53
Uterus, NOS	0.0	0.0	1.8	0	^	^	^	^
Ovary	0.0	0.0	1.8	0	15.2	10.8	21.0	42
Vagina	0.0	0.0	1.8	0	^	^	^	^
Vulva	0.0	0.0	1.8	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Male Genital System	158.8	140.5	178.7	340	0.0	0.0	1.5	0
Prostate	151.9	133.8	171.6	316	0.0	0.0	1.5	0
Testis	5.7	3.5	9.1	20	0.0	0.0	1.5	0
Penis	^	^	^	^	0.0	0.0	1.5	0
Other Male Genital Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Urinary System	59.2	47.7	72.4	117	22.3	16.4	29.5	53
Urinary Bladder	41.1	31.3	52.8	72	10.2	6.3	15.5	23
Kidney and Renal Pelvis	17.6	12.1	24.6	44	11.6	7.6	17.0	29
Ureter	^	^	^	^	^	^	^	^
Other Urinary Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Eye and Orbit	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2003

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	5.7	3.1	9.8	17	5.9	3.1	10.1	14
Brain	5.2	2.6	9.1	15	5.6	2.8	9.8	13
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	5.4	3.0	9.2	17	16.4	12.1	21.9	51
Thyroid	4.3	2.4	7.5	15	14.9	10.9	20.0	47
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	28.4	20.9	37.6	67	17.0	11.9	23.4	41
Hodgkin Lymphoma	4.8	2.5	8.6	15	1.9	0.7	4.4	6
Hodgkin - Nodal	4.8	2.5	8.6	15	1.9	0.7	4.4	6
Hodgkin - Extranodal	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Non-Hodgkin Lymphoma	23.6	16.6	32.3	52	15.0	10.2	21.3	35
NHL - Nodal	16.7	10.8	24.4	37	11.1	7.0	16.4	27
NHL - Extranodal	6.9	3.5	11.9	15	4.0	1.6	7.9	8
Myeloma	2.6	1.1	5.5	8	6.1	3.1	10.5	13
Leukemia	11.4	7.4	16.8	30	6.8	3.8	11.1	17
Lymphocytic Leukemia	5.8	3.1	9.8	16	2.9	1.1	6.0	7
Acute Lymphocytic Leukemia	1.9	0.7	4.3	7	^	^	^	^
Chronic Lymphocytic Leukemia	3.0	1.0	6.6	6	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	5.4	2.7	9.5	13	3.3	1.3	6.7	8
Acute Myeloid Leukemia	2.5	1.0	5.4	7	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Chronic Myeloid Leukemia	2.9	0.9	6.6	6	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.8	0	^	^	^	^
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	4.8	1.6	10.4	6	0.0	0.0	1.5	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	1.5	0
Miscellaneous	20.9	14.1	29.6	39	11.7	7.5	17.4	27

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2004

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	584.3	549.0	621.0	1,304	437.6	410.6	465.9	1,101
Oral Cavity and Pharynx	16.1	11.0	22.6	42	6.1	3.2	10.2	15
Lip	^	^	^	^	0.0	0.0	1.5	0
Tongue	2.8	1.2	5.6	9	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	3.5	1.1	7.8	7	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	2.1	0.9	4.5	8	^	^	^	^
Oropharynx	^	^	^	^	0.0	0.0	1.5	0
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.5	0
Digestive System	124.6	108.3	142.6	268	86.3	74.0	100.0	195
Esophagus	7.9	4.6	12.6	19	4.2	1.9	8.0	9
Stomach	11.7	7.1	18.0	24	3.0	1.2	6.0	8
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	63.3	51.7	76.4	135	48.2	39.2	58.5	112
Colon excluding Rectum	45.7	35.6	57.5	90	39.5	31.4	49.0	91
Cecum	10.0	5.4	16.6	18	11.0	6.8	16.6	23
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	5.2	2.3	9.8	10	5.0	2.4	8.9	11
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	5.1	2.3	9.4	9
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	3.4	1.1	7.5	6	^	^	^	^
Sigmoid Colon	17.5	11.3	25.4	34	9.9	6.3	14.7	27
Large Intestine, NOS	4.0	1.8	7.6	10	3.0	1.2	6.3	7
Rectum and Rectosigmoid Junction	17.5	12.4	24.1	45	8.6	5.1	13.5	21
Rectosigmoid Junction	5.2	2.4	9.5	12	^	^	^	^
Rectum	12.4	8.2	17.9	33	6.7	3.7	11.0	17
Anus, Anal Canal and Anorectum	3.3	1.2	7.0	8	2.7	0.9	5.9	6
Liver and Intrahepatic Bile Duct	12.8	7.9	19.3	30	9.2	5.4	14.3	20
Liver	12.2	7.4	18.7	28	8.0	4.6	12.8	18
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2004

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	15.5	10.2	22.5	32	9.5	5.6	14.9	19
Retroperitoneum	^	^	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	1.7	0	^	^	^	^
Other Digestive Organs	4.4	1.8	8.7	8	^	^	^	^
Respiratory System	100.6	85.6	117.2	203	65.5	54.6	77.8	140
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.7	0	0.0	0.0	1.5	0
Larynx	5.4	2.8	9.5	14	^	^	^	^
Lung and Bronchus	94.0	79.4	110.2	187	64.2	53.4	76.4	137
Pleura	0.0	0.0	1.7	0	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	1.5	0
Bones and Joints	0.0	0.0	1.7	0	2.7	0.9	5.9	6
Soft Tissue including Heart	3.7	1.7	7.2	11	2.9	1.3	5.7	9
Skin excluding Basal and Squamous	17.1	12.1	23.4	47	13.8	9.5	19.2	38
Melanoma of the Skin	14.0	9.5	19.7	39	12.8	8.7	18.0	35
Other Non-Epithelial Skin	3.1	1.2	6.5	8	^	^	^	^
Breast	0.0	0.0	1.7	0	122.7	109.2	137.3	338
Female Genital System	0.0	0.0	1.7	0	46.3	38.2	55.6	127
Cervix Uteri	0.0	0.0	1.7	0	6.4	3.9	10.0	20
Corpus and Uterus, NOS	0.0	0.0	1.7	0	22.7	17.2	29.5	62
Corpus Uteri	0.0	0.0	1.7	0	22.5	16.9	29.2	61
Uterus, NOS	0.0	0.0	1.7	0	^	^	^	^
Ovary	0.0	0.0	1.7	0	10.0	6.6	14.6	29
Vagina	0.0	0.0	1.7	0	^	^	^	^
Vulva	0.0	0.0	1.7	0	3.2	1.2	6.5	7
Other Female Genital Organs	0.0	0.0	1.7	0	^	^	^	^
Male Genital System	169.9	151.5	189.7	388	0.0	0.0	1.5	0
Prostate	162.6	144.5	182.2	365	0.0	0.0	1.5	0
Testis	5.3	3.2	8.6	19	0.0	0.0	1.5	0
Penis	^	^	^	^	0.0	0.0	1.5	0
Other Male Genital Organs	0.0	0.0	1.7	0	0.0	0.0	1.5	0
Urinary System	68.5	56.7	81.9	144	20.8	15.2	27.8	49
Urinary Bladder	43.7	34.4	54.7	92	6.5	3.5	10.8	15
Kidney and Renal Pelvis	23.5	16.8	31.8	49	12.2	8.1	17.7	30
Ureter	^	^	^	^	^	^	^	^
Other Urinary Organs	^	^	^	^	^	^	^	^
Eye and Orbit	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2004

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	9.0	5.6	13.8	26	5.6	2.9	9.5	14
Brain	8.7	5.3	13.5	25	4.7	2.2	8.5	11
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	4.7	2.7	7.9	16	18.7	14.3	24.1	63
Thyroid	4.7	2.7	7.9	16	18.1	13.8	23.5	61
Other Endocrine including Thymus	0.0	0.0	1.7	0	^	^	^	^
Lymphoma	26.0	19.2	34.2	65	17.8	12.4	24.5	40
Hodgkin Lymphoma	3.1	1.4	5.9	10	^	^	^	^
Hodgkin - Nodal	3.1	1.4	5.9	10	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	1.7	0	0.0	0.0	1.5	0
Non-Hodgkin Lymphoma	22.9	16.5	30.9	55	16.3	11.1	22.8	35
NHL - Nodal	18.1	12.2	25.5	41	10.8	6.7	16.2	24
NHL - Extranodal	4.9	2.5	8.6	14	5.5	2.7	9.8	11
Myeloma	10.4	6.1	16.3	21	6.6	3.6	11.0	16
Leukemia	16.4	10.7	23.8	36	7.0	4.0	11.4	17
Lymphocytic Leukemia	11.3	6.5	17.8	23	4.5	2.2	8.2	11
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	7.8	3.8	13.9	14	3.1	1.2	6.4	7
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.5	0
Myeloid and Monocytic Leukemia	4.8	2.3	8.9	12	2.5	0.9	5.5	6
Acute Myeloid Leukemia	3.1	1.1	6.7	7	0.0	0.0	1.5	0
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.7	0	0.0	0.0	1.5	0
Other Leukemia	^	^	^	^	0.0	0.0	1.5	0
Other Acute Leukemia	0.0	0.0	1.7	0	0.0	0.0	1.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	1.5	0
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	^	^	^	^	0.0	0.0	1.5	0
Miscellaneous	13.2	8.3	19.7	28	12.4	8.1	18.2	29

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2005

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	501.8	470.2	534.8	1,191	453.2	425.8	481.9	1,145
Oral Cavity and Pharynx	14.7	10.4	20.2	43	5.1	2.6	9.0	13
Lip	^	^	^	^	^	^	^	^
Tongue	3.9	1.8	7.4	10	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	1.5	0.5	3.6	6	0.0	0.0	1.4	0
Oropharynx	^	^	^	^	^	^	^	^
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Digestive System	121.4	105.6	138.8	269	76.0	64.4	88.8	169
Esophagus	9.8	6.1	14.9	26	^	^	^	^
Stomach	12.1	7.6	18.1	29	2.3	0.9	4.9	7
Small Intestine	3.7	1.6	7.2	9	^	^	^	^
Colon and Rectum	62.4	51.2	75.1	137	47.7	38.5	58.2	103
Colon excluding Rectum	46.1	36.5	57.3	100	38.8	30.5	48.5	81
Cecum	12.6	7.6	19.5	23	11.2	7.1	16.8	24
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	8.1	4.4	13.3	16	10.3	6.2	15.9	20
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	6.0	3.0	10.4	12
Splenic Flexure	^	^	^	^	0.0	0.0	1.4	0
Descending Colon	3.2	1.4	6.5	9	^	^	^	^
Sigmoid Colon	11.2	7.0	16.7	29	6.5	3.4	11.0	14
Large Intestine, NOS	3.8	1.3	8.0	8	^	^	^	^
Rectum and Rectosigmoid Junction	16.2	11.0	23.0	37	8.9	5.4	13.7	22
Rectosigmoid Junction	4.0	1.6	8.0	8	2.9	1.2	5.9	8
Rectum	12.2	7.7	18.2	29	6.0	3.2	10.2	14
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	11.3	6.8	17.5	25	^	^	^	^
Liver	10.7	6.3	16.7	24	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2005

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	11.4	6.6	18.0	21	11.7	7.4	17.3	25
Retroperitoneum	^	^	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	^	^
Other Digestive Organs	4.5	2.2	8.3	11	2.7	1.0	5.7	7
Respiratory System	83.3	70.3	97.8	181	80.8	68.7	94.2	172
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	4.4	2.1	8.2	11	^	^	^	^
Lung and Bronchus	78.5	65.9	92.7	169	78.3	66.4	91.5	165
Pleura	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	4.5	2.3	7.9	14	2.7	0.9	5.8	6
Skin excluding Basal and Squamous	12.9	8.2	19.0	33	9.0	5.9	13.2	28
Melanoma of the Skin	8.3	5.2	12.7	26	7.8	4.9	11.8	24
Other Non-Epithelial Skin	4.6	1.6	9.6	7	^	^	^	^
Breast	^	^	^	^	132.4	118.4	147.6	364
Female Genital System	0.0	0.0	1.7	0	47.1	39.0	56.3	134
Cervix Uteri	0.0	0.0	1.7	0	9.7	6.3	14.3	28
Corpus and Uterus, NOS	0.0	0.0	1.7	0	19.2	14.2	25.3	56
Corpus Uteri	0.0	0.0	1.7	0	19.2	14.2	25.3	56
Uterus, NOS	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Ovary	0.0	0.0	1.7	0	14.1	9.8	19.6	39
Vagina	0.0	0.0	1.7	0	^	^	^	^
Vulva	0.0	0.0	1.7	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	1.7	0	^	^	^	^
Male Genital System	119.9	105.4	135.7	305	0.0	0.0	1.4	0
Prostate	113.2	99.0	128.7	280	0.0	0.0	1.4	0
Testis	6.3	4.0	9.7	23	0.0	0.0	1.4	0
Penis	^	^	^	^	0.0	0.0	1.4	0
Other Male Genital Organs	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Urinary System	58.3	48.1	69.8	137	22.6	16.6	29.8	53
Urinary Bladder	37.5	29.2	47.3	81	9.6	5.8	14.7	21
Kidney and Renal Pelvis	20.0	14.6	26.7	55	11.8	7.7	17.3	29
Ureter	0.0	0.0	1.7	0	^	^	^	^
Other Urinary Organs	^	^	^	^	0.0	0.0	1.4	0
Eye and Orbit	^	^	^	^	0.0	0.0	1.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2005

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	8.3	4.5	13.9	19	7.1	4.2	11.3	20
Brain	8.1	4.3	13.6	18	6.8	3.9	10.9	19
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	7.4	4.2	11.8	22	16.5	12.0	22.1	49
Thyroid	6.9	3.8	11.3	20	16.5	12.0	22.1	49
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	1.4	0
Lymphoma	23.8	17.4	31.8	61	25.3	19.1	32.6	64
Hodgkin Lymphoma	2.9	1.4	5.6	10	^	^	^	^
Hodgkin - Nodal	2.9	1.4	5.6	10	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Non-Hodgkin Lymphoma	21.0	14.8	28.7	51	23.4	17.5	30.5	59
NHL - Nodal	14.8	9.6	21.6	35	17.6	12.5	23.9	44
NHL - Extranodal	6.2	3.2	10.6	16	5.8	3.1	9.8	15
Myeloma	7.0	3.8	11.6	16	3.4	1.5	6.5	9
Leukemia	18.1	12.5	25.2	43	12.1	8.2	17.2	34
Lymphocytic Leukemia	11.6	7.1	17.7	26	5.8	3.3	9.5	17
Acute Lymphocytic Leukemia	^	^	^	^	1.8	0.6	4.0	6
Chronic Lymphocytic Leukemia	9.5	5.4	15.2	20	4.0	1.9	7.4	11
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.4	0
Myeloid and Monocytic Leukemia	6.2	3.3	10.6	16	5.2	2.7	9.0	14
Acute Myeloid Leukemia	3.0	1.0	6.4	7	4.4	2.1	8.0	11
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	2.4	0.8	5.6	6	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	0.0	0.0	1.7	0	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	1.4	0
Mesothelioma	3.3	1.0	7.4	6	^	^	^	^
Kaposi Sarcoma	^	^	^	^	0.0	0.0	1.4	0
Miscellaneous	17.0	10.9	24.8	34	10.7	6.6	16.1	23

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2006

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	515.5	483.9	548.5	1,262	434.7	408.7	461.9	1,170
Oral Cavity and Pharynx	15.8	11.0	21.8	43	6.8	3.9	11.0	17
Lip	^	^	^	^	^	^	^	^
Tongue	3.1	1.2	6.4	8	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	1.4	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	2.2	0.7	5.1	6	^	^	^	^
Tonsil	5.4	3.0	9.1	17	0.0	0.0	1.4	0
Oropharynx	^	^	^	^	^	^	^	^
Hypopharynx	0.0	0.0	1.6	0	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Digestive System	106.1	91.8	121.8	257	84.9	73.1	97.9	209
Esophagus	8.6	5.1	13.4	24	4.1	1.8	7.6	10
Stomach	7.7	4.1	12.9	18	4.5	2.2	8.2	11
Small Intestine	2.2	0.9	4.7	8	2.3	0.9	4.8	7
Colon and Rectum	57.4	47.0	69.3	134	47.3	38.6	57.2	115
Colon excluding Rectum	42.5	33.4	53.0	93	37.9	30.1	47.0	89
Cecum	10.5	6.2	16.5	20	11.4	7.3	16.7	27
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	4.9	2.3	9.1	11	8.4	4.8	13.4	17
Hepatic Flexure	^	^	^	^	2.5	0.9	5.3	6
Transverse Colon	3.2	1.1	7.1	7	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	4.4	1.9	8.6	9	^	^	^	^
Sigmoid Colon	12.5	8.2	18.2	31	7.6	4.4	12.0	19
Large Intestine, NOS	3.9	1.3	8.4	6	3.1	1.2	6.4	7
Rectum and Rectosigmoid Junction	14.9	10.1	21.2	41	9.4	6.0	14.0	26
Rectosigmoid Junction	2.7	1.0	5.6	9	2.7	1.0	5.9	6
Rectum	12.3	7.9	18.1	32	6.6	4.0	10.4	20
Anus, Anal Canal and Anorectum	^	^	^	^	3.0	1.4	5.8	10
Liver and Intrahepatic Bile Duct	11.1	6.9	16.7	30	3.5	1.7	6.5	11
Liver	10.9	6.7	16.5	29	3.0	1.3	5.9	9
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	2.4	0.8	5.4	6	2.4	0.9	5.3	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2006

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	10.8	6.7	16.4	26	12.0	7.7	17.7	26
Retroperitoneum	0.0	0.0	1.6	0	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	1.6	0	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	94.6	81.1	109.5	216	68.8	58.1	80.8	160
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	7.6	4.3	12.3	18	^	^	^	^
Lung and Bronchus	85.4	72.6	99.7	195	66.4	55.9	78.3	153
Pleura	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.6	0	^	^	^	^
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	4.6	2.3	8.3	13	2.4	1.0	4.9	8
Skin excluding Basal and Squamous	10.5	6.5	15.9	29	10.3	6.9	14.9	31
Melanoma of the Skin	8.2	5.0	12.6	25	10.3	6.9	14.9	31
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	1.4	0
Breast	0.0	0.0	1.6	0	128.5	114.9	143.3	365
Female Genital System	0.0	0.0	1.6	0	47.7	39.9	56.5	146
Cervix Uteri	0.0	0.0	1.6	0	8.7	5.8	12.6	30
Corpus and Uterus, NOS	0.0	0.0	1.6	0	26.3	20.4	33.3	75
Corpus Uteri	0.0	0.0	1.6	0	26.0	20.2	33.0	74
Uterus, NOS	0.0	0.0	1.6	0	^	^	^	^
Ovary	0.0	0.0	1.6	0	9.3	6.2	13.4	31
Vagina	0.0	0.0	1.6	0	^	^	^	^
Vulva	0.0	0.0	1.6	0	2.3	0.9	5.0	7
Other Female Genital Organs	0.0	0.0	1.6	0	^	^	^	^
Male Genital System	143.8	127.7	161.3	367	0.0	0.0	1.4	0
Prostate	135.7	119.9	152.9	340	0.0	0.0	1.4	0
Testis	5.7	3.6	8.9	22	0.0	0.0	1.4	0
Penis	^	^	^	^	0.0	0.0	1.4	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	1.4	0
Urinary System	58.3	47.6	70.6	131	16.6	11.8	22.7	44
Urinary Bladder	41.5	32.1	52.5	83	6.0	3.2	10.0	15
Kidney and Renal Pelvis	16.6	11.7	22.7	47	10.7	6.9	15.6	29
Ureter	^	^	^	^	0.0	0.0	1.4	0
Other Urinary Organs	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Eye and Orbit	^	^	^	^	0.0	0.0	1.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2006

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	4.6	2.2	8.4	12	4.9	2.6	8.4	14
Brain	4.3	2.0	8.1	11	4.6	2.4	8.1	13
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	6.6	3.9	10.7	20	15.7	11.6	20.8	52
Thyroid	6.1	3.4	10.0	18	15.4	11.4	20.5	51
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	27.0	20.3	35.0	70	21.4	16.0	27.9	59
Hodgkin Lymphoma	4.4	2.4	7.6	15	^	^	^	^
Hodgkin - Nodal	4.4	2.4	7.6	15	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Non-Hodgkin Lymphoma	22.6	16.4	30.2	55	20.2	15.0	26.5	56
NHL - Nodal	17.5	12.0	24.5	41	12.2	8.4	17.1	37
NHL - Extranodal	5.1	2.6	9.0	14	8.0	4.7	12.5	19
Myeloma	4.8	2.4	8.6	13	3.4	1.3	7.0	7
Leukemia	21.0	15.0	28.5	49	12.6	8.4	18.1	32
Lymphocytic Leukemia	10.9	6.9	16.2	28	5.7	3.0	9.6	14
Acute Lymphocytic Leukemia	2.5	1.0	5.2	8	^	^	^	^
Chronic Lymphocytic Leukemia	7.3	4.0	11.9	17	4.6	2.1	8.4	10
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.4	0
Myeloid and Monocytic Leukemia	8.8	5.0	14.1	19	6.7	3.8	10.9	17
Acute Myeloid Leukemia	5.3	2.4	9.8	10	4.4	2.0	8.2	10
Acute Monocytic Leukemia	0.0	0.0	1.6	0	^	^	^	^
Chronic Myeloid Leukemia	2.6	0.9	5.7	7	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	1.4	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	^	^	^	^	0.0	0.0	1.4	0
Miscellaneous	14.9	9.6	21.7	34	9.0	5.4	14.0	20

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2007

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	467.0	437.8	497.5	1,210	409.6	384.7	435.8	1,126
Oral Cavity and Pharynx	15.0	10.3	21.0	44	6.9	4.0	11.0	19
Lip	^	^	^	^	^	^	^	^
Tongue	4.1	2.2	7.2	14	1.9	0.7	4.4	6
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	2.8	1.3	5.5	10	^	^	^	^
Oropharynx	^	^	^	^	^	^	^	^
Hypopharynx	^	^	^	^	0.0	0.0	1.3	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.3	0
Digestive System	86.4	74.2	100.0	225	74.0	63.2	86.1	186
Esophagus	6.2	3.3	10.4	17	^	^	^	^
Stomach	10.4	6.2	16.1	24	5.7	3.1	9.6	15
Small Intestine	3.5	1.4	6.9	9	^	^	^	^
Colon and Rectum	41.5	32.9	51.5	102	38.9	31.2	47.8	99
Colon excluding Rectum	25.5	18.8	33.6	62	29.7	22.9	37.7	74
Cecum	5.6	2.4	10.6	9	5.3	2.8	9.0	14
Appendix	^	^	^	^	0.0	0.0	1.3	0
Ascending Colon	3.6	1.6	6.8	11	5.9	3.0	10.1	13
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	2.8	1.0	6.0	6
Splenic Flexure	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	10.4	6.5	15.7	26	10.0	6.4	14.8	27
Large Intestine, NOS	2.6	0.7	6.1	6	2.4	0.8	5.4	6
Rectum and Rectosigmoid Junction	16.0	10.9	22.4	40	9.2	5.8	13.8	25
Rectosigmoid Junction	5.7	2.7	10.3	13	2.2	0.8	5.0	6
Rectum	10.3	6.5	15.4	27	7.0	4.1	11.1	19
Anus, Anal Canal and Anorectum	^	^	^	^	2.6	1.1	5.2	9
Liver and Intrahepatic Bile Duct	6.8	4.0	10.7	22	5.6	2.8	9.7	12
Liver	5.8	3.4	9.3	20	5.6	2.8	9.7	12
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	1.3	0
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	2.5	1.0	5.3	8	3.8	1.7	7.3	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2007

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	11.0	7.1	16.1	31	12.4	8.1	18.0	29
Retroperitoneum	^	^	^	^	0.0	0.0	1.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.5	0	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	91.2	78.2	105.5	219	50.3	41.4	60.4	125
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	1.3	0
Larynx	8.4	5.3	12.7	27	^	^	^	^
Lung and Bronchus	82.2	69.8	96.1	191	49.4	40.6	59.4	123
Pleura	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Bones and Joints	2.1	0.8	4.6	7	^	^	^	^
Soft Tissue including Heart	2.7	1.3	5.2	10	3.4	1.7	6.2	12
Skin excluding Basal and Squamous	10.4	6.6	15.4	31	10.9	7.2	15.8	30
Melanoma of the Skin	9.2	5.7	13.9	28	10.3	6.7	15.1	28
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	129.3	115.9	143.7	380
Female Genital System	0.0	0.0	1.5	0	42.9	35.3	51.7	123
Cervix Uteri	0.0	0.0	1.5	0	6.5	3.9	10.3	20
Corpus and Uterus, NOS	0.0	0.0	1.5	0	19.2	14.2	25.3	54
Corpus Uteri	0.0	0.0	1.5	0	18.7	13.8	24.7	53
Uterus, NOS	0.0	0.0	1.5	0	^	^	^	^
Ovary	0.0	0.0	1.5	0	13.1	9.0	18.4	37
Vagina	0.0	0.0	1.5	0	^	^	^	^
Vulva	0.0	0.0	1.5	0	2.4	0.9	5.1	7
Other Female Genital Organs	0.0	0.0	1.5	0	^	^	^	^
Male Genital System	133.8	118.6	150.5	351	0.0	0.0	1.3	0
Prostate	129.4	114.3	145.9	334	0.0	0.0	1.3	0
Testis	4.4	2.5	7.3	17	0.0	0.0	1.3	0
Penis	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Male Genital Organs	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Urinary System	48.5	39.3	59.1	121	21.8	16.1	28.9	54
Urinary Bladder	28.6	21.4	37.2	67	8.9	5.3	13.7	21
Kidney and Renal Pelvis	19.7	14.2	26.4	53	12.5	8.3	18.0	31
Ureter	^	^	^	^	^	^	^	^
Other Urinary Organs	0.0	0.0	1.5	0	^	^	^	^
Eye and Orbit	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2007, by Sex

2007

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Brain and Other Nervous System	3.6	1.9	6.4	13	8.1	5.1	12.1	25
Brain	3.4	1.7	6.2	12	7.5	4.6	11.4	23
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	8.7	5.7	12.8	29	18.7	14.3	24.2	63
Thyroid	7.9	5.1	11.9	26	17.8	13.5	23.1	61
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	25.1	18.7	32.9	67	14.4	10.1	19.9	40
Hodgkin Lymphoma	1.9	0.7	4.5	6	2.4	1.0	5.0	8
Hodgkin - Nodal	1.9	0.7	4.5	6	2.4	1.0	5.0	8
Hodgkin - Extranodal	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Non-Hodgkin Lymphoma	23.2	17.0	30.7	61	12.0	8.0	17.1	32
NHL - Nodal	16.4	11.3	22.9	43	8.5	5.2	13.0	22
NHL - Extranodal	6.8	3.7	11.4	18	3.5	1.6	6.5	10
Myeloma	5.4	2.7	9.4	15	2.4	0.8	5.3	6
Leukemia	13.7	9.1	19.6	34	9.8	6.2	14.5	26
Lymphocytic Leukemia	7.6	4.4	12.0	20	3.5	1.5	6.7	9
Acute Lymphocytic Leukemia	1.8	0.7	4.1	7	^	^	^	^
Chronic Lymphocytic Leukemia	5.7	2.9	10.0	13	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.5	0	^	^	^	^
Myeloid and Monocytic Leukemia	6.1	3.1	10.6	14	6.3	3.5	10.3	17
Acute Myeloid Leukemia	^	^	^	^	5.0	2.5	8.7	13
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	1.3	0
Chronic Myeloid Leukemia	3.7	1.4	7.5	8	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Leukemia	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Acute Leukemia	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	^	^	^	^	0.0	0.0	1.3	0
Miscellaneous	14.0	9.0	20.4	33	15.8	10.8	22.2	34

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.