

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009**Session Type:** Rate**Suggested Citation****Software:** Surveillance Research Program, National Cancer Institute SEER*Stat software (www.seer.cancer.gov/seerstat) version 6.6.2.**Data:** Alaska Cancer Registry SEER*Stat Database - Incidence data for diagnosis years 1996 to 2009. Released January 2011. Alaska population data for rate calculations are from the SEER program (<http://www.seer.cancer.gov/popdata/>) and include populations by borough/census area, expanded races, and Hispanic origin.**Data****Database:** ACR w/Borough, Race, & Hispanic Pops (1996-2009), Jan 2011**Statistic****Statistic:** Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)**P-Values:** .05**Options:** Display Confidence Intervals (Tiwari mod) and Standard Errors**Selection****Select Only:** Malignant Behavior, Known Age, Male or Female Sex**Table****Page:** Year of diagnosis**Row:** Site rec w/Kaposi and meso-no sex sites [Site rec with Kaposi and mesothelioma]**Output****Title:** Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009**Suppress:** Statistics based on fewer than 6 cases**Display Rates as:** Cases per 100,000**Precision:** 1 decimal place (default)

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

	Total			
	Rate	Lower CI	Upper CI	Count
All Sites	487.1	481.2	493.1	30,872
Oral Cavity and Pharynx	11.4	10.5	12.3	783
Lip	0.9	0.6	1.2	49
Tongue	2.8	2.4	3.3	202
Salivary Gland	1.1	0.8	1.4	68
Floor of Mouth	0.8	0.6	1.0	56
Gum and Other Mouth	1.4	1.1	1.7	84
Nasopharynx	1.5	1.2	1.9	104
Tonsil	1.5	1.3	1.8	125
Oropharynx	0.5	0.3	0.7	31
Hypopharynx	0.7	0.5	0.9	42
Other Oral Cavity and Pharynx	0.3	0.2	0.5	22
Digestive System	97.0	94.2	99.8	5,684
Esophagus	5.7	5.1	6.4	352
Stomach	8.3	7.5	9.2	487
Small Intestine	1.9	1.5	2.3	119
Colon and Rectum	54.5	52.4	56.6	3,132
Colon excluding Rectum	40.0	38.2	41.8	2,194
Cecum	9.0	8.1	9.9	466
Appendix	0.5	0.3	0.7	40
Ascending Colon	6.7	5.9	7.5	338
Hepatic Flexure	2.2	1.8	2.7	118
Transverse Colon	3.7	3.2	4.3	191
Splenic Flexure	1.0	0.7	1.3	56
Descending Colon	2.2	1.8	2.6	126
Sigmoid Colon	11.7	10.7	12.7	689
Large Intestine, NOS	3.1	2.6	3.6	170
Rectum and Rectosigmoid Junction	14.5	13.5	15.6	938
Rectosigmoid Junction	3.7	3.2	4.3	234
Rectum	10.8	9.9	11.7	704
Anus, Anal Canal and Anorectum	1.8	1.5	2.2	128
Liver and Intrahepatic Bile Duct	7.2	6.5	8.0	481
Liver	6.6	5.9	7.3	437
Intrahepatic Bile Duct	0.7	0.5	0.9	44
Gallbladder	1.4	1.1	1.8	71
Other Biliary	2.1	1.7	2.5	115
Pancreas	11.7	10.8	12.7	668

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

	Total			
	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.3	0.2	0.4	20
Peritoneum, Omentum and Mesentery	0.4	0.3	0.7	27
Other Digestive Organs	1.6	1.2	2.0	84
Respiratory System	79.4	76.9	81.9	4,516
Nose, Nasal Cavity and Middle Ear	0.7	0.5	1.0	45
Larynx	3.7	3.3	4.3	247
Lung and Bronchus	74.7	72.3	77.1	4,208
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.2	0.1	0.4	15
Bones and Joints	1.0	0.8	1.2	87
Soft Tissue including Heart	3.1	2.7	3.6	238
Skin excluding Basal and Squamous	12.8	12.0	13.8	951
Melanoma of the Skin	11.5	10.6	12.3	862
Other Non-Epithelial Skin	1.4	1.1	1.7	89
Urinary System	39.9	38.2	41.7	2,340
Urinary Bladder	23.7	22.3	25.1	1,297
Kidney and Renal Pelvis	15.4	14.3	16.4	996
Ureter	0.6	0.4	0.9	35
Other Urinary Organs	0.2	0.1	0.4	12
Eye and Orbit	0.7	0.5	0.9	54
Brain and Other Nervous System	6.6	6.0	7.2	498
Brain	6.3	5.7	6.9	472
Cranial Nerves Other Nervous System	0.3	0.2	0.5	26
Endocrine System	10.4	9.7	11.2	910
Thyroid	9.7	9.1	10.4	853
Other Endocrine including Thymus	0.7	0.5	0.9	57
Lymphoma	22.7	21.5	24.0	1,527
Hodgkin Lymphoma	2.6	2.2	3.0	219
Hodgkin - Nodal	2.6	2.2	3.0	217
Hodgkin - Extranodal	^	^	^	^
Non-Hodgkin Lymphoma	20.1	19.0	21.4	1,308
NHL - Nodal	14.1	13.1	15.1	912
NHL - Extranodal	6.1	5.4	6.8	396
Myeloma	5.4	4.8	6.1	322
Leukemia	13.0	12.1	14.1	833
Lymphocytic Leukemia	6.5	5.8	7.2	418
Acute Lymphocytic Leukemia	1.4	1.1	1.7	127

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

	Total			
	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.6	4.0	5.3	259
Other Lymphocytic Leukemia	0.5	0.3	0.7	32
Myeloid and Monocytic Leukemia	5.8	5.2	6.5	368
Acute Myeloid Leukemia	3.5	3.0	4.1	218
Acute Monocytic Leukemia	0.2	0.1	0.4	19
Chronic Myeloid Leukemia	1.9	1.6	2.3	122
Other Myeloid/Monocytic Leukemia	0.1	0.0	0.2	9
Other Leukemia	0.8	0.5	1.0	47
Other Acute Leukemia	0.2	0.1	0.4	14
Aleukemic, Subleukemic and NOS	0.5	0.3	0.8	33
Mesothelioma	1.8	1.4	2.2	86
Kaposi Sarcoma	0.2	0.1	0.3	18
Miscellaneous	12.4	11.4	13.5	695

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1996

	Rate	Lower CI	Upper CI	Count
All Sites	482.3	456.3	509.2	1,676
Oral Cavity and Pharynx	14.3	10.2	19.3	50
Lip	^	^	^	^
Tongue	2.7	1.3	5.0	11
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	3.5	1.4	6.8	9
Nasopharynx	^	^	^	^
Tonsil	2.2	0.8	4.5	9
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	1.1	0
Digestive System	92.8	80.8	105.9	282
Esophagus	4.9	2.4	8.6	14
Stomach	8.9	5.7	13.2	29
Small Intestine	1.8	0.5	4.3	6
Colon and Rectum	55.9	46.8	66.1	171
Colon excluding Rectum	40.3	32.4	49.3	117
Cecum	6.2	3.3	10.3	18
Appendix	0.0	0.0	1.1	0
Ascending Colon	5.5	2.8	9.4	14
Hepatic Flexure	^	^	^	^
Transverse Colon	4.9	2.3	8.7	12
Splenic Flexure	^	^	^	^
Descending Colon	3.8	1.6	7.3	9
Sigmoid Colon	13.2	9.0	18.3	42
Large Intestine, NOS	4.8	2.4	8.3	15
Rectum and Rectosigmoid Junction	15.7	11.3	21.0	54
Rectosigmoid Junction	4.8	2.4	8.4	14
Rectum	10.9	7.5	15.2	40
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.7	3.8	10.6	19
Liver	5.4	2.9	9.0	15
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	12.1	7.9	17.4	35

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1996

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	1.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	86.8	75.9	98.8	278
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	6.5	3.9	10.1	22
Lung and Bronchus	79.5	69.0	91.0	253
Pleura	0.0	0.0	1.1	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.1	0.4	2.6	6
Soft Tissue including Heart	3.3	1.8	5.6	17
Skin excluding Basal and Squamous	11.3	8.0	15.6	49
Melanoma of the Skin	11.2	7.9	15.4	48
Other Non-Epithelial Skin	^	^	^	^
Urinary System	35.2	28.3	43.1	111
Urinary Bladder	19.9	14.8	26.2	62
Kidney and Renal Pelvis	13.0	9.1	18.0	43
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.9	3.1	7.5	26
Brain	4.9	3.1	7.5	26
Cranial Nerves Other Nervous System	0.0	0.0	1.1	0
Endocrine System	9.9	6.9	13.8	47
Thyroid	9.6	6.6	13.5	45
Other Endocrine including Thymus	^	^	^	^
Lymphoma	21.8	16.9	27.6	92
Hodgkin Lymphoma	4.4	2.8	6.7	27
Hodgkin - Nodal	4.2	2.7	6.5	26
Hodgkin - Extranodal	^	^	^	^
Non-Hodgkin Lymphoma	17.4	12.9	22.9	65
NHL - Nodal	12.2	8.6	16.7	48
NHL - Extranodal	5.2	2.7	8.9	17
Myeloma	5.5	3.1	8.9	18
Leukemia	18.2	13.2	24.3	58
Lymphocytic Leukemia	8.2	5.1	12.4	28
Acute Lymphocytic Leukemia	1.0	0.4	2.4	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1996

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	6.3	3.4	10.3	17
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	8.5	5.1	12.9	25
Acute Myeloid Leukemia	3.5	1.6	6.4	12
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	4.3	2.0	7.9	11
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	3.5	1.6	6.5	10
Kaposi Sarcoma	^	^	^	^
Miscellaneous	7.9	4.6	12.4	22

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1997

	Rate	Lower CI	Upper CI	Count
All Sites	508.0	482.0	535.0	1,824
Oral Cavity and Pharynx	12.6	9.0	17.1	50
Lip	^	^	^	^
Tongue	2.7	1.2	5.1	11
Salivary Gland	2.4	0.9	4.9	7
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.9	0.7	4.0	7
Tonsil	1.0	0.4	2.4	6
Oropharynx	0.0	0.0	1.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	97.6	86.1	110.1	326
Esophagus	6.6	3.9	10.2	22
Stomach	9.0	5.8	13.3	31
Small Intestine	^	^	^	^
Colon and Rectum	53.7	45.2	63.1	178
Colon excluding Rectum	38.7	31.3	47.1	122
Cecum	9.6	5.9	14.4	27
Appendix	1.1	0.4	2.7	6
Ascending Colon	6.8	3.9	10.9	19
Hepatic Flexure	^	^	^	^
Transverse Colon	4.5	2.2	7.9	14
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	11.2	7.4	16.1	34
Large Intestine, NOS	2.0	0.7	4.1	7
Rectum and Rectosigmoid Junction	15.0	11.0	19.8	56
Rectosigmoid Junction	3.8	2.0	6.5	14
Rectum	11.2	7.8	15.4	42
Anus, Anal Canal and Anorectum	3.0	1.4	5.5	12
Liver and Intrahepatic Bile Duct	6.6	3.9	10.2	24
Liver	4.7	2.6	7.7	19
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	12.4	8.5	17.3	38

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1997

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	84.9	74.4	96.4	281
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	5.1	2.8	8.3	18
Lung and Bronchus	78.6	68.4	89.7	258
Pleura	0.0	0.0	1.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.1	0
Bones and Joints	1.0	0.4	2.4	7
Soft Tissue including Heart	2.8	1.2	5.5	11
Skin excluding Basal and Squamous	13.0	9.7	17.2	65
Melanoma of the Skin	12.5	9.2	16.6	62
Other Non-Epithelial Skin	^	^	^	^
Urinary System	47.6	39.5	56.8	151
Urinary Bladder	30.5	23.8	38.2	89
Kidney and Renal Pelvis	16.1	11.8	21.3	59
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	1.1	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.5	3.5	8.4	28
Brain	5.5	3.5	8.4	28
Cranial Nerves Other Nervous System	0.0	0.0	1.1	0
Endocrine System	7.7	5.3	10.9	43
Thyroid	7.3	4.9	10.4	40
Other Endocrine including Thymus	^	^	^	^
Lymphoma	25.8	20.3	32.2	104
Hodgkin Lymphoma	2.5	1.3	4.5	14
Hodgkin - Nodal	2.5	1.3	4.5	14
Hodgkin - Extranodal	0.0	0.0	1.1	0
Non-Hodgkin Lymphoma	23.3	18.0	29.6	90
NHL - Nodal	16.1	11.7	21.5	62
NHL - Extranodal	7.2	4.5	10.8	28
Myeloma	2.7	1.2	5.2	11
Leukemia	13.5	9.5	18.5	52
Lymphocytic Leukemia	7.0	4.2	10.9	26
Acute Lymphocytic Leukemia	1.6	0.8	3.2	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1997

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.9	2.4	8.5	14
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	4.5	2.4	7.5	19
Acute Myeloid Leukemia	3.1	1.4	5.9	11
Acute Monocytic Leukemia	0.0	0.0	1.1	0
Chronic Myeloid Leukemia	1.4	0.6	2.9	8
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.1	0
Other Leukemia	2.0	0.7	4.3	7
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	7.5	4.5	11.6	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1998

	Rate	Lower CI	Upper CI	Count
All Sites	512.4	487.2	538.5	1,920
Oral Cavity and Pharynx	12.2	8.8	16.3	53
Lip	^	^	^	^
Tongue	3.9	2.0	6.7	15
Salivary Gland	^	^	^	^
Floor of Mouth	1.6	0.6	3.5	7
Gum and Other Mouth	1.5	0.5	3.4	6
Nasopharynx	2.0	0.7	4.3	7
Tonsil	1.0	0.3	2.3	6
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	107.0	95.0	119.9	357
Esophagus	4.7	2.7	7.5	18
Stomach	11.6	7.8	16.3	37
Small Intestine	^	^	^	^
Colon and Rectum	62.1	52.8	72.3	197
Colon excluding Rectum	45.3	37.2	54.4	134
Cecum	11.7	7.7	16.9	33
Appendix	^	^	^	^
Ascending Colon	7.6	4.4	12.0	19
Hepatic Flexure	4.3	2.0	7.8	11
Transverse Colon	3.7	1.8	6.6	12
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	13.2	9.1	18.2	41
Large Intestine, NOS	2.5	1.1	4.7	10
Rectum and Rectosigmoid Junction	16.8	12.5	21.9	63
Rectosigmoid Junction	4.3	2.3	7.2	15
Rectum	12.5	8.8	17.0	48
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.1	4.4	10.6	28
Liver	6.8	4.2	10.3	26
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	2.0	0.8	4.0	7
Other Biliary	1.9	0.7	4.0	7
Pancreas	13.4	9.6	18.2	48

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1998

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	87.3	77.0	98.5	299
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.4	1.8	6.0	14
Lung and Bronchus	82.9	72.8	93.9	281
Pleura	0.0	0.0	1.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	3.5	2.0	5.8	19
Skin excluding Basal and Squamous	11.0	8.1	14.7	55
Melanoma of the Skin	8.7	6.2	11.9	45
Other Non-Epithelial Skin	2.3	1.1	4.4	10
Urinary System	36.1	29.4	43.6	126
Urinary Bladder	23.7	18.1	30.3	72
Kidney and Renal Pelvis	11.7	8.4	15.7	52
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	1.0	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.2	5.0	10.2	39
Brain	7.2	5.0	10.2	39
Cranial Nerves Other Nervous System	0.0	0.0	1.0	0
Endocrine System	8.6	6.2	11.6	49
Thyroid	8.4	6.1	11.4	48
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.4	19.3	30.4	99
Hodgkin Lymphoma	1.9	0.7	4.0	7
Hodgkin - Nodal	1.9	0.7	4.0	7
Hodgkin - Extranodal	0.0	0.0	1.0	0
Non-Hodgkin Lymphoma	22.5	17.6	28.3	92
NHL - Nodal	13.3	9.7	17.7	56
NHL - Extranodal	9.3	6.1	13.4	36
Myeloma	7.2	4.6	10.6	27
Leukemia	14.4	10.3	19.6	51
Lymphocytic Leukemia	7.2	4.4	10.9	26
Acute Lymphocytic Leukemia	2.2	0.9	4.4	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1998

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.4	2.2	7.7	12
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.5	3.7	10.2	22
Acute Myeloid Leukemia	4.2	2.0	7.4	13
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.8	0.5	4.2	6
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	2.5	1.0	5.1	8
Kaposi Sarcoma	^	^	^	^
Miscellaneous	7.0	4.3	10.5	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1999

	Rate	Lower CI	Upper CI	Count
All Sites	505.6	481.1	531.0	1,966
Oral Cavity and Pharynx	13.3	9.7	17.8	55
Lip	^	^	^	^
Tongue	4.6	2.5	7.6	18
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	2.2	1.0	4.2	11
Tonsil	1.4	0.5	3.0	7
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	104.8	93.2	117.3	362
Esophagus	4.9	2.9	7.7	20
Stomach	9.7	6.5	13.8	36
Small Intestine	1.6	0.5	3.6	6
Colon and Rectum	62.0	53.1	71.8	209
Colon excluding Rectum	48.1	40.2	56.9	157
Cecum	10.4	6.9	14.8	34
Appendix	0.0	0.0	1.0	0
Ascending Colon	7.7	4.8	11.7	23
Hepatic Flexure	3.6	1.8	6.5	12
Transverse Colon	4.7	2.6	7.8	17
Splenic Flexure	2.9	1.1	5.7	9
Descending Colon	2.0	0.7	4.3	7
Sigmoid Colon	13.4	9.5	18.2	46
Large Intestine, NOS	3.3	1.4	6.2	9
Rectum and Rectosigmoid Junction	13.9	10.0	18.7	52
Rectosigmoid Junction	3.0	1.6	5.2	13
Rectum	10.9	7.4	15.4	39
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.7	4.2	10.0	27
Liver	6.3	3.9	9.5	26
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	3.6	1.5	6.9	8
Other Biliary	^	^	^	^
Pancreas	13.6	9.5	18.6	44

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1999

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	84.6	74.6	95.5	298
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.3	2.4	7.0	17
Lung and Bronchus	79.2	69.4	89.8	275
Pleura	0.0	0.0	1.0	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.9	0.3	2.1	6
Soft Tissue including Heart	2.0	0.8	4.1	9
Skin excluding Basal and Squamous	13.7	10.0	18.2	61
Melanoma of the Skin	11.2	7.9	15.2	51
Other Non-Epithelial Skin	2.5	1.0	5.0	10
Urinary System	38.3	31.6	46.0	138
Urinary Bladder	22.4	17.1	28.7	71
Kidney and Renal Pelvis	15.4	11.5	20.2	65
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.5	5.1	10.8	35
Brain	7.4	4.9	10.6	34
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	9.0	6.7	12.0	54
Thyroid	8.7	6.4	11.7	52
Other Endocrine including Thymus	^	^	^	^
Lymphoma	21.5	17.1	26.6	103
Hodgkin Lymphoma	1.9	1.0	3.5	13
Hodgkin - Nodal	1.9	1.0	3.5	13
Hodgkin - Extranodal	0.0	0.0	1.0	0
Non-Hodgkin Lymphoma	19.6	15.3	24.6	90
NHL - Nodal	14.7	11.1	19.0	69
NHL - Extranodal	4.9	2.8	7.9	21
Myeloma	6.1	3.6	9.6	21
Leukemia	14.8	10.7	19.9	57
Lymphocytic Leukemia	7.8	4.9	11.6	29
Acute Lymphocytic Leukemia	1.2	0.3	3.0	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

1999

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	6.6	4.0	10.2	23
Other Lymphocytic Leukemia	0.0	0.0	1.0	0
Myeloid and Monocytic Leukemia	4.8	2.6	7.8	21
Acute Myeloid Leukemia	2.9	1.3	5.5	13
Acute Monocytic Leukemia	0.0	0.0	1.0	0
Chronic Myeloid Leukemia	1.7	0.5	3.8	7
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	2.2	0.8	4.8	7
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	2.7	1.1	5.4	8
Kaposi Sarcoma	^	^	^	^
Miscellaneous	8.6	5.4	12.8	26

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2000

	Rate	Lower CI	Upper CI	Count
All Sites	514.7	490.5	539.8	2,051
Oral Cavity and Pharynx	12.3	8.8	16.6	48
Lip	^	^	^	^
Tongue	3.8	2.0	6.5	17
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.4	0.4	3.2	6
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	0.9	0
Digestive System	110.0	98.5	122.3	396
Esophagus	7.3	4.7	10.7	29
Stomach	10.8	7.4	15.0	38
Small Intestine	1.7	0.5	3.8	6
Colon and Rectum	66.9	57.8	76.8	233
Colon excluding Rectum	46.9	39.2	55.5	155
Cecum	12.3	8.5	17.0	39
Appendix	^	^	^	^
Ascending Colon	7.4	4.4	11.3	22
Hepatic Flexure	^	^	^	^
Transverse Colon	3.9	1.9	6.9	11
Splenic Flexure	^	^	^	^
Descending Colon	3.2	1.5	5.8	11
Sigmoid Colon	15.0	10.8	20.0	51
Large Intestine, NOS	2.0	0.9	3.9	10
Rectum and Rectosigmoid Junction	20.0	15.4	25.4	78
Rectosigmoid Junction	3.7	2.0	6.2	15
Rectum	16.3	12.1	21.3	63
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.4	4.9	10.7	31
Liver	6.4	4.1	9.6	27
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	2.0	0.8	4.1	7
Pancreas	10.5	7.3	14.5	41

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2000

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	0.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	76.8	67.3	87.1	277
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.9	1.4	5.2	12
Lung and Bronchus	72.2	63.1	82.2	260
Pleura	0.0	0.0	0.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.4	0.6	2.9	8
Soft Tissue including Heart	2.8	1.4	4.9	15
Skin excluding Basal and Squamous	11.2	8.1	15.1	56
Melanoma of the Skin	10.6	7.6	14.3	54
Other Non-Epithelial Skin	^	^	^	^
Urinary System	36.5	29.9	44.1	128
Urinary Bladder	24.3	18.7	30.7	79
Kidney and Renal Pelvis	12.3	8.8	16.6	49
Ureter	0.0	0.0	0.9	0
Other Urinary Organs	0.0	0.0	0.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.9	3.9	8.6	31
Brain	5.6	3.7	8.2	30
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	7.9	5.7	10.7	47
Thyroid	7.6	5.4	10.3	45
Other Endocrine including Thymus	^	^	^	^
Lymphoma	23.5	18.7	29.2	102
Hodgkin Lymphoma	2.5	1.2	4.6	13
Hodgkin - Nodal	2.5	1.2	4.6	13
Hodgkin - Extranodal	0.0	0.0	0.9	0
Non-Hodgkin Lymphoma	21.0	16.4	26.4	89
NHL - Nodal	13.2	9.7	17.6	56
NHL - Extranodal	7.8	5.1	11.3	33
Myeloma	6.1	3.8	9.4	23
Leukemia	16.5	12.4	21.5	68
Lymphocytic Leukemia	6.6	4.3	9.6	30
Acute Lymphocytic Leukemia	1.2	0.5	2.5	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2000

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.6	2.7	7.4	19
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	9.7	6.4	13.8	36
Acute Myeloid Leukemia	7.1	4.4	10.9	26
Acute Monocytic Leukemia	0.0	0.0	0.9	0
Chronic Myeloid Leukemia	2.2	0.9	4.5	8
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.9	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	0.9	0
Miscellaneous	13.7	9.7	18.7	46

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2001

	Rate	Lower CI	Upper CI	Count
All Sites	516.6	493.2	540.8	2,185
Oral Cavity and Pharynx	10.9	7.9	14.5	52
Lip	^	^	^	^
Tongue	2.8	1.4	5.0	12
Salivary Gland	1.0	0.4	2.4	6
Floor of Mouth	1.4	0.6	3.0	7
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.2	0.4	2.8	6
Tonsil	2.0	1.0	3.7	11
Oropharynx	0.0	0.0	0.9	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	109.0	97.9	120.9	416
Esophagus	8.0	5.1	11.8	28
Stomach	9.0	6.0	12.9	33
Small Intestine	1.3	0.5	3.0	6
Colon and Rectum	63.8	55.3	73.1	238
Colon excluding Rectum	44.7	37.6	52.7	160
Cecum	10.2	7.1	14.1	39
Appendix	^	^	^	^
Ascending Colon	8.3	5.1	12.5	23
Hepatic Flexure	2.4	1.1	4.5	10
Transverse Colon	3.7	1.9	6.3	13
Splenic Flexure	1.4	0.5	3.2	6
Descending Colon	3.0	1.3	5.7	9
Sigmoid Colon	12.3	8.8	16.5	47
Large Intestine, NOS	3.1	1.4	5.7	11
Rectum and Rectosigmoid Junction	19.1	14.7	24.2	78
Rectosigmoid Junction	3.4	1.7	5.9	13
Rectum	15.7	11.8	20.4	65
Anus, Anal Canal and Anorectum	2.0	0.8	3.9	9
Liver and Intrahepatic Bile Duct	9.6	6.6	13.3	42
Liver	8.0	5.3	11.5	34
Intrahepatic Bile Duct	1.6	0.6	3.3	8
Gallbladder	1.3	0.4	3.0	6
Other Biliary	2.3	0.9	4.6	7
Pancreas	10.3	7.2	14.2	41

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2001

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	79.1	69.8	89.2	305
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.6	2.0	6.1	16
Lung and Bronchus	74.4	65.3	84.2	283
Pleura	0.0	0.0	0.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.7	0.9	3.1	12
Soft Tissue including Heart	2.0	0.9	3.9	11
Skin excluding Basal and Squamous	15.2	11.6	19.5	75
Melanoma of the Skin	14.6	11.1	18.8	71
Other Non-Epithelial Skin	^	^	^	^
Urinary System	41.1	34.5	48.5	160
Urinary Bladder	25.5	20.4	31.5	98
Kidney and Renal Pelvis	14.3	10.6	18.8	58
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.2	4.8	10.3	35
Brain	6.7	4.4	9.8	33
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	10.2	7.6	13.3	60
Thyroid	7.8	5.7	10.5	49
Other Endocrine including Thymus	2.3	1.1	4.4	11
Lymphoma	22.6	18.1	27.9	103
Hodgkin Lymphoma	1.9	1.0	3.5	12
Hodgkin - Nodal	1.9	1.0	3.5	12
Hodgkin - Extranodal	0.0	0.0	0.9	0
Non-Hodgkin Lymphoma	20.7	16.3	25.8	91
NHL - Nodal	14.3	10.7	18.5	65
NHL - Extranodal	6.4	4.0	9.7	26
Myeloma	4.7	2.6	7.6	17
Leukemia	11.6	8.3	15.7	51
Lymphocytic Leukemia	4.8	2.8	7.4	22
Acute Lymphocytic Leukemia	1.1	0.5	2.4	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2001

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	3.4	1.7	6.0	13
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	5.7	3.5	8.7	25
Acute Myeloid Leukemia	2.6	1.3	4.6	13
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	2.4	0.9	4.8	9
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	16.4	12.1	21.5	60

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2002

	Rate	Lower CI	Upper CI	Count
All Sites	502.8	480.3	526.1	2,236
Oral Cavity and Pharynx	9.9	7.2	13.3	50
Lip	^	^	^	^
Tongue	2.0	0.8	3.8	9
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.3	0.5	2.8	7
Nasopharynx	2.3	1.1	4.3	11
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	99.2	88.9	110.4	396
Esophagus	6.3	3.8	9.5	23
Stomach	10.6	7.3	14.8	39
Small Intestine	2.0	0.8	4.0	9
Colon and Rectum	55.5	47.8	64.0	216
Colon excluding Rectum	37.7	31.3	44.9	142
Cecum	8.6	5.4	12.7	26
Appendix	^	^	^	^
Ascending Colon	5.2	3.1	8.0	21
Hepatic Flexure	4.1	2.1	7.1	13
Transverse Colon	3.4	1.8	5.8	14
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	11.0	7.8	15.0	46
Large Intestine, NOS	3.1	1.6	5.4	13
Rectum and Rectosigmoid Junction	17.8	13.7	22.7	74
Rectosigmoid Junction	4.3	2.5	6.8	20
Rectum	13.5	9.9	18.0	54
Anus, Anal Canal and Anorectum	2.2	1.1	4.0	12
Liver and Intrahepatic Bile Duct	6.2	4.0	9.3	29
Liver	6.1	3.8	9.1	28
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	1.9	0.8	3.9	9
Pancreas	11.7	8.4	15.8	49

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwarei mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2002

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.8	0
Other Digestive Organs	2.4	0.9	4.8	8
Respiratory System	76.2	67.4	85.9	307
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.4	1.2	4.4	12
Lung and Bronchus	72.5	63.8	81.9	289
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.2	0.4	2.8	7
Soft Tissue including Heart	2.9	1.6	4.9	16
Skin excluding Basal and Squamous	14.4	11.0	18.4	77
Melanoma of the Skin	12.8	9.7	16.6	70
Other Non-Epithelial Skin	1.6	0.6	3.3	7
Urinary System	41.7	35.2	49.0	171
Urinary Bladder	24.5	19.4	30.4	91
Kidney and Renal Pelvis	16.1	12.3	20.5	76
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	6.0	4.1	8.6	35
Brain	5.9	4.0	8.4	34
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	9.0	6.6	11.9	55
Thyroid	8.0	5.8	10.7	50
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.9	20.2	30.4	116
Hodgkin Lymphoma	2.4	1.4	4.0	17
Hodgkin - Nodal	2.4	1.4	4.0	17
Hodgkin - Extranodal	0.0	0.0	0.8	0
Non-Hodgkin Lymphoma	22.5	17.9	27.9	99
NHL - Nodal	16.0	12.1	20.6	69
NHL - Extranodal	6.5	4.2	9.6	30
Myeloma	5.0	3.1	7.6	24
Leukemia	12.3	9.1	16.3	59
Lymphocytic Leukemia	7.6	5.0	11.0	33
Acute Lymphocytic Leukemia	1.7	0.8	3.1	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2002

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	5.6	3.3	8.8	20
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	4.6	2.9	7.0	25
Acute Myeloid Leukemia	2.4	1.3	4.2	14
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.6	0.7	3.3	9
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	12.1	8.8	16.2	53

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2003

	Rate	Lower CI	Upper CI	Count
All Sites	494.5	472.4	517.2	2,261
Oral Cavity and Pharynx	11.1	8.0	14.9	52
Lip	^	^	^	^
Tongue	2.6	1.3	4.6	12
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.2	0.3	2.8	6
Nasopharynx	2.4	1.1	4.4	10
Tonsil	1.0	0.4	2.2	7
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	96.2	86.3	106.9	413
Esophagus	5.2	3.3	7.7	28
Stomach	7.3	4.7	10.7	30
Small Intestine	1.9	0.7	4.0	7
Colon and Rectum	54.2	46.8	62.3	228
Colon excluding Rectum	39.0	32.6	46.2	150
Cecum	7.7	4.9	11.3	27
Appendix	^	^	^	^
Ascending Colon	6.3	3.9	9.5	24
Hepatic Flexure	1.9	0.8	3.9	8
Transverse Colon	2.9	1.4	5.2	11
Splenic Flexure	^	^	^	^
Descending Colon	3.1	1.5	5.5	12
Sigmoid Colon	12.0	8.6	16.0	50
Large Intestine, NOS	3.7	1.9	6.4	13
Rectum and Rectosigmoid Junction	15.1	11.7	19.2	78
Rectosigmoid Junction	5.0	3.0	7.7	22
Rectum	10.2	7.5	13.5	56
Anus, Anal Canal and Anorectum	2.9	1.5	5.0	14
Liver and Intrahepatic Bile Duct	6.6	4.4	9.5	35
Liver	6.5	4.3	9.4	34
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	1.9	0.7	3.7	8
Other Biliary	2.2	0.8	4.5	7
Pancreas	11.2	7.9	15.3	46

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2003

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	2.1	0.8	4.2	8
Respiratory System	81.2	72.0	91.2	322
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.1	2.4	6.5	19
Lung and Bronchus	76.6	67.5	86.4	299
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	3.3	1.8	5.4	18
Skin excluding Basal and Squamous	17.1	13.5	21.4	93
Melanoma of the Skin	14.8	11.5	18.8	83
Other Non-Epithelial Skin	2.3	1.0	4.3	10
Urinary System	39.5	33.3	46.4	170
Urinary Bladder	24.4	19.4	30.2	95
Kidney and Renal Pelvis	14.6	11.1	18.7	73
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	0.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.9	3.9	8.6	31
Brain	5.4	3.5	8.1	28
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	10.9	8.3	14.0	67
Thyroid	9.5	7.2	12.4	61
Other Endocrine including Thymus	1.3	0.4	3.0	6
Lymphoma	22.2	17.8	27.4	108
Hodgkin Lymphoma	3.4	2.0	5.3	21
Hodgkin - Nodal	3.4	2.0	5.3	21
Hodgkin - Extranodal	0.0	0.0	0.8	0
Non-Hodgkin Lymphoma	18.9	14.7	23.8	87
NHL - Nodal	13.5	10.1	17.7	64
NHL - Extranodal	5.3	3.2	8.2	23
Myeloma	5.0	3.0	7.7	23
Leukemia	9.4	6.7	12.8	47
Lymphocytic Leukemia	4.5	2.7	6.9	23
Acute Lymphocytic Leukemia	1.2	0.6	2.5	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2003

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	2.6	1.2	4.8	10
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	4.5	2.6	7.1	21
Acute Myeloid Leukemia	2.6	1.2	4.7	12
Acute Monocytic Leukemia	0.0	0.0	0.8	0
Chronic Myeloid Leukemia	1.8	0.7	3.6	8
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	2.0	0.7	4.3	6
Kaposi Sarcoma	^	^	^	^
Miscellaneous	16.3	12.3	21.1	67

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2004

	Rate	Lower CI	Upper CI	Count
All Sites	511.6	489.6	534.2	2,422
Oral Cavity and Pharynx	11.3	8.4	14.9	58
Lip	^	^	^	^
Tongue	2.1	1.1	3.6	14
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	2.1	0.9	4.1	9
Nasopharynx	0.9	0.3	2.1	6
Tonsil	1.6	0.7	3.1	10
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	105.2	95.1	116.0	464
Esophagus	6.2	4.0	9.0	28
Stomach	7.1	4.7	10.2	32
Small Intestine	2.2	0.9	4.2	9
Colon and Rectum	55.6	48.4	63.6	248
Colon excluding Rectum	42.8	36.4	49.9	184
Cecum	10.2	7.1	14.0	41
Appendix	^	^	^	^
Ascending Colon	4.8	2.9	7.5	20
Hepatic Flexure	1.7	0.7	3.4	8
Transverse Colon	3.9	2.0	6.6	13
Splenic Flexure	1.5	0.5	3.4	6
Descending Colon	2.6	1.3	4.7	12
Sigmoid Colon	13.2	9.8	17.3	61
Large Intestine, NOS	4.4	2.6	6.9	20
Rectum and Rectosigmoid Junction	12.8	9.6	16.7	64
Rectosigmoid Junction	2.9	1.5	5.0	14
Rectum	9.9	7.1	13.4	50
Anus, Anal Canal and Anorectum	3.0	1.5	5.2	14
Liver and Intrahepatic Bile Duct	11.0	7.9	14.8	51
Liver	10.0	7.1	13.7	47
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	2.2	0.8	4.4	8
Pancreas	12.7	9.3	17.0	51

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2004

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	2.9	1.4	5.1	11
Respiratory System	82.6	73.5	92.4	345
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.8	0
Larynx	3.0	1.6	5.0	16
Lung and Bronchus	78.6	69.7	88.2	326
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.4	0.5	3.1	6
Soft Tissue including Heart	3.3	1.9	5.2	20
Skin excluding Basal and Squamous	15.3	12.0	19.3	84
Melanoma of the Skin	13.3	10.2	17.0	73
Other Non-Epithelial Skin	2.0	1.0	3.8	11
Urinary System	43.5	37.2	50.6	192
Urinary Bladder	24.3	19.6	29.7	106
Kidney and Renal Pelvis	17.4	13.5	22.0	79
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	1.3	0.5	2.8	7
Brain and Other Nervous System	7.5	5.2	10.4	40
Brain	6.9	4.6	9.8	36
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.8	9.3	14.7	81
Thyroid	11.4	8.9	14.3	78
Other Endocrine including Thymus	^	^	^	^
Lymphoma	22.4	18.0	27.5	106
Hodgkin Lymphoma	2.3	1.3	3.9	15
Hodgkin - Nodal	2.3	1.3	3.9	15
Hodgkin - Extranodal	0.0	0.0	0.8	0
Non-Hodgkin Lymphoma	20.0	15.8	25.0	91
NHL - Nodal	14.7	11.0	19.0	66
NHL - Extranodal	5.4	3.3	8.1	25
Myeloma	8.4	5.7	11.8	37
Leukemia	11.6	8.4	15.6	53
Lymphocytic Leukemia	7.7	5.1	11.1	34
Acute Lymphocytic Leukemia	1.4	0.6	2.8	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2004

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	5.4	3.1	8.4	21
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.7	2.1	6.1	18
Acute Myeloid Leukemia	1.5	0.5	3.2	7
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.8	0.7	3.7	8
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	1.9	0.7	4.0	7
Kaposi Sarcoma	^	^	^	^
Miscellaneous	13.6	10.1	17.8	59

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2005

	Rate	Lower CI	Upper CI	Count
All Sites	481.1	460.2	502.6	2,354
Oral Cavity and Pharynx	10.4	7.7	13.7	56
Lip	^	^	^	^
Tongue	2.3	1.1	4.1	12
Salivary Gland	^	^	^	^
Floor of Mouth	1.1	0.4	2.4	7
Gum and Other Mouth	1.7	0.6	3.4	7
Nasopharynx	1.1	0.4	2.5	6
Tonsil	0.8	0.3	1.8	6
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	0.8	0
Digestive System	98.4	88.7	108.8	438
Esophagus	6.1	4.0	8.9	31
Stomach	6.9	4.7	9.8	36
Small Intestine	3.0	1.5	5.1	13
Colon and Rectum	55.4	48.1	63.4	240
Colon excluding Rectum	42.8	36.3	49.9	181
Cecum	11.9	8.6	16.1	47
Appendix	^	^	^	^
Ascending Colon	9.5	6.5	13.2	36
Hepatic Flexure	1.8	0.7	3.6	7
Transverse Colon	4.4	2.4	7.1	16
Splenic Flexure	^	^	^	^
Descending Colon	2.0	1.0	3.8	11
Sigmoid Colon	8.9	6.2	12.2	43
Large Intestine, NOS	2.7	1.4	4.8	13
Rectum and Rectosigmoid Junction	12.6	9.4	16.5	59
Rectosigmoid Junction	3.4	1.9	5.6	16
Rectum	9.2	6.5	12.6	43
Anus, Anal Canal and Anorectum	1.6	0.6	3.3	8
Liver and Intrahepatic Bile Duct	6.2	4.0	9.0	30
Liver	5.8	3.7	8.6	28
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	2.5	1.1	4.8	9
Pancreas	11.5	8.2	15.4	46

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2005

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	3.6	2.1	5.8	18
Respiratory System	83.0	74.0	92.6	355
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.9	1.6	4.9	15
Lung and Bronchus	79.4	70.6	88.9	336
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.8	0
Bones and Joints	1.2	0.5	2.5	8
Soft Tissue including Heart	4.0	2.3	6.3	21
Skin excluding Basal and Squamous	11.0	8.2	14.3	63
Melanoma of the Skin	8.5	6.2	11.3	52
Other Non-Epithelial Skin	2.5	1.1	4.7	11
Urinary System	40.6	34.7	47.2	192
Urinary Bladder	23.0	18.5	28.2	102
Kidney and Renal Pelvis	16.7	13.1	20.9	86
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.5	5.1	10.5	39
Brain	7.2	4.9	10.2	37
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.8	9.1	15.1	71
Thyroid	11.5	8.8	14.8	69
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.6	20.1	29.7	125
Hodgkin Lymphoma	2.5	1.3	4.2	15
Hodgkin - Nodal	2.5	1.3	4.2	15
Hodgkin - Extranodal	0.0	0.0	0.8	0
Non-Hodgkin Lymphoma	22.1	17.8	27.1	110
NHL - Nodal	16.1	12.4	20.4	79
NHL - Extranodal	6.0	3.9	8.8	31
Myeloma	5.2	3.3	7.8	25
Leukemia	15.0	11.6	19.0	78
Lymphocytic Leukemia	8.5	6.0	11.7	44
Acute Lymphocytic Leukemia	1.2	0.6	2.5	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2005

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	6.7	4.4	9.7	32
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	5.8	3.7	8.5	30
Acute Myeloid Leukemia	3.7	2.1	6.1	18
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.5	0.6	3.1	8
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	2.0	0.8	4.0	8
Kaposi Sarcoma	^	^	^	^
Miscellaneous	13.6	10.0	18.0	58

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2006

	Rate	Lower CI	Upper CI	Count
All Sites	484.7	464.2	505.9	2,479
Oral Cavity and Pharynx	11.4	8.5	14.9	60
Lip	^	^	^	^
Tongue	2.1	1.0	3.8	11
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.0	0.3	2.4	6
Nasopharynx	1.7	0.8	3.3	10
Tonsil	2.7	1.5	4.5	17
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	0.7	0
Digestive System	99.0	89.6	109.2	477
Esophagus	6.5	4.4	9.4	35
Stomach	5.9	3.8	8.8	29
Small Intestine	2.3	1.2	3.9	15
Colon and Rectum	54.0	47.1	61.6	254
Colon excluding Rectum	40.6	34.5	47.3	183
Cecum	10.9	7.8	14.6	47
Appendix	^	^	^	^
Ascending Colon	7.1	4.6	10.4	28
Hepatic Flexure	1.8	0.8	3.5	10
Transverse Colon	2.4	1.1	4.4	11
Splenic Flexure	^	^	^	^
Descending Colon	3.2	1.7	5.5	14
Sigmoid Colon	10.3	7.5	13.7	51
Large Intestine, NOS	3.6	1.9	6.1	14
Rectum and Rectosigmoid Junction	13.4	10.2	17.3	71
Rectosigmoid Junction	4.0	2.3	6.4	19
Rectum	9.5	6.9	12.7	52
Anus, Anal Canal and Anorectum	2.5	1.3	4.2	15
Liver and Intrahepatic Bile Duct	7.8	5.4	10.9	43
Liver	7.4	5.1	10.5	40
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	2.3	1.0	4.5	9
Other Biliary	2.4	1.2	4.3	13
Pancreas	12.0	8.8	16.0	53

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2006

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	2.3	0.9	4.4	7
Respiratory System	81.8	73.2	91.1	377
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.2	2.5	6.5	21
Lung and Bronchus	76.1	67.8	85.1	349
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.9	0.4	2.1	7
Soft Tissue including Heart	3.6	2.2	5.5	22
Skin excluding Basal and Squamous	10.1	7.5	13.3	59
Melanoma of the Skin	9.1	6.7	12.1	55
Other Non-Epithelial Skin	^	^	^	^
Urinary System	36.9	31.2	43.3	178
Urinary Bladder	22.7	18.1	28.0	99
Kidney and Renal Pelvis	14.1	10.9	17.9	78
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	0.7	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.8	3.0	7.2	26
Brain	4.5	2.8	6.9	24
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.1	8.6	14.2	72
Thyroid	10.7	8.2	13.8	69
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.6	20.2	29.6	130
Hodgkin Lymphoma	2.9	1.6	4.8	18
Hodgkin - Nodal	2.9	1.6	4.8	18
Hodgkin - Extranodal	0.0	0.0	0.7	0
Non-Hodgkin Lymphoma	21.7	17.6	26.5	112
NHL - Nodal	15.0	11.6	19.0	79
NHL - Extranodal	6.7	4.5	9.6	33
Myeloma	4.5	2.7	7.1	21
Leukemia	17.1	13.4	21.5	86
Lymphocytic Leukemia	9.0	6.4	12.2	47
Acute Lymphocytic Leukemia	2.0	1.1	3.5	14

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2006

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	6.4	4.2	9.3	30
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	7.4	5.0	10.4	36
Acute Myeloid Leukemia	4.8	2.8	7.5	20
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.9	1.0	3.5	12
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	12.8	9.5	16.9	57

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2007

	Rate	Lower CI	Upper CI	Count
All Sites	464.5	444.9	484.7	2,474
Oral Cavity and Pharynx	11.3	8.5	14.7	66
Lip	^	^	^	^
Tongue	3.1	1.8	4.9	20
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.8	0.7	3.6	7
Nasopharynx	^	^	^	^
Tonsil	1.8	1.0	3.3	13
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	82.3	74.0	91.3	420
Esophagus	4.3	2.7	6.6	24
Stomach	7.7	5.3	10.8	38
Small Intestine	2.1	1.0	3.9	12
Colon and Rectum	41.2	35.3	47.7	206
Colon excluding Rectum	28.8	23.9	34.4	141
Cecum	5.3	3.3	8.0	24
Appendix	^	^	^	^
Ascending Colon	5.3	3.3	7.9	27
Hepatic Flexure	1.5	0.5	3.3	6
Transverse Colon	2.0	0.8	3.8	9
Splenic Flexure	0.0	0.0	0.7	0
Descending Colon	1.2	0.4	2.7	7
Sigmoid Colon	10.0	7.3	13.4	52
Large Intestine, NOS	3.1	1.5	5.4	13
Rectum and Rectosigmoid Junction	12.4	9.4	16.0	65
Rectosigmoid Junction	3.8	2.1	6.1	19
Rectum	8.6	6.2	11.7	46
Anus, Anal Canal and Anorectum	2.1	1.1	3.7	14
Liver and Intrahepatic Bile Duct	6.5	4.4	9.3	35
Liver	6.1	4.0	8.7	33
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	3.4	1.9	5.6	17
Pancreas	12.3	9.2	16.0	61

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2007

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	72.7	64.7	81.2	355
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.8	3.1	7.0	30
Lung and Bronchus	67.6	59.9	75.9	324
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.7	0
Bones and Joints	0.9	0.4	2.0	7
Soft Tissue including Heart	3.4	2.1	5.3	23
Skin excluding Basal and Squamous	11.3	8.5	14.6	64
Melanoma of the Skin	10.4	7.7	13.6	59
Other Non-Epithelial Skin	^	^	^	^
Urinary System	37.4	31.8	43.6	187
Urinary Bladder	20.0	15.9	24.7	97
Kidney and Renal Pelvis	17.2	13.5	21.5	88
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	6.3	4.4	8.7	40
Brain	5.6	3.9	8.0	36
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	13.7	11.0	17.0	93
Thyroid	12.9	10.2	16.0	88
Other Endocrine including Thymus	^	^	^	^
Lymphoma	20.4	16.5	24.8	113
Hodgkin Lymphoma	2.1	1.1	3.6	14
Hodgkin - Nodal	2.1	1.1	3.6	14
Hodgkin - Extranodal	0.0	0.0	0.7	0
Non-Hodgkin Lymphoma	18.3	14.6	22.6	99
NHL - Nodal	12.9	9.8	16.6	69
NHL - Extranodal	5.4	3.5	7.9	30
Myeloma	4.9	3.1	7.3	26
Leukemia	13.4	10.2	17.3	67
Lymphocytic Leukemia	6.8	4.6	9.6	35
Acute Lymphocytic Leukemia	1.7	0.9	3.0	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2007

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.6	2.7	7.1	21
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.5	4.2	9.4	31
Acute Myeloid Leukemia	3.7	2.1	5.9	18
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	2.7	1.3	4.8	12
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	15.2	11.6	19.6	69

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2008

	Rate	Lower CI	Upper CI	Count
All Sites	473.2	453.8	493.3	2,615
Oral Cavity and Pharynx	9.8	7.4	12.9	62
Lip	^	^	^	^
Tongue	2.2	1.2	3.8	15
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.8	0.8	3.4	10
Nasopharynx	^	^	^	^
Tonsil	2.5	1.4	4.1	17
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	94.2	85.4	103.7	488
Esophagus	6.2	4.1	8.9	32
Stomach	9.9	7.2	13.4	48
Small Intestine	1.7	0.7	3.3	9
Colon and Rectum	46.8	40.6	53.6	241
Colon excluding Rectum	34.7	29.3	40.7	172
Cecum	5.4	3.5	8.0	28
Appendix	^	^	^	^
Ascending Colon	4.7	2.8	7.2	23
Hepatic Flexure	2.1	0.9	3.9	10
Transverse Colon	4.8	2.8	7.5	19
Splenic Flexure	^	^	^	^
Descending Colon	1.7	0.8	3.2	10
Sigmoid Colon	12.4	9.3	16.1	64
Large Intestine, NOS	2.1	0.9	4.0	9
Rectum and Rectosigmoid Junction	12.2	9.3	15.7	69
Rectosigmoid Junction	3.8	2.2	6.0	19
Rectum	8.4	6.1	11.3	50
Anus, Anal Canal and Anorectum	2.2	1.1	3.8	13
Liver and Intrahepatic Bile Duct	7.9	5.6	10.6	48
Liver	6.9	4.9	9.5	44
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	3.1	1.7	5.2	16
Pancreas	13.6	10.3	17.5	68

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2008

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	75.0	67.0	83.6	368
Nose, Nasal Cavity and Middle Ear	1.2	0.4	2.6	6
Larynx	3.1	1.7	5.0	18
Lung and Bronchus	70.7	62.9	79.2	344
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	2.9	1.7	4.7	19
Skin excluding Basal and Squamous	13.4	10.4	16.9	80
Melanoma of the Skin	12.2	9.4	15.6	73
Other Non-Epithelial Skin	1.1	0.4	2.4	7
Urinary System	44.1	38.1	50.7	229
Urinary Bladder	25.4	20.8	30.7	123
Kidney and Renal Pelvis	17.3	13.8	21.4	99
Ureter	1.2	0.4	2.6	6
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.8	5.6	10.5	47
Brain	7.3	5.1	9.9	44
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.1	8.8	14.0	80
Thyroid	10.1	7.8	12.8	72
Other Endocrine including Thymus	1.1	0.5	2.2	8
Lymphoma	22.2	18.2	26.8	124
Hodgkin Lymphoma	3.7	2.3	5.6	23
Hodgkin - Nodal	3.7	2.3	5.6	23
Hodgkin - Extranodal	0.0	0.0	0.7	0
Non-Hodgkin Lymphoma	18.5	14.8	22.9	101
NHL - Nodal	14.0	10.7	17.9	71
NHL - Extranodal	4.6	3.0	6.7	30
Myeloma	4.6	2.8	7.0	23
Leukemia	11.9	9.0	15.4	66
Lymphocytic Leukemia	4.6	2.8	7.0	24
Acute Lymphocytic Leukemia	1.1	0.4	2.2	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2008

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	3.2	1.7	5.3	16
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.8	4.7	9.5	39
Acute Myeloid Leukemia	5.1	3.2	7.7	27
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.4	0.7	2.7	10
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	1.8	0.7	3.5	8
Kaposi Sarcoma	0.0	0.0	0.7	0
Miscellaneous	13.9	10.7	17.8	74

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2009

	Rate	Lower CI	Upper CI	Count
All Sites	420.7	402.7	439.3	2,409
Oral Cavity and Pharynx	10.9	8.3	14.0	71
Lip	^	^	^	^
Tongue	3.4	2.1	5.1	25
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	2.5	1.4	4.2	16
Tonsil	1.1	0.4	2.3	7
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	79.5	71.7	87.9	449
Esophagus	3.2	1.9	5.1	20
Stomach	5.6	3.7	8.1	31
Small Intestine	2.1	1.1	3.8	13
Colon and Rectum	49.6	43.4	56.3	273
Colon excluding Rectum	37.9	32.4	44.0	196
Cecum	7.5	5.1	10.5	36
Appendix	^	^	^	^
Ascending Colon	8.1	5.6	11.2	39
Hepatic Flexure	2.1	0.9	3.9	10
Transverse Colon	3.7	2.1	5.9	19
Splenic Flexure	^	^	^	^
Descending Colon	1.8	0.8	3.4	11
Sigmoid Colon	11.1	8.3	14.6	61
Large Intestine, NOS	2.6	1.3	4.5	13
Rectum and Rectosigmoid Junction	11.7	9.0	14.8	77
Rectosigmoid Junction	3.1	1.8	4.8	21
Rectum	8.6	6.3	11.4	56
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	5.7	3.9	7.9	39
Liver	5.2	3.5	7.4	36
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	1.0	0.3	2.3	6
Other Biliary	1.6	0.6	3.3	7
Pancreas	8.3	5.9	11.3	47

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2009

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	0.7	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	1.1	0.4	2.5	6
Respiratory System	68.7	61.1	76.8	349
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.7	0
Larynx	3.1	1.7	5.1	17
Lung and Bronchus	65.4	58.1	73.4	331
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	2.9	1.6	4.9	17
Skin excluding Basal and Squamous	11.4	8.7	14.8	70
Melanoma of the Skin	10.6	8.0	13.8	66
Other Non-Epithelial Skin	^	^	^	^
Urinary System	39.2	33.6	45.4	207
Urinary Bladder	22.4	18.1	27.3	113
Kidney and Renal Pelvis	16.3	12.9	20.3	91
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	1.2	0.5	2.4	9
Brain and Other Nervous System	7.6	5.4	10.4	46
Brain	7.2	5.1	9.9	43
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	13.2	10.6	16.4	91
Thyroid	12.5	9.9	15.5	87
Other Endocrine including Thymus	^	^	^	^
Lymphoma	18.2	14.6	22.4	102
Hodgkin Lymphoma	1.5	0.7	2.9	10
Hodgkin - Nodal	1.4	0.6	2.7	9
Hodgkin - Extranodal	^	^	^	^
Non-Hodgkin Lymphoma	16.7	13.2	20.8	92
NHL - Nodal	10.6	7.9	13.9	59
NHL - Extranodal	6.1	4.1	8.8	33
Myeloma	5.4	3.4	8.0	26
Leukemia	6.6	4.5	9.2	40
Lymphocytic Leukemia	2.6	1.5	4.3	17
Acute Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009

2009

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	1.6	0.8	2.9	11
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.4	2.0	5.4	20
Acute Myeloid Leukemia	2.3	1.2	3.9	14
Acute Monocytic Leukemia	0.0	0.0	0.7	0
Chronic Myeloid Leukemia	1.1	0.4	2.6	6
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	1.6	0.6	3.3	7
Kaposi Sarcoma	0.0	0.0	0.7	0
Miscellaneous	10.9	8.0	14.4	56

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.