

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race**Session Type:** Rate**Suggested Citation****Software:** Surveillance Research Program, National Cancer Institute SEER*Stat software (www.seer.cancer.gov/seerstat) version 6.6.2.**Data:** Alaska Cancer Registry SEER*Stat Database - Incidence data for diagnosis years 1996 to 2009. Released January 2011. Alaska population data for rate calculations are from the SEER program (<http://www.seer.cancer.gov/popdata/>) and include populations by borough/census area, expanded races, and Hispanic origin.**Data****Database:** ACR w/Borough, Race, & Hispanic Pops (1996-2009), Jan 2011**Statistic****Statistic:** Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)**P-Values:** .05**Options:** Display Confidence Intervals (Tiwari mod) and Standard Errors**Selection****Select Only:** Malignant Behavior, Known Age, Male or Female Sex**Table****Page:** Year of diagnosis**Row:** Site rec w/Kaposi and meso-no sex sites [Site rec with Kaposi and mesothelioma]**Column:** Race recode (4 Races - W, B, AI, API) [Race recode (W, B, AI, API)]**Output****Title:** Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race**Suppress:** Statistics based on fewer than 6 cases**Display Rates as:** Cases per 100,000**Precision:** 1 decimal place (default)

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

Total

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	490.7	483.9	497.6	23,996	495.8	457.2	536.4	823
Oral Cavity and Pharynx	11.0	10.0	12.0	587	7.0	3.3	12.8	14
Lip	1.0	0.7	1.4	44	0.0	0.0	2.4	0
Tongue	3.0	2.5	3.5	171	^	^	^	^
Salivary Gland	1.1	0.7	1.4	46	^	^	^	^
Floor of Mouth	0.7	0.5	1.0	41	^	^	^	^
Gum and Other Mouth	1.4	1.1	1.8	68	^	^	^	^
Nasopharynx	0.5	0.3	0.8	29	^	^	^	^
Tonsil	1.7	1.4	2.1	110	0.0	0.0	2.4	0
Oropharynx	0.6	0.3	0.8	27	0.0	0.0	2.4	0
Hypopharynx	0.7	0.4	0.9	32	^	^	^	^
Other Oral Cavity and Pharynx	0.3	0.2	0.5	19	^	^	^	^
Digestive System	83.6	80.7	86.6	3,767	101.6	83.9	121.4	155
Esophagus	5.4	4.7	6.1	263	5.6	2.3	11.1	9
Stomach	5.2	4.4	5.9	226	9.2	4.4	16.4	12
Small Intestine	1.9	1.5	2.4	94	4.1	1.2	9.6	6
Colon and Rectum	47.4	45.2	49.6	2,085	56.9	43.7	72.3	87
Colon excluding Rectum	34.7	32.8	36.7	1,451	42.7	31.4	56.3	65
Cecum	8.4	7.4	9.4	326	7.3	3.8	12.7	15
Appendix	0.5	0.3	0.7	33	^	^	^	^
Ascending Colon	6.4	5.6	7.3	246	8.2	3.9	14.9	11
Hepatic Flexure	1.7	1.3	2.2	72	^	^	^	^
Transverse Colon	2.5	2.0	3.0	102	^	^	^	^
Splenic Flexure	0.8	0.5	1.1	31	^	^	^	^
Descending Colon	2.2	1.7	2.7	98	^	^	^	^
Sigmoid Colon	9.1	8.2	10.1	411	13.6	7.1	22.6	17
Large Intestine, NOS	3.2	2.6	3.8	132	5.1	1.6	11.1	8
Rectum and Rectosigmoid Junction	12.7	11.6	13.8	634	14.1	8.1	22.4	22
Rectosigmoid Junction	3.3	2.7	3.9	161	^	^	^	^
Rectum	9.4	8.5	10.4	473	11.6	6.4	18.9	18
Anus, Anal Canal and Anorectum	1.8	1.5	2.3	100	^	^	^	^
Liver and Intrahepatic Bile Duct	5.7	5.0	6.5	299	14.0	8.1	22.1	23
Liver	5.1	4.5	5.9	267	11.9	6.8	19.1	21
Intrahepatic Bile Duct	0.6	0.4	0.9	32	^	^	^	^
Gallbladder	0.8	0.5	1.2	32	^	^	^	^
Other Biliary	1.8	1.4	2.3	75	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

Total

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	509.2	493.9	524.8	4,725	337.8	316.9	359.6	1,148
Oral Cavity and Pharynx	15.9	13.4	18.7	157	5.5	3.3	8.5	21
Lip	^	^	^	^	0.0	0.0	1.1	0
Tongue	2.3	1.4	3.5	23	^	^	^	^
Salivary Gland	1.4	0.8	2.3	17	0.0	0.0	1.1	0
Floor of Mouth	1.4	0.8	2.4	14	0.0	0.0	1.1	0
Gum and Other Mouth	1.3	0.6	2.3	11	^	^	^	^
Nasopharynx	6.5	4.9	8.4	61	2.8	1.4	5.0	12
Tonsil	1.0	0.5	1.8	12	^	^	^	^
Oropharynx	^	^	^	^	0.0	0.0	1.1	0
Hypopharynx	1.0	0.4	1.9	9	0.0	0.0	1.1	0
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Digestive System	168.7	159.8	178.1	1,474	87.1	76.4	98.7	276
Esophagus	8.9	6.9	11.2	75	^	^	^	^
Stomach	22.4	19.3	25.8	207	14.8	10.4	20.2	42
Small Intestine	1.9	1.1	3.0	18	^	^	^	^
Colon and Rectum	98.6	91.8	105.8	853	33.2	26.6	40.8	100
Colon excluding Rectum	73.3	67.3	79.6	612	20.9	15.7	27.1	61
Cecum	14.6	12.0	17.6	118	2.1	0.8	4.5	6
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	8.9	6.9	11.3	72	3.2	1.4	6.3	8
Hepatic Flexure	5.1	3.6	7.0	40	^	^	^	^
Transverse Colon	10.6	8.3	13.2	79	^	^	^	^
Splenic Flexure	2.4	1.5	3.7	21	^	^	^	^
Descending Colon	2.5	1.5	3.8	21	^	^	^	^
Sigmoid Colon	26.2	22.8	30.0	235	8.5	5.3	12.7	25
Large Intestine, NOS	2.6	1.6	4.0	22	2.3	1.0	4.7	8
Rectum and Rectosigmoid Junction	25.3	22.1	28.9	241	12.3	8.5	17.1	39
Rectosigmoid Junction	5.8	4.3	7.6	54	4.9	2.6	8.2	14
Rectum	19.5	16.7	22.7	187	7.5	4.7	11.3	25
Anus, Anal Canal and Anorectum	2.4	1.5	3.6	25	^	^	^	^
Liver and Intrahepatic Bile Duct	8.9	7.0	11.2	84	21.4	16.6	27.1	75
Liver	8.0	6.2	10.1	75	21.2	16.4	26.9	74
Intrahepatic Bile Duct	1.0	0.4	1.8	9	^	^	^	^
Gallbladder	4.6	3.1	6.5	34	^	^	^	^
Other Biliary	3.6	2.4	5.2	29	2.5	1.0	4.9	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

Total

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	11.2	10.2	12.4	493	8.1	3.8	14.6	12
Retroperitoneum	0.3	0.2	0.5	17	0.0	0.0	2.4	0
Peritoneum, Omentum and Mesentery	0.5	0.3	0.7	23	0.0	0.0	2.4	0
Other Digestive Organs	1.5	1.1	2.0	60	^	^	^	^
Respiratory System	77.4	74.6	80.3	3,408	75.2	60.1	92.5	107
Nose, Nasal Cavity and Middle Ear	0.5	0.4	0.8	28	^	^	^	^
Larynx	3.9	3.3	4.5	198	^	^	^	^
Lung and Bronchus	72.8	70.1	75.6	3,171	70.3	55.7	87.1	100
Pleura	^	^	^	^	0.0	0.0	2.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.1	0.1	0.3	10	^	^	^	^
Bones and Joints	1.0	0.8	1.3	70	0.0	0.0	2.4	0
Soft Tissue including Heart	3.2	2.7	3.8	182	3.5	1.2	7.8	9
Skin excluding Basal and Squamous	15.4	14.3	16.5	885	2.7	0.9	6.5	6
Melanoma of the Skin	14.0	12.9	15.0	815	^	^	^	^
Other Non-Epithelial Skin	1.4	1.1	1.8	70	^	^	^	^
Urinary System	42.8	40.7	44.9	1,933	30.8	21.2	42.7	41
Urinary Bladder	27.4	25.7	29.1	1,155	13.2	7.2	21.6	16
Kidney and Renal Pelvis	14.5	13.4	15.7	741	16.3	9.7	25.2	24
Ureter	0.7	0.5	1.0	30	0.0	0.0	2.4	0
Other Urinary Organs	0.2	0.1	0.3	7	^	^	^	^
Eye and Orbit	0.8	0.5	1.0	47	^	^	^	^
Brain and Other Nervous System	7.4	6.6	8.2	418	4.4	1.4	9.8	8
Brain	7.1	6.3	7.9	398	3.9	1.1	9.3	6
Cranial Nerves Other Nervous System	0.3	0.2	0.5	20	^	^	^	^
Endocrine System	10.6	9.8	11.5	720	6.8	4.0	11.1	21
Thyroid	9.9	9.1	10.7	676	5.3	2.8	9.3	16
Other Endocrine including Thymus	0.7	0.5	1.0	44	^	^	^	^
Lymphoma	25.4	23.9	27.0	1,300	14.4	9.1	21.4	36
Hodgkin Lymphoma	3.2	2.7	3.7	198	2.2	0.9	5.0	9
Hodgkin - Nodal	3.1	2.7	3.6	196	2.2	0.9	5.0	9
Hodgkin - Extranodal	^	^	^	^	0.0	0.0	2.4	0
Non-Hodgkin Lymphoma	22.3	20.8	23.8	1,102	12.2	7.2	19.1	27
NHL - Nodal	15.9	14.7	17.2	787	8.2	4.0	14.4	16
NHL - Extranodal	6.4	5.6	7.2	315	4.0	1.8	8.0	11
Myeloma	5.4	4.7	6.2	248	14.6	8.1	23.6	16
Leukemia	14.3	13.1	15.5	672	8.4	4.4	14.3	18

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

Total

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	15.6	12.9	18.5	135	8.5	5.4	12.6	26
Retroperitoneum	0.0	0.0	0.4	0	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	^	^
Other Digestive Organs	1.5	0.8	2.7	12	2.4	0.9	4.9	9
Respiratory System	100.1	93.1	107.4	845	49.2	41.0	58.5	144
Nose, Nasal Cavity and Middle Ear	1.4	0.7	2.5	12	^	^	^	^
Larynx	3.7	2.6	5.2	37	1.8	0.6	3.9	6
Lung and Bronchus	94.4	87.6	101.5	792	46.6	38.5	55.7	135
Pleura	0.0	0.0	0.4	0	0.0	0.0	1.1	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	1.1	0
Bones and Joints	1.0	0.5	1.9	12	^	^	^	^
Soft Tissue including Heart	2.7	1.8	3.8	34	2.6	1.2	4.7	11
Skin excluding Basal and Squamous	2.7	1.7	3.9	27	2.0	0.8	4.1	7
Melanoma of the Skin	1.7	1.0	2.7	19	^	^	^	^
Other Non-Epithelial Skin	0.9	0.4	1.9	8	^	^	^	^
Urinary System	34.6	30.5	38.9	301	17.6	12.9	23.2	56
Urinary Bladder	11.6	9.3	14.3	96	9.0	5.5	13.5	24
Kidney and Renal Pelvis	22.0	18.9	25.5	198	7.8	5.2	11.4	30
Ureter	^	^	^	^	^	^	^	^
Other Urinary Organs	^	^	^	^	^	^	^	^
Eye and Orbit	^	^	^	^	^	^	^	^
Brain and Other Nervous System	3.7	2.7	5.0	51	3.7	2.1	6.1	16
Brain	3.5	2.5	4.7	48	3.7	2.1	6.1	16
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	1.1	0
Endocrine System	7.5	6.0	9.3	96	15.7	11.9	20.3	66
Thyroid	7.2	5.7	8.9	91	15.3	11.6	19.9	64
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	13.5	11.1	16.1	138	12.7	9.0	17.3	46
Hodgkin Lymphoma	0.6	0.2	1.2	8	^	^	^	^
Hodgkin - Nodal	0.6	0.2	1.2	8	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	0.4	0	0.0	0.0	1.1	0
Non-Hodgkin Lymphoma	12.9	10.6	15.5	130	12.1	8.5	16.6	43
NHL - Nodal	7.3	5.6	9.3	74	8.8	5.8	12.9	31
NHL - Extranodal	5.6	4.2	7.5	56	3.3	1.6	5.8	12
Myeloma	4.2	3.0	5.7	42	5.5	2.9	9.2	15
Leukemia	8.1	6.4	10.1	99	10.5	7.1	14.8	39

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

Total

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	7.7	6.8	8.6	361	^	^	^	^
Acute Lymphocytic Leukemia	1.3	1.0	1.6	82	^	^	^	^
Chronic Lymphocytic Leukemia	5.8	5.0	6.6	249	^	^	^	^
Other Lymphocytic Leukemia	0.6	0.4	0.9	30	0.0	0.0	2.4	0
Myeloid and Monocytic Leukemia	5.8	5.0	6.6	272	6.7	3.4	11.7	15
Acute Myeloid Leukemia	3.5	3.0	4.2	163	5.4	2.4	10.4	10
Acute Monocytic Leukemia	0.2	0.1	0.4	14	0.0	0.0	2.4	0
Chronic Myeloid Leukemia	1.9	1.5	2.4	88	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.1	0.0	0.2	7	^	^	^	^
Other Leukemia	0.8	0.6	1.2	39	0.0	0.0	2.4	0
Other Acute Leukemia	0.2	0.1	0.4	10	0.0	0.0	2.4	0
Aleukemic, Subleukemic and NOS	0.6	0.4	0.9	29	0.0	0.0	2.4	0
Mesothelioma	2.3	1.8	2.9	81	^	^	^	^
Kaposi Sarcoma	0.1	0.1	0.2	9	^	^	^	^
Miscellaneous	12.4	11.3	13.6	535	10.0	5.0	17.4	16

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	2.5	1.7	3.6	37	3.3	1.8	5.6	16
Acute Lymphocytic Leukemia	1.6	1.0	2.3	29	2.4	1.3	4.3	13
Chronic Lymphocytic Leukemia	0.9	0.4	1.8	8	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	0.4	0	^	^	^	^
Myeloid and Monocytic Leukemia	5.3	3.9	7.0	57	6.8	4.0	10.6	22
Acute Myeloid Leukemia	3.0	2.0	4.4	31	4.2	2.1	7.4	14
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	1.1	0
Chronic Myeloid Leukemia	1.8	1.1	2.9	20	2.6	1.0	5.3	8
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	1.1	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	1.1	0
Mesothelioma	^	^	^	^	0.0	0.0	1.1	0
Kaposi Sarcoma	0.6	0.2	1.2	6	^	^	^	^
Miscellaneous	14.0	11.4	16.9	117	8.0	4.7	12.4	23

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1996

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	485.3	455.8	516.1	1,329	626.1	419.5	886.1	46
Oral Cavity and Pharynx	15.3	10.5	21.5	41	^	^	^	^
Lip	^	^	^	^	0.0	0.0	54.9	0
Tongue	3.2	1.5	6.1	10	0.0	0.0	54.9	0
Salivary Gland	^	^	^	^	0.0	0.0	54.9	0
Floor of Mouth	^	^	^	^	0.0	0.0	54.9	0
Gum and Other Mouth	3.7	1.2	7.8	7	^	^	^	^
Nasopharynx	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Tonsil	2.5	0.9	5.5	8	0.0	0.0	54.9	0
Oropharynx	^	^	^	^	0.0	0.0	54.9	0
Hypopharynx	^	^	^	^	0.0	0.0	54.9	0
Other Oral Cavity and Pharynx	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Digestive System	83.1	70.2	97.3	197	138.6	37.0	319.3	6
Esophagus	3.9	1.4	8.1	9	0.0	0.0	54.9	0
Stomach	4.7	1.9	8.9	10	^	^	^	^
Small Intestine	2.3	0.6	5.7	6	0.0	0.0	54.9	0
Colon and Rectum	49.3	39.9	60.1	121	^	^	^	^
Colon excluding Rectum	34.5	26.5	43.9	79	^	^	^	^
Cecum	6.5	3.1	11.6	13	^	^	^	^
Appendix	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Ascending Colon	5.0	2.2	9.4	10	0.0	0.0	54.9	0
Hepatic Flexure	^	^	^	^	0.0	0.0	54.9	0
Transverse Colon	2.9	1.0	6.2	6	0.0	0.0	54.9	0
Splenic Flexure	^	^	^	^	0.0	0.0	54.9	0
Descending Colon	3.9	1.6	7.9	8	0.0	0.0	54.9	0
Sigmoid Colon	9.2	5.6	14.1	24	^	^	^	^
Large Intestine, NOS	5.4	2.6	9.5	14	^	^	^	^
Rectum and Rectosigmoid Junction	14.8	10.2	20.7	42	^	^	^	^
Rectosigmoid Junction	4.4	1.9	8.3	11	^	^	^	^
Rectum	10.5	6.8	15.4	31	0.0	0.0	54.9	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	54.9	0
Liver and Intrahepatic Bile Duct	6.7	3.5	11.3	15	0.0	0.0	54.9	0
Liver	5.0	2.3	9.1	11	0.0	0.0	54.9	0
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	54.9	0
Gallbladder	^	^	^	^	0.0	0.0	54.9	0
Other Biliary	^	^	^	^	0.0	0.0	54.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1996

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	481.8	419.5	549.9	249	370.8	254.2	516.7	47
Oral Cavity and Pharynx	14.4	6.2	28.3	8	0.0	0.0	31.5	0
Lip	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Tongue	^	^	^	^	0.0	0.0	31.5	0
Salivary Gland	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Floor of Mouth	^	^	^	^	0.0	0.0	31.5	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	31.5	0
Nasopharynx	^	^	^	^	0.0	0.0	31.5	0
Tonsil	^	^	^	^	0.0	0.0	31.5	0
Oropharynx	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Hypopharynx	^	^	^	^	0.0	0.0	31.5	0
Other Oral Cavity and Pharynx	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Digestive System	123.3	92.0	160.9	61	139.4	77.0	228.7	17
Esophagus	^	^	^	^	^	^	^	^
Stomach	18.4	9.3	32.7	12	55.8	18.6	122.7	6
Small Intestine	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Colon and Rectum	85.5	59.1	118.5	40	^	^	^	^
Colon excluding Rectum	64.0	41.1	93.6	29	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Ascending Colon	^	^	^	^	0.0	0.0	31.5	0
Hepatic Flexure	0.0	0.0	6.6	0	^	^	^	^
Transverse Colon	^	^	^	^	0.0	0.0	31.5	0
Splenic Flexure	^	^	^	^	0.0	0.0	31.5	0
Descending Colon	^	^	^	^	0.0	0.0	31.5	0
Sigmoid Colon	30.1	15.6	51.1	15	^	^	^	^
Large Intestine, NOS	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Rectum and Rectosigmoid Junction	21.5	10.2	39.1	11	0.0	0.0	31.5	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	31.5	0
Rectum	17.8	7.6	34.5	9	0.0	0.0	31.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Gallbladder	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Other Biliary	0.0	0.0	6.6	0	0.0	0.0	31.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1996

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	12.9	7.9	19.5	28	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	54.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Other Digestive Organs	^	^	^	^	0.0	0.0	54.9	0
Respiratory System	84.9	72.6	98.5	211	121.9	54.3	233.1	12
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Larynx	7.3	4.2	11.8	19	0.0	0.0	54.9	0
Lung and Bronchus	77.6	65.8	90.6	192	112.0	47.1	221.2	11
Pleura	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.5	0	^	^	^	^
Bones and Joints	^	^	^	^	0.0	0.0	54.9	0
Soft Tissue including Heart	3.0	1.6	5.4	14	0.0	0.0	54.9	0
Skin excluding Basal and Squamous	14.4	10.1	19.8	49	0.0	0.0	54.9	0
Melanoma of the Skin	14.2	10.0	19.6	48	0.0	0.0	54.9	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	54.9	0
Urinary System	36.2	28.3	45.4	91	^	^	^	^
Urinary Bladder	21.5	15.5	29.0	52	^	^	^	^
Kidney and Renal Pelvis	12.5	8.2	18.1	34	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	54.9	0
Other Urinary Organs	^	^	^	^	0.0	0.0	54.9	0
Eye and Orbit	^	^	^	^	0.0	0.0	54.9	0
Brain and Other Nervous System	5.5	3.4	8.5	23	0.0	0.0	54.9	0
Brain	5.5	3.4	8.5	23	0.0	0.0	54.9	0
Cranial Nerves Other Nervous System	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Endocrine System	9.9	6.4	14.5	36	0.0	0.0	54.9	0
Thyroid	9.5	6.0	14.1	34	0.0	0.0	54.9	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	54.9	0
Lymphoma	24.6	18.6	31.9	77	40.4	11.3	111.1	7
Hodgkin Lymphoma	5.3	3.3	8.2	24	^	^	^	^
Hodgkin - Nodal	5.0	3.1	7.9	23	^	^	^	^
Hodgkin - Extranodal	^	^	^	^	0.0	0.0	54.9	0
Non-Hodgkin Lymphoma	19.3	13.8	26.2	53	^	^	^	^
NHL - Nodal	13.7	9.4	19.3	41	^	^	^	^
NHL - Extranodal	5.6	2.5	10.3	12	^	^	^	^
Myeloma	6.2	3.3	10.3	16	0.0	0.0	54.9	0
Leukemia	20.1	14.2	27.5	49	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1996

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Other Digestive Organs	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Respiratory System	100.8	73.4	134.3	50	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	31.5	0
Larynx	^	^	^	^	0.0	0.0	31.5	0
Lung and Bronchus	91.5	65.3	123.9	45	^	^	^	^
Pleura	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	31.5	0
Bones and Joints	^	^	^	^	0.0	0.0	31.5	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Melanoma of the Skin	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Other Non-Epithelial Skin	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Urinary System	33.7	18.2	55.8	15	^	^	^	^
Urinary Bladder	15.0	5.6	31.1	7	^	^	^	^
Kidney and Renal Pelvis	15.2	5.9	31.0	7	0.0	0.0	31.5	0
Ureter	^	^	^	^	0.0	0.0	31.5	0
Other Urinary Organs	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Eye and Orbit	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Endocrine System	^	^	^	^	29.2	8.5	74.7	6
Thyroid	^	^	^	^	29.2	8.5	74.7	6
Other Endocrine including Thymus	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Lymphoma	10.2	3.9	21.7	7	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	31.5	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	31.5	0
Hodgkin - Extranodal	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Non-Hodgkin Lymphoma	9.4	3.4	20.8	6	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	31.5	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	14.5	5.4	30.2	8	0.0	0.0	31.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1996

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	10.3	6.3	15.7	26	0.0	0.0	54.9	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	54.9	0
Chronic Lymphocytic Leukemia	8.1	4.4	13.3	17	0.0	0.0	54.9	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	54.9	0
Myeloid and Monocytic Leukemia	7.8	4.2	12.8	18	^	^	^	^
Acute Myeloid Leukemia	2.0	0.8	4.3	7	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	54.9	0
Chronic Myeloid Leukemia	5.0	2.1	9.6	9	0.0	0.0	54.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Other Leukemia	^	^	^	^	0.0	0.0	54.9	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	54.9	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	54.9	0
Mesothelioma	4.2	1.8	8.1	9	0.0	0.0	54.9	0
Kaposi Sarcoma	0.0	0.0	1.5	0	0.0	0.0	54.9	0
Miscellaneous	7.7	4.1	12.7	17	0.0	0.0	54.9	0

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	31.5	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	31.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Other Lymphocytic Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Myeloid and Monocytic Leukemia	13.2	4.4	28.9	6	0.0	0.0	31.5	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	31.5	0
Acute Monocytic Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	31.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Other Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Other Acute Leukemia	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.6	0	0.0	0.0	31.5	0
Mesothelioma	^	^	^	^	0.0	0.0	31.5	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	31.5	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1997

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	505.5	475.9	536.3	1,408	560.1	387.8	775.7	49
Oral Cavity and Pharynx	11.0	7.3	15.8	36	^	^	^	^
Lip	^	^	^	^	0.0	0.0	51.1	0
Tongue	1.9	0.8	4.0	8	^	^	^	^
Salivary Gland	^	^	^	^	0.0	0.0	51.1	0
Floor of Mouth	^	^	^	^	0.0	0.0	51.1	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	51.1	0
Nasopharynx	^	^	^	^	0.0	0.0	51.1	0
Tonsil	^	^	^	^	0.0	0.0	51.1	0
Oropharynx	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Hypopharynx	^	^	^	^	0.0	0.0	51.1	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	51.1	0
Digestive System	74.3	63.0	86.8	195	71.7	29.4	150.7	8
Esophagus	5.6	2.9	9.7	15	0.0	0.0	51.1	0
Stomach	5.8	2.9	10.1	14	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	51.1	0
Colon and Rectum	39.7	31.5	49.2	102	50.3	18.2	119.1	6
Colon excluding Rectum	28.9	21.8	37.3	73	^	^	^	^
Cecum	6.8	3.4	11.6	15	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	51.1	0
Ascending Colon	5.7	2.8	10.1	13	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	51.1	0
Transverse Colon	3.3	1.3	6.6	9	0.0	0.0	51.1	0
Splenic Flexure	^	^	^	^	0.0	0.0	51.1	0
Descending Colon	^	^	^	^	0.0	0.0	51.1	0
Sigmoid Colon	8.7	5.0	13.9	20	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	10.8	7.0	15.8	29	^	^	^	^
Rectosigmoid Junction	2.7	1.0	5.7	7	0.0	0.0	51.1	0
Rectum	8.1	4.9	12.5	22	^	^	^	^
Anus, Anal Canal and Anorectum	3.2	1.3	6.3	10	0.0	0.0	51.1	0
Liver and Intrahepatic Bile Duct	5.3	2.7	9.1	16	0.0	0.0	51.1	0
Liver	2.9	1.4	5.5	11	0.0	0.0	51.1	0
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	51.1	0
Gallbladder	^	^	^	^	0.0	0.0	51.1	0
Other Biliary	^	^	^	^	0.0	0.0	51.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1997

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	548.4	482.5	620.1	292	368.5	271.9	486.3	64
Oral Cavity and Pharynx	18.8	8.5	35.2	10	^	^	^	^
Lip	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Tongue	^	^	^	^	0.0	0.0	27.1	0
Salivary Gland	^	^	^	^	0.0	0.0	27.1	0
Floor of Mouth	^	^	^	^	0.0	0.0	27.1	0
Gum and Other Mouth	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	6.4	0	^	^	^	^
Oropharynx	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Hypopharynx	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	27.1	0
Digestive System	221.6	179.0	270.2	109	76.0	39.6	132.7	14
Esophagus	13.7	5.2	28.3	7	0.0	0.0	27.1	0
Stomach	23.5	12.2	40.5	14	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	27.1	0
Colon and Rectum	129.1	97.2	167.1	63	40.7	15.2	87.9	7
Colon excluding Rectum	89.2	62.1	122.9	40	^	^	^	^
Cecum	21.2	9.1	40.1	9	^	^	^	^
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	^	^	^	^	0.0	0.0	27.1	0
Hepatic Flexure	^	^	^	^	0.0	0.0	27.1	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	27.1	0
Descending Colon	^	^	^	^	0.0	0.0	27.1	0
Sigmoid Colon	28.3	14.3	48.8	13	0.0	0.0	27.1	0
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	39.8	24.6	60.4	23	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	31.9	18.3	51.1	18	0.0	0.0	27.1	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	27.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Gallbladder	^	^	^	^	0.0	0.0	27.1	0
Other Biliary	^	^	^	^	0.0	0.0	27.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1997

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	10.5	6.6	15.8	27	0.0	0.0	51.1	0
Retroperitoneum	^	^	^	^	0.0	0.0	51.1	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	51.1	0
Other Digestive Organs	^	^	^	^	0.0	0.0	51.1	0
Respiratory System	80.1	68.4	93.0	202	113.0	47.2	222.4	9
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	51.1	0
Larynx	5.8	3.0	9.8	16	^	^	^	^
Lung and Bronchus	74.1	62.8	86.6	185	102.7	39.9	209.9	8
Pleura	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Bones and Joints	1.1	0.4	2.8	6	0.0	0.0	51.1	0
Soft Tissue including Heart	3.2	1.2	6.6	9	0.0	0.0	51.1	0
Skin excluding Basal and Squamous	15.7	11.5	20.9	61	^	^	^	^
Melanoma of the Skin	15.0	10.8	20.1	58	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	51.1	0
Urinary System	51.2	41.7	62.0	128	^	^	^	^
Urinary Bladder	36.9	28.5	46.7	83	^	^	^	^
Kidney and Renal Pelvis	13.2	9.2	18.2	43	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	51.1	0
Other Urinary Organs	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Eye and Orbit	^	^	^	^	0.0	0.0	51.1	0
Brain and Other Nervous System	6.6	4.0	10.2	25	0.0	0.0	51.1	0
Brain	6.6	4.0	10.2	25	0.0	0.0	51.1	0
Cranial Nerves Other Nervous System	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Endocrine System	7.6	4.8	11.3	33	^	^	^	^
Thyroid	7.4	4.7	11.1	32	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	29.1	22.3	37.2	87	^	^	^	^
Hodgkin Lymphoma	2.9	1.4	5.4	12	^	^	^	^
Hodgkin - Nodal	2.9	1.4	5.4	12	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Non-Hodgkin Lymphoma	26.2	19.7	34.1	75	^	^	^	^
NHL - Nodal	18.3	12.8	25.1	52	^	^	^	^
NHL - Extranodal	7.9	4.6	12.5	23	0.0	0.0	51.1	0
Myeloma	2.5	1.1	5.2	9	0.0	0.0	51.1	0
Leukemia	15.6	10.7	21.9	44	0.0	0.0	51.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1997

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	24.8	11.4	45.0	10	^	^	^	^
Retroperitoneum	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.4	0	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	110.9	82.2	145.6	57	65.5	32.9	118.1	12
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	^	^	^	^	0.0	0.0	27.1	0
Lung and Bronchus	103.2	75.6	136.7	53	59.9	28.9	110.9	11
Pleura	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Bones and Joints	^	^	^	^	0.0	0.0	27.1	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	27.1	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	27.1	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	27.1	0
Other Non-Epithelial Skin	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Urinary System	38.1	21.2	61.7	17	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^
Kidney and Renal Pelvis	28.4	13.9	49.9	12	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	27.1	0
Other Urinary Organs	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Eye and Orbit	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	27.1	0
Brain	^	^	^	^	0.0	0.0	27.1	0
Cranial Nerves Other Nervous System	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	27.1	0
Lymphoma	15.6	7.8	28.3	12	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	27.1	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	27.1	0
Hodgkin - Extranodal	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Non-Hodgkin Lymphoma	14.5	7.0	26.9	11	^	^	^	^
NHL - Nodal	9.0	3.4	19.8	7	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	6.4	0	^	^	^	^
Leukemia	8.5	3.2	18.6	7	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1997

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	8.3	4.7	13.3	22	0.0	0.0	51.1	0
Acute Lymphocytic Leukemia	1.7	0.7	3.6	8	0.0	0.0	51.1	0
Chronic Lymphocytic Leukemia	6.1	2.9	10.8	13	0.0	0.0	51.1	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	51.1	0
Myeloid and Monocytic Leukemia	5.1	2.6	8.9	16	0.0	0.0	51.1	0
Acute Myeloid Leukemia	3.6	1.4	7.2	9	0.0	0.0	51.1	0
Acute Monocytic Leukemia	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Chronic Myeloid Leukemia	1.5	0.6	3.6	7	0.0	0.0	51.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.4	0	0.0	0.0	51.1	0
Other Leukemia	2.2	0.7	5.0	6	0.0	0.0	51.1	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	51.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	51.1	0
Mesothelioma	^	^	^	^	0.0	0.0	51.1	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	51.1	0
Miscellaneous	8.9	5.1	14.0	21	0.0	0.0	51.1	0

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	27.1	0
Other Lymphocytic Leukemia	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	27.1	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	27.1	0
Acute Monocytic Leukemia	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	27.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Other Leukemia	^	^	^	^	0.0	0.0	27.1	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	27.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Mesothelioma	0.0	0.0	6.4	0	0.0	0.0	27.1	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	27.1	0
Miscellaneous	^	^	^	^	0.0	0.0	27.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1998

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	518.6	489.8	548.5	1,511	676.6	483.8	912.5	56
Oral Cavity and Pharynx	9.3	6.2	13.5	34	^	^	^	^
Lip	^	^	^	^	0.0	0.0	48.4	0
Tongue	3.3	1.4	6.3	10	^	^	^	^
Salivary Gland	^	^	^	^	0.0	0.0	48.4	0
Floor of Mouth	1.7	0.5	3.9	6	0.0	0.0	48.4	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	48.4	0
Nasopharynx	^	^	^	^	0.0	0.0	48.4	0
Tonsil	^	^	^	^	0.0	0.0	48.4	0
Oropharynx	^	^	^	^	0.0	0.0	48.4	0
Hypopharynx	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	48.4	0
Digestive System	89.3	77.0	102.9	231	210.6	104.6	365.3	14
Esophagus	3.3	1.6	6.1	11	^	^	^	^
Stomach	9.2	5.2	14.6	18	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	48.4	0
Colon and Rectum	51.1	41.7	61.7	128	138.4	53.8	275.1	9
Colon excluding Rectum	35.4	27.4	44.8	81	108.7	39.3	226.4	8
Cecum	11.0	6.7	16.7	24	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	48.4	0
Ascending Colon	6.4	3.0	11.3	11	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	48.4	0
Transverse Colon	2.5	0.8	5.4	6	^	^	^	^
Splenic Flexure	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	9.8	5.9	15.1	22	^	^	^	^
Large Intestine, NOS	2.6	1.0	5.3	8	0.0	0.0	48.4	0
Rectum and Rectosigmoid Junction	15.7	11.1	21.3	47	^	^	^	^
Rectosigmoid Junction	4.0	1.9	7.2	11	0.0	0.0	48.4	0
Rectum	11.7	7.8	16.7	36	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	48.4	0
Liver and Intrahepatic Bile Duct	6.3	3.4	10.4	18	^	^	^	^
Liver	6.1	3.2	10.2	17	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	48.4	0
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	48.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1998

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	519.6	457.4	587.3	298	320.7	224.4	440.4	50
Oral Cavity and Pharynx	26.4	14.3	43.9	16	^	^	^	^
Lip	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Tongue	^	^	^	^	0.0	0.0	26.3	0
Salivary Gland	^	^	^	^	0.0	0.0	26.3	0
Floor of Mouth	^	^	^	^	0.0	0.0	26.3	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	0.0	0.0	26.3	0
Tonsil	^	^	^	^	0.0	0.0	26.3	0
Oropharynx	^	^	^	^	0.0	0.0	26.3	0
Hypopharynx	^	^	^	^	0.0	0.0	26.3	0
Other Oral Cavity and Pharynx	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Digestive System	192.0	153.2	236.6	99	63.6	33.0	112.7	13
Esophagus	11.4	4.0	24.7	6	0.0	0.0	26.3	0
Stomach	20.7	10.8	35.7	14	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	26.3	0
Colon and Rectum	122.6	90.9	160.6	58	^	^	^	^
Colon excluding Rectum	96.4	68.3	131.0	44	^	^	^	^
Cecum	17.9	6.7	36.3	7	0.0	0.0	26.3	0
Appendix	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Ascending Colon	12.7	4.2	27.5	6	0.0	0.0	26.3	0
Hepatic Flexure	15.8	5.4	33.4	6	0.0	0.0	26.3	0
Transverse Colon	^	^	^	^	0.0	0.0	26.3	0
Splenic Flexure	^	^	^	^	0.0	0.0	26.3	0
Descending Colon	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Sigmoid Colon	34.9	19.7	56.1	18	0.0	0.0	26.3	0
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	26.2	13.4	45.0	14	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	26.3	0
Rectum	17.9	7.9	33.9	10	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.2	0	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	26.3	0
Other Biliary	^	^	^	^	0.0	0.0	26.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1998

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	13.7	9.4	19.3	39	^	^	^	^
Retroperitoneum	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	48.4	0
Other Digestive Organs	^	^	^	^	0.0	0.0	48.4	0
Respiratory System	87.2	75.5	100.1	231	110.1	42.1	224.0	8
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	2.9	1.3	5.7	10	^	^	^	^
Lung and Bronchus	83.7	72.2	96.4	219	85.8	26.5	193.4	6
Pleura	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Bones and Joints	^	^	^	^	0.0	0.0	48.4	0
Soft Tissue including Heart	3.3	1.7	5.9	14	^	^	^	^
Skin excluding Basal and Squamous	13.2	9.6	17.8	52	0.0	0.0	48.4	0
Melanoma of the Skin	10.7	7.5	14.8	43	0.0	0.0	48.4	0
Other Non-Epithelial Skin	2.6	1.1	5.1	9	0.0	0.0	48.4	0
Urinary System	38.5	30.8	47.4	103	^	^	^	^
Urinary Bladder	27.1	20.4	35.1	64	^	^	^	^
Kidney and Renal Pelvis	10.5	7.1	14.8	37	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	48.4	0
Other Urinary Organs	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Eye and Orbit	^	^	^	^	0.0	0.0	48.4	0
Brain and Other Nervous System	7.8	5.1	11.6	31	0.0	0.0	48.4	0
Brain	7.8	5.1	11.6	31	0.0	0.0	48.4	0
Cranial Nerves Other Nervous System	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Endocrine System	9.6	6.8	13.2	43	0.0	0.0	48.4	0
Thyroid	9.4	6.6	13.0	42	0.0	0.0	48.4	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	48.4	0
Lymphoma	27.2	21.1	34.4	86	^	^	^	^
Hodgkin Lymphoma	2.5	0.9	5.2	7	0.0	0.0	48.4	0
Hodgkin - Nodal	2.5	0.9	5.2	7	0.0	0.0	48.4	0
Hodgkin - Extranodal	0.0	0.0	1.3	0	0.0	0.0	48.4	0
Non-Hodgkin Lymphoma	24.7	18.9	31.6	79	^	^	^	^
NHL - Nodal	14.8	10.6	20.2	49	^	^	^	^
NHL - Extranodal	9.9	6.2	14.8	30	^	^	^	^
Myeloma	8.4	5.2	12.7	24	^	^	^	^
Leukemia	16.5	11.4	22.9	43	0.0	0.0	48.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1998

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	15.0	6.1	29.9	8	0.0	0.0	26.3	0
Retroperitoneum	0.0	0.0	6.2	0	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	^	^
Other Digestive Organs	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Respiratory System	98.5	72.5	130.1	53	50.9	20.0	104.3	7
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	26.3	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	93.8	68.3	125.0	50	42.2	15.1	91.6	6
Pleura	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Bones and Joints	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	26.3	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	26.3	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	26.3	0
Urinary System	25.3	13.9	42.0	16	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^
Kidney and Renal Pelvis	21.1	10.7	37.0	13	^	^	^	^
Ureter	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Other Urinary Organs	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Eye and Orbit	^	^	^	^	0.0	0.0	26.3	0
Brain and Other Nervous System	4.9	1.7	12.6	6	^	^	^	^
Brain	4.9	1.7	12.6	6	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Lymphoma	11.1	3.9	24.0	7	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Hodgkin - Nodal	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Hodgkin - Extranodal	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Non-Hodgkin Lymphoma	11.1	3.9	24.0	7	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	26.3	0
Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1998

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	8.6	5.1	13.5	22	0.0	0.0	48.4	0
Acute Lymphocytic Leukemia	2.2	0.7	5.1	7	0.0	0.0	48.4	0
Chronic Lymphocytic Leukemia	5.7	2.8	9.9	12	0.0	0.0	48.4	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	48.4	0
Myeloid and Monocytic Leukemia	6.8	3.7	11.3	18	0.0	0.0	48.4	0
Acute Myeloid Leukemia	4.5	2.0	8.3	11	0.0	0.0	48.4	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	48.4	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	48.4	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	48.4	0
Other Leukemia	^	^	^	^	0.0	0.0	48.4	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	48.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	48.4	0
Mesothelioma	2.9	1.0	6.1	6	0.0	0.0	48.4	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	48.4	0
Miscellaneous	8.8	5.4	13.4	23	0.0	0.0	48.4	0

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Other Lymphocytic Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	26.3	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	26.3	0
Chronic Myeloid Leukemia	0.0	0.0	6.2	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Other Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Other Acute Leukemia	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.2	0	0.0	0.0	26.3	0
Mesothelioma	^	^	^	^	0.0	0.0	26.3	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	26.3	0
Miscellaneous	^	^	^	^	0.0	0.0	26.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1999

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	505.8	477.9	534.8	1,530	597.9	425.9	808.9	54
Oral Cavity and Pharynx	10.7	7.0	15.6	34	0.0	0.0	44.1	0
Lip	^	^	^	^	0.0	0.0	44.1	0
Tongue	3.9	1.7	7.2	12	0.0	0.0	44.1	0
Salivary Gland	^	^	^	^	0.0	0.0	44.1	0
Floor of Mouth	^	^	^	^	0.0	0.0	44.1	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	44.1	0
Nasopharynx	^	^	^	^	0.0	0.0	44.1	0
Tonsil	^	^	^	^	0.0	0.0	44.1	0
Oropharynx	^	^	^	^	0.0	0.0	44.1	0
Hypopharynx	^	^	^	^	0.0	0.0	44.1	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	44.1	0
Digestive System	83.9	72.0	96.9	222	77.7	24.6	173.9	6
Esophagus	5.3	3.0	8.7	17	0.0	0.0	44.1	0
Stomach	4.6	2.2	8.3	14	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	50.5	41.2	61.0	126	^	^	^	^
Colon excluding Rectum	40.2	31.9	49.8	96	^	^	^	^
Cecum	10.1	6.2	15.3	25	0.0	0.0	44.1	0
Appendix	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Ascending Colon	8.4	4.9	13.3	19	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	44.1	0
Transverse Colon	2.8	1.2	5.6	9	0.0	0.0	44.1	0
Splenic Flexure	2.6	0.7	6.0	6	0.0	0.0	44.1	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	9.1	5.3	14.2	20	0.0	0.0	44.1	0
Large Intestine, NOS	3.9	1.5	7.7	7	0.0	0.0	44.1	0
Rectum and Rectosigmoid Junction	10.3	6.6	15.2	30	0.0	0.0	44.1	0
Rectosigmoid Junction	2.3	0.9	4.8	7	0.0	0.0	44.1	0
Rectum	8.0	4.7	12.5	23	0.0	0.0	44.1	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	44.1	0
Liver and Intrahepatic Bile Duct	5.0	2.6	8.4	16	^	^	^	^
Liver	5.0	2.6	8.4	16	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Gallbladder	^	^	^	^	0.0	0.0	44.1	0
Other Biliary	^	^	^	^	0.0	0.0	44.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1999

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	555.0	491.5	623.9	322	301.1	213.0	410.0	52
Oral Cavity and Pharynx	27.3	15.2	44.7	17	^	^	^	^
Lip	^	^	^	^	0.0	0.0	23.3	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Floor of Mouth	^	^	^	^	0.0	0.0	23.3	0
Gum and Other Mouth	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Nasopharynx	10.0	3.7	21.5	7	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	23.3	0
Oropharynx	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Hypopharynx	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Other Oral Cavity and Pharynx	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Digestive System	217.6	177.9	262.8	119	96.1	46.5	169.9	15
Esophagus	^	^	^	^	^	^	^	^
Stomach	29.7	16.8	48.1	18	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	23.3	0
Colon and Rectum	139.3	108.6	175.3	78	^	^	^	^
Colon excluding Rectum	101.6	76.0	132.3	58	^	^	^	^
Cecum	16.4	7.2	31.2	9	0.0	0.0	23.3	0
Appendix	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Ascending Colon	^	^	^	^	0.0	0.0	23.3	0
Hepatic Flexure	14.4	5.4	29.4	7	0.0	0.0	23.3	0
Transverse Colon	15.4	6.2	30.6	8	0.0	0.0	23.3	0
Splenic Flexure	^	^	^	^	0.0	0.0	23.3	0
Descending Colon	^	^	^	^	0.0	0.0	23.3	0
Sigmoid Colon	39.9	25.5	59.1	25	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	23.3	0
Rectum and Rectosigmoid Junction	37.7	22.2	59.0	20	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	30.6	16.4	50.8	15	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	23.3	0
Gallbladder	^	^	^	^	0.0	0.0	23.3	0
Other Biliary	^	^	^	^	0.0	0.0	23.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1999

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	12.7	8.3	18.3	33	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	44.1	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	44.1	0
Other Digestive Organs	^	^	^	^	0.0	0.0	44.1	0
Respiratory System	86.8	75.3	99.5	239	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	44.1	0
Larynx	4.3	2.2	7.5	13	0.0	0.0	44.1	0
Lung and Bronchus	81.9	70.7	94.3	223	^	^	^	^
Pleura	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	44.1	0
Bones and Joints	1.2	0.4	2.9	6	0.0	0.0	44.1	0
Soft Tissue including Heart	1.8	0.6	4.0	7	0.0	0.0	44.1	0
Skin excluding Basal and Squamous	16.9	12.2	22.7	58	^	^	^	^
Melanoma of the Skin	13.9	9.7	19.1	49	^	^	^	^
Other Non-Epithelial Skin	3.0	1.2	6.1	9	0.0	0.0	44.1	0
Urinary System	36.8	29.4	45.5	104	58.1	19.2	133.0	6
Urinary Bladder	23.4	17.3	30.8	58	^	^	^	^
Kidney and Renal Pelvis	13.0	9.1	17.9	45	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	44.1	0
Other Urinary Organs	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Eye and Orbit	^	^	^	^	0.0	0.0	44.1	0
Brain and Other Nervous System	7.5	4.8	11.3	28	^	^	^	^
Brain	7.5	4.8	11.3	28	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Endocrine System	8.7	6.0	12.2	40	^	^	^	^
Thyroid	8.3	5.7	11.7	38	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	44.1	0
Lymphoma	24.8	19.4	31.1	91	^	^	^	^
Hodgkin Lymphoma	2.5	1.3	4.6	13	0.0	0.0	44.1	0
Hodgkin - Nodal	2.5	1.3	4.6	13	0.0	0.0	44.1	0
Hodgkin - Extranodal	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Non-Hodgkin Lymphoma	22.2	17.1	28.4	78	^	^	^	^
NHL - Nodal	17.8	13.2	23.3	63	0.0	0.0	44.1	0
NHL - Extranodal	4.5	2.3	7.7	15	^	^	^	^
Myeloma	6.1	3.2	10.2	16	^	^	^	^
Leukemia	14.9	10.1	21.0	42	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1999

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	16.9	6.8	33.4	8	^	^	^	^
Retroperitoneum	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	86.4	62.1	116.3	46	49.2	21.7	95.4	9
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	^	^	^	^	0.0	0.0	23.3	0
Lung and Bronchus	76.9	53.8	105.6	40	46.3	19.5	92.2	8
Pleura	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	23.3	0
Bones and Joints	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	23.3	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	23.3	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	23.3	0
Other Non-Epithelial Skin	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Urinary System	52.2	33.3	76.8	27	^	^	^	^
Urinary Bladder	21.1	9.6	38.7	10	^	^	^	^
Kidney and Renal Pelvis	29.5	16.1	48.7	16	0.0	0.0	23.3	0
Ureter	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Other Urinary Organs	^	^	^	^	0.0	0.0	23.3	0
Eye and Orbit	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	23.3	0
Endocrine System	11.5	5.4	22.0	10	^	^	^	^
Thyroid	11.5	5.4	22.0	10	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Lymphoma	14.4	6.4	27.7	11	0.0	0.0	23.3	0
Hodgkin Lymphoma	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Hodgkin - Nodal	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Hodgkin - Extranodal	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Non-Hodgkin Lymphoma	14.4	6.4	27.7	11	0.0	0.0	23.3	0
NHL - Nodal	6.2	2.1	14.8	6	0.0	0.0	23.3	0
NHL - Extranodal	^	^	^	^	0.0	0.0	23.3	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	13.0	5.2	26.2	9	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

1999

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	8.4	5.0	12.9	24	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	44.1	0
Chronic Lymphocytic Leukemia	7.1	4.1	11.4	20	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Myeloid and Monocytic Leukemia	4.0	1.7	7.6	12	^	^	^	^
Acute Myeloid Leukemia	2.8	1.0	5.9	9	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.3	0	0.0	0.0	44.1	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	44.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.3	0	^	^	^	^
Other Leukemia	2.6	0.8	5.8	6	0.0	0.0	44.1	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	44.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	44.1	0
Mesothelioma	3.5	1.4	7.0	8	0.0	0.0	44.1	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	44.1	0
Miscellaneous	8.1	4.8	12.8	20	^	^	^	^

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	23.3	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	23.3	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	23.3	0
Other Lymphocytic Leukemia	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Other Leukemia	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Other Acute Leukemia	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Mesothelioma	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Kaposi Sarcoma	0.0	0.0	5.9	0	0.0	0.0	23.3	0
Miscellaneous	^	^	^	^	0.0	0.0	23.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2000

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	530.3	502.2	559.6	1,622	478.1	339.3	650.3	51
Oral Cavity and Pharynx	12.4	8.4	17.5	38	0.0	0.0	40.2	0
Lip	^	^	^	^	0.0	0.0	40.2	0
Tongue	3.7	1.8	6.7	14	0.0	0.0	40.2	0
Salivary Gland	^	^	^	^	0.0	0.0	40.2	0
Floor of Mouth	^	^	^	^	0.0	0.0	40.2	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	40.2	0
Nasopharynx	^	^	^	^	0.0	0.0	40.2	0
Tonsil	^	^	^	^	0.0	0.0	40.2	0
Oropharynx	^	^	^	^	0.0	0.0	40.2	0
Hypopharynx	^	^	^	^	0.0	0.0	40.2	0
Other Oral Cavity and Pharynx	0.0	0.0	1.2	0	0.0	0.0	40.2	0
Digestive System	98.5	86.1	112.1	270	94.4	38.8	186.3	10
Esophagus	7.5	4.5	11.6	23	^	^	^	^
Stomach	6.5	3.7	10.6	17	^	^	^	^
Small Intestine	2.2	0.7	4.9	6	0.0	0.0	40.2	0
Colon and Rectum	63.9	53.9	75.2	171	^	^	^	^
Colon excluding Rectum	45.8	37.1	55.7	114	^	^	^	^
Cecum	12.7	8.3	18.3	29	0.0	0.0	40.2	0
Appendix	^	^	^	^	0.0	0.0	40.2	0
Ascending Colon	8.4	4.9	13.4	19	0.0	0.0	40.2	0
Hepatic Flexure	^	^	^	^	0.0	0.0	40.2	0
Transverse Colon	^	^	^	^	0.0	0.0	40.2	0
Splenic Flexure	^	^	^	^	0.0	0.0	40.2	0
Descending Colon	4.1	2.0	7.5	11	0.0	0.0	40.2	0
Sigmoid Colon	13.8	9.2	19.7	35	^	^	^	^
Large Intestine, NOS	2.2	0.9	4.6	8	^	^	^	^
Rectum and Rectosigmoid Junction	18.2	13.4	24.0	57	0.0	0.0	40.2	0
Rectosigmoid Junction	3.7	1.8	6.6	12	0.0	0.0	40.2	0
Rectum	14.5	10.2	19.9	45	0.0	0.0	40.2	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	40.2	0
Liver and Intrahepatic Bile Duct	7.2	4.4	11.1	22	^	^	^	^
Liver	6.2	3.6	9.9	19	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	40.2	0
Gallbladder	^	^	^	^	0.0	0.0	40.2	0
Other Biliary	^	^	^	^	0.0	0.0	40.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2000

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	483.3	426.1	545.6	293	380.7	291.3	486.9	78
Oral Cavity and Pharynx	14.7	6.5	27.8	9	0.0	0.0	19.3	0
Lip	^	^	^	^	0.0	0.0	19.3	0
Tongue	^	^	^	^	0.0	0.0	19.3	0
Salivary Gland	^	^	^	^	0.0	0.0	19.3	0
Floor of Mouth	^	^	^	^	0.0	0.0	19.3	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	19.3	0
Nasopharynx	^	^	^	^	0.0	0.0	19.3	0
Tonsil	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Oropharynx	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Hypopharynx	^	^	^	^	0.0	0.0	19.3	0
Other Oral Cavity and Pharynx	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Digestive System	163.8	130.3	202.6	92	133.3	80.9	203.9	24
Esophagus	^	^	^	^	0.0	0.0	19.3	0
Stomach	26.0	13.8	43.6	14	25.8	8.9	58.7	6
Small Intestine	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Colon and Rectum	93.7	68.1	124.9	50	50.3	22.0	96.3	9
Colon excluding Rectum	61.5	41.1	87.6	32	32.1	10.8	71.5	6
Cecum	15.1	6.6	28.9	9	^	^	^	^
Appendix	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	19.3	0
Transverse Colon	17.2	6.7	34.3	7	0.0	0.0	19.3	0
Splenic Flexure	^	^	^	^	0.0	0.0	19.3	0
Descending Colon	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Sigmoid Colon	19.9	9.6	35.6	11	^	^	^	^
Large Intestine, NOS	0.0	0.0	5.6	0	^	^	^	^
Rectum and Rectosigmoid Junction	32.2	18.1	51.8	18	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	19.3	0
Rectum	26.5	14.1	44.5	15	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	19.3	0
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	19.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2000

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	7.1	4.2	11.2	20	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	40.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.2	0	0.0	0.0	40.2	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	72.8	62.4	84.2	208	100.5	39.0	201.9	8
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	40.2	0
Larynx	2.9	1.3	5.4	10	^	^	^	^
Lung and Bronchus	68.9	58.9	80.1	195	79.5	28.5	168.2	7
Pleura	0.0	0.0	1.2	0	0.0	0.0	40.2	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	40.2	0
Bones and Joints	1.5	0.6	3.3	7	0.0	0.0	40.2	0
Soft Tissue including Heart	3.1	1.5	5.8	12	0.0	0.0	40.2	0
Skin excluding Basal and Squamous	13.4	9.5	18.2	52	0.0	0.0	40.2	0
Melanoma of the Skin	12.8	9.0	17.5	51	0.0	0.0	40.2	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	40.2	0
Urinary System	41.1	33.0	50.5	109	0.0	0.0	40.2	0
Urinary Bladder	29.0	22.1	37.2	72	0.0	0.0	40.2	0
Kidney and Renal Pelvis	12.1	8.2	17.1	37	0.0	0.0	40.2	0
Ureter	0.0	0.0	1.2	0	0.0	0.0	40.2	0
Other Urinary Organs	0.0	0.0	1.2	0	0.0	0.0	40.2	0
Eye and Orbit	^	^	^	^	0.0	0.0	40.2	0
Brain and Other Nervous System	7.5	4.9	10.9	30	0.0	0.0	40.2	0
Brain	7.1	4.6	10.5	29	0.0	0.0	40.2	0
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	40.2	0
Endocrine System	7.7	5.3	10.9	36	^	^	^	^
Thyroid	7.3	5.0	10.4	34	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	40.2	0
Lymphoma	27.0	21.0	34.0	87	^	^	^	^
Hodgkin Lymphoma	3.0	1.4	5.7	11	0.0	0.0	40.2	0
Hodgkin - Nodal	3.0	1.4	5.7	11	0.0	0.0	40.2	0
Hodgkin - Extranodal	0.0	0.0	1.2	0	0.0	0.0	40.2	0
Non-Hodgkin Lymphoma	24.0	18.3	30.7	76	^	^	^	^
NHL - Nodal	15.7	11.2	21.3	49	^	^	^	^
NHL - Extranodal	8.3	5.1	12.6	27	^	^	^	^
Myeloma	5.5	2.9	9.2	15	^	^	^	^
Leukemia	20.5	15.1	26.9	62	0.0	0.0	40.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2000

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	24.5	13.6	40.4	16	^	^	^	^
Retroperitoneum	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Other Digestive Organs	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Respiratory System	101.4	74.7	133.5	53	47.8	16.1	102.1	7
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	19.3	0
Larynx	^	^	^	^	0.0	0.0	19.3	0
Lung and Bronchus	93.6	68.5	124.2	50	47.8	16.1	102.1	7
Pleura	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Bones and Joints	^	^	^	^	0.0	0.0	19.3	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	5.6	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	5.6	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	5.6	0	^	^	^	^
Urinary System	27.4	15.5	44.4	17	^	^	^	^
Urinary Bladder	12.4	4.6	25.9	7	0.0	0.0	19.3	0
Kidney and Renal Pelvis	15.0	7.0	27.7	10	^	^	^	^
Ureter	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Other Urinary Organs	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Eye and Orbit	^	^	^	^	0.0	0.0	19.3	0
Brain and Other Nervous System	0.0	0.0	5.6	0	^	^	^	^
Brain	0.0	0.0	5.6	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Endocrine System	7.3	2.9	16.0	7	^	^	^	^
Thyroid	7.3	2.9	16.0	7	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Lymphoma	11.6	4.9	23.1	9	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Non-Hodgkin Lymphoma	10.7	4.2	22.1	8	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	10.2	3.5	22.4	6	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2000

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	8.3	5.3	12.3	28	0.0	0.0	40.2	0
Acute Lymphocytic Leukemia	1.3	0.5	3.0	6	0.0	0.0	40.2	0
Chronic Lymphocytic Leukemia	6.0	3.5	9.7	19	0.0	0.0	40.2	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	40.2	0
Myeloid and Monocytic Leukemia	11.8	7.6	17.2	32	0.0	0.0	40.2	0
Acute Myeloid Leukemia	8.7	5.1	13.5	23	0.0	0.0	40.2	0
Acute Monocytic Leukemia	0.0	0.0	1.2	0	0.0	0.0	40.2	0
Chronic Myeloid Leukemia	2.7	1.0	5.7	7	0.0	0.0	40.2	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	40.2	0
Other Leukemia	^	^	^	^	0.0	0.0	40.2	0
Other Acute Leukemia	0.0	0.0	1.2	0	0.0	0.0	40.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	40.2	0
Mesothelioma	^	^	^	^	0.0	0.0	40.2	0
Kaposi Sarcoma	0.0	0.0	1.2	0	0.0	0.0	40.2	0
Miscellaneous	13.1	8.8	18.7	35	^	^	^	^

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Other Lymphocytic Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Chronic Myeloid Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Other Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Other Acute Leukemia	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Mesothelioma	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Kaposi Sarcoma	0.0	0.0	5.6	0	0.0	0.0	19.3	0
Miscellaneous	17.7	7.1	34.5	8	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2001

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	527.1	500.0	555.2	1,717	589.4	432.0	779.7	64
Oral Cavity and Pharynx	10.7	7.4	14.9	40	0.0	0.0	37.0	0
Lip	^	^	^	^	0.0	0.0	37.0	0
Tongue	2.6	1.1	5.2	9	0.0	0.0	37.0	0
Salivary Gland	^	^	^	^	0.0	0.0	37.0	0
Floor of Mouth	^	^	^	^	0.0	0.0	37.0	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	37.0	0
Nasopharynx	^	^	^	^	0.0	0.0	37.0	0
Tonsil	2.6	1.2	4.8	11	0.0	0.0	37.0	0
Oropharynx	0.0	0.0	1.2	0	0.0	0.0	37.0	0
Hypopharynx	^	^	^	^	0.0	0.0	37.0	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	37.0	0
Digestive System	93.8	82.0	106.7	274	160.5	81.4	275.7	15
Esophagus	6.7	3.8	10.8	20	0.0	0.0	37.0	0
Stomach	7.0	4.1	10.9	22	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	56.6	47.4	67.0	156	111.0	46.6	213.1	10
Colon excluding Rectum	40.3	32.4	49.3	106	70.4	23.1	154.5	7
Cecum	9.3	5.9	13.9	26	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	37.0	0
Ascending Colon	9.4	5.5	14.8	18	^	^	^	^
Hepatic Flexure	2.1	0.8	4.5	7	^	^	^	^
Transverse Colon	2.7	1.1	5.5	8	0.0	0.0	37.0	0
Splenic Flexure	^	^	^	^	0.0	0.0	37.0	0
Descending Colon	^	^	^	^	0.0	0.0	37.0	0
Sigmoid Colon	9.3	5.9	13.8	27	^	^	^	^
Large Intestine, NOS	3.3	1.3	6.6	8	^	^	^	^
Rectum and Rectosigmoid Junction	16.3	11.8	22.0	50	^	^	^	^
Rectosigmoid Junction	2.6	1.0	5.3	8	0.0	0.0	37.0	0
Rectum	13.7	9.6	18.9	42	^	^	^	^
Anus, Anal Canal and Anorectum	1.5	0.5	3.4	6	0.0	0.0	37.0	0
Liver and Intrahepatic Bile Duct	7.2	4.3	11.1	25	^	^	^	^
Liver	6.0	3.3	9.8	19	^	^	^	^
Intrahepatic Bile Duct	1.2	0.4	2.8	6	0.0	0.0	37.0	0
Gallbladder	^	^	^	^	0.0	0.0	37.0	0
Other Biliary	^	^	^	^	0.0	0.0	37.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2001

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	511.8	454.4	574.0	325	312.4	235.7	404.4	68
Oral Cavity and Pharynx	16.7	8.0	30.3	11	^	^	^	^
Lip	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	0.0	0.0	18.0	0
Floor of Mouth	^	^	^	^	0.0	0.0	18.0	0
Gum and Other Mouth	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Nasopharynx	^	^	^	^	0.0	0.0	18.0	0
Tonsil	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Oropharynx	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Hypopharynx	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Other Oral Cavity and Pharynx	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Digestive System	188.0	152.7	228.4	110	86.5	46.7	143.5	17
Esophagus	15.6	6.0	31.2	7	^	^	^	^
Stomach	16.8	7.4	31.5	9	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	18.0	0
Colon and Rectum	109.1	83.1	140.1	66	25.5	9.2	56.7	6
Colon excluding Rectum	73.1	52.1	99.1	43	^	^	^	^
Cecum	13.7	6.1	26.0	9	^	^	^	^
Appendix	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Ascending Colon	^	^	^	^	0.0	0.0	18.0	0
Hepatic Flexure	^	^	^	^	0.0	0.0	18.0	0
Transverse Colon	^	^	^	^	0.0	0.0	18.0	0
Splenic Flexure	^	^	^	^	0.0	0.0	18.0	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	28.6	16.3	45.9	17	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	18.0	0
Rectum and Rectosigmoid Junction	36.0	21.9	55.1	23	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	18.0	0
Rectum	26.8	15.2	43.4	18	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	18.0	0
Liver and Intrahepatic Bile Duct	16.5	7.5	30.8	10	^	^	^	^
Liver	12.6	5.0	25.5	8	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	18.0	0
Gallbladder	^	^	^	^	0.0	0.0	18.0	0
Other Biliary	^	^	^	^	0.0	0.0	18.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2001

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	9.9	6.4	14.4	30	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	37.0	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	37.0	0
Other Digestive Organs	^	^	^	^	0.0	0.0	37.0	0
Respiratory System	76.5	66.2	87.8	231	45.9	15.7	105.3	6
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	37.0	0
Larynx	4.4	2.3	7.5	15	0.0	0.0	37.0	0
Lung and Bronchus	70.8	60.9	81.9	211	45.9	15.7	105.3	6
Pleura	0.0	0.0	1.2	0	0.0	0.0	37.0	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	37.0	0
Bones and Joints	1.7	0.8	3.4	9	0.0	0.0	37.0	0
Soft Tissue including Heart	2.1	0.7	4.5	8	^	^	^	^
Skin excluding Basal and Squamous	18.9	14.3	24.3	72	0.0	0.0	37.0	0
Melanoma of the Skin	18.3	13.8	23.7	69	0.0	0.0	37.0	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	37.0	0
Urinary System	45.1	37.2	54.0	135	^	^	^	^
Urinary Bladder	29.4	23.1	36.7	87	^	^	^	^
Kidney and Renal Pelvis	14.5	10.2	19.9	45	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	37.0	0
Other Urinary Organs	^	^	^	^	0.0	0.0	37.0	0
Eye and Orbit	^	^	^	^	^	^	^	^
Brain and Other Nervous System	9.2	6.1	13.3	34	0.0	0.0	37.0	0
Brain	8.6	5.6	12.6	32	0.0	0.0	37.0	0
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	37.0	0
Endocrine System	11.2	8.1	15.1	50	^	^	^	^
Thyroid	8.3	5.9	11.6	40	^	^	^	^
Other Endocrine including Thymus	2.9	1.3	5.5	10	0.0	0.0	37.0	0
Lymphoma	25.1	19.7	31.6	87	^	^	^	^
Hodgkin Lymphoma	2.4	1.2	4.5	11	0.0	0.0	37.0	0
Hodgkin - Nodal	2.4	1.2	4.5	11	0.0	0.0	37.0	0
Hodgkin - Extranodal	0.0	0.0	1.2	0	0.0	0.0	37.0	0
Non-Hodgkin Lymphoma	22.7	17.5	29.0	76	^	^	^	^
NHL - Nodal	16.0	11.7	21.2	56	^	^	^	^
NHL - Extranodal	6.8	3.9	10.8	20	^	^	^	^
Myeloma	4.9	2.5	8.6	13	^	^	^	^
Leukemia	12.9	8.8	18.0	41	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2001

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	10.7	4.1	22.1	7	^	^	^	^
Retroperitoneum	0.0	0.0	5.4	0	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	18.0	0
Other Digestive Organs	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Respiratory System	102.8	76.8	134.1	57	45.1	19.2	87.5	9
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	18.0	0
Larynx	^	^	^	^	0.0	0.0	18.0	0
Lung and Bronchus	100.0	74.2	131.1	55	45.1	19.2	87.5	9
Pleura	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	18.0	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	18.0	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	18.0	0
Urinary System	25.1	14.2	40.6	16	^	^	^	^
Urinary Bladder	12.6	5.3	24.6	8	^	^	^	^
Kidney and Renal Pelvis	12.5	5.4	24.4	8	^	^	^	^
Ureter	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Other Urinary Organs	0.0	0.0	5.4	0	^	^	^	^
Eye and Orbit	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	18.0	0
Brain	^	^	^	^	0.0	0.0	18.0	0
Cranial Nerves Other Nervous System	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Endocrine System	6.3	2.3	14.5	6	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	18.0	0
Lymphoma	15.7	7.6	28.4	11	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	18.0	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	18.0	0
Hodgkin - Extranodal	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Non-Hodgkin Lymphoma	14.3	6.7	26.7	10	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	18.0	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2001

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	5.9	3.4	9.4	20	0.0	0.0	37.0	0
Acute Lymphocytic Leukemia	1.2	0.4	2.8	6	0.0	0.0	37.0	0
Chronic Lymphocytic Leukemia	4.4	2.2	7.8	13	0.0	0.0	37.0	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	37.0	0
Myeloid and Monocytic Leukemia	5.7	3.1	9.5	18	^	^	^	^
Acute Myeloid Leukemia	1.8	0.7	4.0	7	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	37.0	0
Chronic Myeloid Leukemia	2.9	1.1	6.1	8	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	37.0	0
Other Leukemia	^	^	^	^	0.0	0.0	37.0	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	37.0	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	37.0	0
Mesothelioma	^	^	^	^	0.0	0.0	37.0	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	37.0	0
Miscellaneous	17.9	12.8	24.1	50	^	^	^	^

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	18.0	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	18.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Other Lymphocytic Leukemia	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Chronic Myeloid Leukemia	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Other Leukemia	^	^	^	^	0.0	0.0	18.0	0
Other Acute Leukemia	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	18.0	0
Mesothelioma	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Kaposi Sarcoma	0.0	0.0	5.4	0	0.0	0.0	18.0	0
Miscellaneous	11.4	4.0	24.2	7	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2002

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	509.7	483.8	536.5	1,752	474.7	349.1	627.9	63
Oral Cavity and Pharynx	10.7	7.5	14.9	41	^	^	^	^
Lip	^	^	^	^	0.0	0.0	34.2	0
Tongue	2.5	1.1	5.0	9	0.0	0.0	34.2	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	34.2	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	34.2	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	34.2	0
Oropharynx	^	^	^	^	0.0	0.0	34.2	0
Hypopharynx	^	^	^	^	0.0	0.0	34.2	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	34.2	0
Digestive System	85.3	74.5	97.1	270	44.2	14.3	102.4	6
Esophagus	5.2	2.8	8.6	16	0.0	0.0	34.2	0
Stomach	5.3	2.8	8.9	15	0.0	0.0	34.2	0
Small Intestine	1.9	0.7	4.2	7	0.0	0.0	34.2	0
Colon and Rectum	51.1	42.7	60.4	155	^	^	^	^
Colon excluding Rectum	35.1	28.1	43.1	101	^	^	^	^
Cecum	7.8	4.6	12.2	20	0.0	0.0	34.2	0
Appendix	^	^	^	^	0.0	0.0	34.2	0
Ascending Colon	4.7	2.5	7.9	15	0.0	0.0	34.2	0
Hepatic Flexure	4.1	1.8	7.7	9	^	^	^	^
Transverse Colon	2.9	1.2	5.6	9	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	34.2	0
Descending Colon	^	^	^	^	0.0	0.0	34.2	0
Sigmoid Colon	10.1	6.6	14.6	32	0.0	0.0	34.2	0
Large Intestine, NOS	3.0	1.3	5.8	8	^	^	^	^
Rectum and Rectosigmoid Junction	16.0	11.7	21.3	54	0.0	0.0	34.2	0
Rectosigmoid Junction	3.7	2.0	6.4	15	0.0	0.0	34.2	0
Rectum	12.3	8.5	17.2	39	0.0	0.0	34.2	0
Anus, Anal Canal and Anorectum	1.9	0.8	4.0	9	0.0	0.0	34.2	0
Liver and Intrahepatic Bile Duct	3.9	2.1	6.5	17	^	^	^	^
Liver	3.7	2.0	6.2	16	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	34.2	0
Gallbladder	0.0	0.0	1.1	0	0.0	0.0	34.2	0
Other Biliary	2.0	0.6	4.4	6	0.0	0.0	34.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2002

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	512.3	454.8	574.5	329	351.6	269.4	449.0	82
Oral Cavity and Pharynx	7.8	2.8	17.3	6	^	^	^	^
Lip	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Tongue	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Salivary Gland	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Floor of Mouth	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	16.6	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Oropharynx	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Hypopharynx	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Other Oral Cavity and Pharynx	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Digestive System	187.5	151.1	229.1	103	61.9	30.8	108.7	15
Esophagus	14.5	5.6	29.2	7	0.0	0.0	16.6	0
Stomach	39.5	23.9	60.4	22	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	16.6	0
Colon and Rectum	90.3	65.8	120.0	50	^	^	^	^
Colon excluding Rectum	60.8	40.6	86.4	32	^	^	^	^
Cecum	15.6	5.6	32.2	6	0.0	0.0	16.6	0
Appendix	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Ascending Colon	10.7	3.7	23.1	6	0.0	0.0	16.6	0
Hepatic Flexure	^	^	^	^	0.0	0.0	16.6	0
Transverse Colon	^	^	^	^	0.0	0.0	16.6	0
Splenic Flexure	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Descending Colon	^	^	^	^	0.0	0.0	16.6	0
Sigmoid Colon	16.7	7.6	31.0	10	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	29.5	17.1	47.0	18	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	16.6	0
Rectum	23.2	12.2	39.2	14	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	16.6	0
Liver and Intrahepatic Bile Duct	12.6	4.3	26.9	6	^	^	^	^
Liver	12.6	4.3	26.9	6	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Gallbladder	^	^	^	^	0.0	0.0	16.6	0
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2002

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	11.9	8.1	16.7	39	^	^	^	^
Retroperitoneum	0.0	0.0	1.1	0	0.0	0.0	34.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.1	0	0.0	0.0	34.2	0
Other Digestive Organs	2.2	0.7	5.0	6	0.0	0.0	34.2	0
Respiratory System	74.6	64.5	85.8	227	56.7	21.2	120.7	7
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	34.2	0
Larynx	2.2	0.9	4.5	8	0.0	0.0	34.2	0
Lung and Bronchus	70.7	60.8	81.6	213	56.7	21.2	120.7	7
Pleura	0.0	0.0	1.1	0	0.0	0.0	34.2	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	34.2	0
Bones and Joints	^	^	^	^	0.0	0.0	34.2	0
Soft Tissue including Heart	3.2	1.6	5.7	13	0.0	0.0	34.2	0
Skin excluding Basal and Squamous	17.6	13.3	22.7	73	0.0	0.0	34.2	0
Melanoma of the Skin	16.2	12.2	21.1	68	0.0	0.0	34.2	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	34.2	0
Urinary System	44.6	36.9	53.3	141	^	^	^	^
Urinary Bladder	29.7	23.3	37.2	85	^	^	^	^
Kidney and Renal Pelvis	14.2	10.3	19.0	54	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	34.2	0
Other Urinary Organs	0.0	0.0	1.1	0	^	^	^	^
Eye and Orbit	^	^	^	^	0.0	0.0	34.2	0
Brain and Other Nervous System	6.8	4.5	9.9	30	0.0	0.0	34.2	0
Brain	6.6	4.3	9.7	29	0.0	0.0	34.2	0
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	34.2	0
Endocrine System	7.4	5.2	10.5	37	^	^	^	^
Thyroid	6.4	4.4	9.1	33	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	29.5	23.5	36.5	102	^	^	^	^
Hodgkin Lymphoma	3.0	1.7	5.1	16	^	^	^	^
Hodgkin - Nodal	3.0	1.7	5.1	16	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	1.1	0	0.0	0.0	34.2	0
Non-Hodgkin Lymphoma	26.5	20.7	33.3	86	^	^	^	^
NHL - Nodal	19.7	14.7	25.7	63	^	^	^	^
NHL - Extranodal	6.8	4.1	10.6	23	^	^	^	^
Myeloma	4.9	2.8	8.0	18	^	^	^	^
Leukemia	13.5	9.6	18.5	46	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2002

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	15.0	6.1	29.2	8	^	^	^	^
Retroperitoneum	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	98.8	74.9	127.3	62	51.1	22.1	97.0	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Larynx	^	^	^	^	0.0	0.0	16.6	0
Lung and Bronchus	93.5	70.2	121.5	58	51.1	22.1	97.0	11
Pleura	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Bones and Joints	^	^	^	^	0.0	0.0	16.6	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	16.6	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	0.0	0.0	5.2	0	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Urinary System	28.6	16.7	45.1	19	28.9	9.9	63.5	6
Urinary Bladder	^	^	^	^	^	^	^	^
Kidney and Renal Pelvis	19.1	10.2	32.4	14	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	16.6	0
Other Urinary Organs	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Eye and Orbit	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	16.6	0
Brain	^	^	^	^	0.0	0.0	16.6	0
Cranial Nerves Other Nervous System	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Endocrine System	9.5	3.6	20.0	8	20.6	6.6	48.4	6
Thyroid	9.5	3.6	20.0	8	20.6	6.6	48.4	6
Other Endocrine including Thymus	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Lymphoma	10.1	4.2	20.5	8	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Hodgkin - Nodal	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Hodgkin - Extranodal	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Non-Hodgkin Lymphoma	10.1	4.2	20.5	8	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	16.6	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	6.6	2.7	14.3	8	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2002

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	8.7	5.4	13.0	26	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	7.4	4.3	11.6	20	0.0	0.0	34.2	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	34.2	0
Myeloid and Monocytic Leukemia	4.7	2.7	7.6	19	^	^	^	^
Acute Myeloid Leukemia	2.4	1.2	4.6	11	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	34.2	0
Chronic Myeloid Leukemia	1.7	0.6	3.8	7	0.0	0.0	34.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.1	0	0.0	0.0	34.2	0
Other Leukemia	^	^	^	^	0.0	0.0	34.2	0
Other Acute Leukemia	0.0	0.0	1.1	0	0.0	0.0	34.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	34.2	0
Mesothelioma	^	^	^	^	0.0	0.0	34.2	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	34.2	0
Miscellaneous	11.1	7.5	15.8	37	^	^	^	^

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Other Lymphocytic Leukemia	0.0	0.0	5.2	0	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	16.6	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	16.6	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Other Leukemia	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Other Acute Leukemia	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Mesothelioma	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Kaposi Sarcoma	0.0	0.0	5.2	0	0.0	0.0	16.6	0
Miscellaneous	16.9	7.7	31.2	11	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2003

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	490.4	465.4	516.4	1,742	455.3	329.9	608.8	58
Oral Cavity and Pharynx	9.4	6.2	13.7	34	^	^	^	^
Lip	^	^	^	^	0.0	0.0	33.0	0
Tongue	2.8	1.3	5.3	10	0.0	0.0	33.0	0
Salivary Gland	^	^	^	^	0.0	0.0	33.0	0
Floor of Mouth	^	^	^	^	0.0	0.0	33.0	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	0.0	0.0	33.0	0
Tonsil	1.1	0.4	2.5	6	0.0	0.0	33.0	0
Oropharynx	^	^	^	^	0.0	0.0	33.0	0
Hypopharynx	^	^	^	^	0.0	0.0	33.0	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	33.0	0
Digestive System	79.2	69.0	90.4	266	143.3	76.1	240.4	16
Esophagus	5.9	3.6	9.0	24	^	^	^	^
Stomach	4.8	2.5	8.2	16	^	^	^	^
Small Intestine	2.5	0.9	5.2	7	0.0	0.0	33.0	0
Colon and Rectum	44.1	36.6	52.7	145	100.3	45.5	185.7	11
Colon excluding Rectum	29.7	23.3	37.0	89	74.1	26.6	155.0	7
Cecum	4.9	2.5	8.4	13	^	^	^	^
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	6.4	3.6	10.2	18	^	^	^	^
Hepatic Flexure	2.2	0.8	4.7	7	0.0	0.0	33.0	0
Transverse Colon	^	^	^	^	0.0	0.0	33.0	0
Splenic Flexure	^	^	^	^	0.0	0.0	33.0	0
Descending Colon	3.6	1.6	6.6	9	^	^	^	^
Sigmoid Colon	7.3	4.6	11.1	26	^	^	^	^
Large Intestine, NOS	3.4	1.5	6.4	10	0.0	0.0	33.0	0
Rectum and Rectosigmoid Junction	14.5	10.6	19.2	56	^	^	^	^
Rectosigmoid Junction	5.4	3.1	8.7	18	^	^	^	^
Rectum	9.1	6.2	12.8	38	^	^	^	^
Anus, Anal Canal and Anorectum	2.4	1.0	4.7	9	0.0	0.0	33.0	0
Liver and Intrahepatic Bile Duct	5.7	3.4	8.9	24	^	^	^	^
Liver	5.6	3.3	8.7	23	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	33.0	0
Gallbladder	^	^	^	^	0.0	0.0	33.0	0
Other Biliary	^	^	^	^	0.0	0.0	33.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2003

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	541.6	483.1	604.7	350	359.3	281.6	450.3	88
Oral Cavity and Pharynx	22.7	12.4	37.6	15	^	^	^	^
Lip	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Tongue	^	^	^	^	0.0	0.0	15.3	0
Salivary Gland	^	^	^	^	0.0	0.0	15.3	0
Floor of Mouth	^	^	^	^	0.0	0.0	15.3	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	15.3	0
Nasopharynx	13.3	5.5	26.1	8	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	15.3	0
Oropharynx	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Hypopharynx	^	^	^	^	0.0	0.0	15.3	0
Other Oral Cavity and Pharynx	0.0	0.0	5.1	0	^	^	^	^
Digestive System	166.3	134.4	202.8	105	107.6	65.9	163.5	24
Esophagus	^	^	^	^	0.0	0.0	15.3	0
Stomach	14.4	6.0	28.1	9	^	^	^	^
Small Intestine	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Colon and Rectum	102.8	77.8	132.5	63	34.9	14.4	69.2	8
Colon excluding Rectum	85.8	62.6	114.0	50	^	^	^	^
Cecum	23.1	11.5	40.1	12	0.0	0.0	15.3	0
Appendix	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	15.3	0
Transverse Colon	12.6	4.9	25.4	7	0.0	0.0	15.3	0
Splenic Flexure	^	^	^	^	0.0	0.0	15.3	0
Descending Colon	^	^	^	^	0.0	0.0	15.3	0
Sigmoid Colon	33.3	20.1	51.3	21	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	17.0	8.9	29.1	13	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	14.2	7.0	25.6	11	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	15.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^	21.8	7.4	49.3	6
Liver	^	^	^	^	21.8	7.4	49.3	6
Intrahepatic Bile Duct	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Gallbladder	^	^	^	^	0.0	0.0	15.3	0
Other Biliary	^	^	^	^	0.0	0.0	15.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2003

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	9.6	6.1	14.2	30	^	^	^	^
Retroperitoneum	0.0	0.0	1.1	0	0.0	0.0	33.0	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	33.0	0
Other Digestive Organs	^	^	^	^	0.0	0.0	33.0	0
Respiratory System	80.6	70.1	92.2	245	59.4	20.0	130.2	6
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	33.0	0
Larynx	3.6	1.8	6.2	13	0.0	0.0	33.0	0
Lung and Bronchus	76.4	66.1	87.8	228	59.4	20.0	130.2	6
Pleura	0.0	0.0	1.1	0	0.0	0.0	33.0	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	33.0	0
Bones and Joints	^	^	^	^	0.0	0.0	33.0	0
Soft Tissue including Heart	3.8	2.0	6.5	15	^	^	^	^
Skin excluding Basal and Squamous	18.9	14.7	23.9	84	0.0	0.0	33.0	0
Melanoma of the Skin	16.6	12.7	21.2	76	0.0	0.0	33.0	0
Other Non-Epithelial Skin	2.3	0.9	4.6	8	0.0	0.0	33.0	0
Urinary System	41.2	34.1	49.3	137	^	^	^	^
Urinary Bladder	27.6	21.6	34.6	84	^	^	^	^
Kidney and Renal Pelvis	13.3	9.7	17.9	52	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	33.0	0
Other Urinary Organs	0.0	0.0	1.1	0	0.0	0.0	33.0	0
Eye and Orbit	^	^	^	^	0.0	0.0	33.0	0
Brain and Other Nervous System	6.9	4.4	10.3	28	^	^	^	^
Brain	6.3	3.9	9.5	25	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	33.0	0
Endocrine System	10.6	7.8	14.1	52	^	^	^	^
Thyroid	9.7	7.1	13.0	49	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	24.5	19.2	30.7	90	^	^	^	^
Hodgkin Lymphoma	4.1	2.4	6.6	19	0.0	0.0	33.0	0
Hodgkin - Nodal	4.1	2.4	6.6	19	0.0	0.0	33.0	0
Hodgkin - Extranodal	0.0	0.0	1.1	0	0.0	0.0	33.0	0
Non-Hodgkin Lymphoma	20.4	15.4	26.3	71	^	^	^	^
NHL - Nodal	13.6	9.7	18.5	49	^	^	^	^
NHL - Extranodal	6.8	4.0	10.5	22	0.0	0.0	33.0	0
Myeloma	5.3	3.0	8.6	19	0.0	0.0	33.0	0
Leukemia	10.7	7.4	15.0	40	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2003

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	15.3	7.4	27.6	11	^	^	^	^
Retroperitoneum	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	100.2	75.3	129.9	59	42.0	19.4	78.1	10
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	95.8	71.4	125.1	56	29.9	11.4	62.4	7
Pleura	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Bones and Joints	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	15.3	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	15.3	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	15.3	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	15.3	0
Urinary System	44.6	28.4	65.8	27	^	^	^	^
Urinary Bladder	14.8	5.7	29.7	7	^	^	^	^
Kidney and Renal Pelvis	28.4	16.4	45.1	19	0.0	0.0	15.3	0
Ureter	^	^	^	^	0.0	0.0	15.3	0
Other Urinary Organs	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Eye and Orbit	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Endocrine System	6.4	2.3	14.4	6	^	^	^	^
Thyroid	6.4	2.3	14.4	6	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	5.1	0	^	^	^	^
Lymphoma	13.2	5.6	25.8	9	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	15.3	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	15.3	0
Hodgkin - Extranodal	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Non-Hodgkin Lymphoma	12.0	4.7	24.3	8	^	^	^	^
NHL - Nodal	12.0	4.7	24.3	8	^	^	^	^
NHL - Extranodal	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2003

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	5.8	3.5	9.1	22	0.0	0.0	33.0	0
Acute Lymphocytic Leukemia	1.6	0.7	3.4	8	0.0	0.0	33.0	0
Chronic Lymphocytic Leukemia	3.4	1.5	6.3	10	0.0	0.0	33.0	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	33.0	0
Myeloid and Monocytic Leukemia	4.3	2.2	7.3	15	^	^	^	^
Acute Myeloid Leukemia	2.2	0.8	4.6	8	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.1	0	0.0	0.0	33.0	0
Chronic Myeloid Leukemia	1.9	0.7	4.3	6	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	33.0	0
Other Leukemia	^	^	^	^	0.0	0.0	33.0	0
Other Acute Leukemia	0.0	0.0	1.1	0	0.0	0.0	33.0	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	33.0	0
Mesothelioma	2.7	0.9	5.6	6	0.0	0.0	33.0	0
Kaposi Sarcoma	^	^	^	^	^	^	^	^
Miscellaneous	16.2	11.6	21.8	51	^	^	^	^

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	15.3	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	15.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Other Lymphocytic Leukemia	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Chronic Myeloid Leukemia	0.0	0.0	5.1	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Other Leukemia	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Other Acute Leukemia	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Mesothelioma	0.0	0.0	5.1	0	0.0	0.0	15.3	0
Kaposi Sarcoma	0.0	0.0	5.1	0	^	^	^	^
Miscellaneous	16.0	7.0	30.2	9	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2004

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	506.7	481.7	532.5	1,853	557.6	417.0	725.6	70
Oral Cavity and Pharynx	12.3	8.8	16.7	48	^	^	^	^
Lip	^	^	^	^	0.0	0.0	30.3	0
Tongue	2.4	1.2	4.3	12	0.0	0.0	30.3	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	30.3	0
Gum and Other Mouth	2.2	0.9	4.7	8	0.0	0.0	30.3	0
Nasopharynx	^	^	^	^	0.0	0.0	30.3	0
Tonsil	1.9	0.8	3.8	9	0.0	0.0	30.3	0
Oropharynx	^	^	^	^	0.0	0.0	30.3	0
Hypopharynx	^	^	^	^	0.0	0.0	30.3	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	30.3	0
Digestive System	86.7	76.2	98.2	293	130.4	63.8	228.4	14
Esophagus	4.8	2.8	7.7	19	^	^	^	^
Stomach	4.1	2.1	7.0	14	^	^	^	^
Small Intestine	2.4	0.9	5.0	7	0.0	0.0	30.3	0
Colon and Rectum	46.2	38.5	54.7	154	61.7	21.7	131.4	8
Colon excluding Rectum	34.7	28.0	42.4	110	^	^	^	^
Cecum	8.9	5.6	13.3	26	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	30.3	0
Ascending Colon	3.6	1.8	6.4	12	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	30.3	0
Transverse Colon	3.2	1.3	6.1	8	0.0	0.0	30.3	0
Splenic Flexure	^	^	^	^	0.0	0.0	30.3	0
Descending Colon	3.1	1.4	5.7	11	0.0	0.0	30.3	0
Sigmoid Colon	10.2	6.7	14.6	33	^	^	^	^
Large Intestine, NOS	3.1	1.5	5.6	12	0.0	0.0	30.3	0
Rectum and Rectosigmoid Junction	11.4	8.0	15.8	44	^	^	^	^
Rectosigmoid Junction	2.1	0.8	4.4	8	^	^	^	^
Rectum	9.3	6.3	13.3	36	^	^	^	^
Anus, Anal Canal and Anorectum	3.3	1.5	6.0	11	0.0	0.0	30.3	0
Liver and Intrahepatic Bile Duct	6.5	4.0	9.9	26	^	^	^	^
Liver	5.8	3.5	9.1	24	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	30.3	0
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	30.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2004

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	594.9	535.9	658.3	409	306.8	239.1	386.7	80
Oral Cavity and Pharynx	11.3	4.6	22.4	8	^	^	^	^
Lip	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Tongue	^	^	^	^	0.0	0.0	14.0	0
Salivary Gland	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Floor of Mouth	^	^	^	^	0.0	0.0	14.0	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	14.0	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	14.0	0
Oropharynx	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Hypopharynx	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Other Oral Cavity and Pharynx	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Digestive System	203.8	169.0	243.0	133	89.9	56.2	135.5	24
Esophagus	13.8	5.8	26.6	8	0.0	0.0	14.0	0
Stomach	23.2	12.7	38.2	16	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	14.0	0
Colon and Rectum	109.8	85.1	138.9	74	44.4	22.1	78.7	12
Colon excluding Rectum	92.7	70.1	119.7	62	27.0	10.2	56.5	7
Cecum	21.1	11.2	35.6	14	0.0	0.0	14.0	0
Appendix	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Ascending Colon	9.2	3.3	19.8	6	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	0.0	0.0	14.0	0
Splenic Flexure	^	^	^	^	0.0	0.0	14.0	0
Descending Colon	^	^	^	^	0.0	0.0	14.0	0
Sigmoid Colon	32.0	19.8	48.6	23	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	17.1	8.4	30.4	12	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	13.6	6.2	25.5	10	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	14.0	0
Liver and Intrahepatic Bile Duct	20.3	10.4	35.1	13	35.7	15.6	68.5	9
Liver	17.5	8.3	31.7	11	35.7	15.6	68.5	9
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	14.0	0
Gallbladder	^	^	^	^	0.0	0.0	14.0	0
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2004

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	12.7	8.8	17.6	41	0.0	0.0	30.3	0
Retroperitoneum	^	^	^	^	0.0	0.0	30.3	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	30.3	0
Other Digestive Organs	3.5	1.6	6.4	10	0.0	0.0	30.3	0
Respiratory System	76.9	66.9	87.9	249	86.9	35.2	170.1	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.0	0	0.0	0.0	30.3	0
Larynx	3.0	1.5	5.4	12	^	^	^	^
Lung and Bronchus	73.1	63.4	83.9	235	81.0	30.8	163.4	8
Pleura	^	^	^	^	0.0	0.0	30.3	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	30.3	0
Bones and Joints	^	^	^	^	0.0	0.0	30.3	0
Soft Tissue including Heart	3.6	2.0	6.1	16	^	^	^	^
Skin excluding Basal and Squamous	18.1	14.0	23.0	77	^	^	^	^
Melanoma of the Skin	16.4	12.5	21.2	70	0.0	0.0	30.3	0
Other Non-Epithelial Skin	1.6	0.6	3.6	7	^	^	^	^
Urinary System	46.1	38.6	54.5	157	^	^	^	^
Urinary Bladder	27.0	21.3	33.6	91	0.0	0.0	30.3	0
Kidney and Renal Pelvis	17.9	13.4	23.3	62	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	30.3	0
Other Urinary Organs	0.0	0.0	1.0	0	0.0	0.0	30.3	0
Eye and Orbit	1.7	0.6	3.8	7	0.0	0.0	30.3	0
Brain and Other Nervous System	7.9	5.2	11.6	31	0.0	0.0	30.3	0
Brain	7.3	4.6	10.9	28	0.0	0.0	30.3	0
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	30.3	0
Endocrine System	12.3	9.5	15.9	66	^	^	^	^
Thyroid	11.8	9.0	15.2	63	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	30.3	0
Lymphoma	24.5	19.2	30.7	89	^	^	^	^
Hodgkin Lymphoma	3.0	1.6	5.1	14	^	^	^	^
Hodgkin - Nodal	3.0	1.6	5.1	14	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	1.0	0	0.0	0.0	30.3	0
Non-Hodgkin Lymphoma	21.5	16.5	27.5	75	^	^	^	^
NHL - Nodal	16.8	12.4	22.1	59	^	^	^	^
NHL - Extranodal	4.8	2.6	7.9	16	^	^	^	^
Myeloma	8.3	5.2	12.3	27	^	^	^	^
Leukemia	11.9	8.2	16.6	40	0.0	0.0	30.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2004

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	18.2	8.6	33.0	10	0.0	0.0	14.0	0
Retroperitoneum	0.0	0.0	5.0	0	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Other Digestive Organs	^	^	^	^	0.0	0.0	14.0	0
Respiratory System	123.3	96.4	154.7	78	46.3	20.1	87.5	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Larynx	^	^	^	^	0.0	0.0	14.0	0
Lung and Bronchus	117.2	91.1	148.0	74	46.3	20.1	87.5	9
Pleura	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	14.0	0
Bones and Joints	0.0	0.0	5.0	0	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	14.0	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	14.0	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	14.0	0
Urinary System	42.9	28.0	62.3	28	23.9	8.2	52.7	6
Urinary Bladder	17.5	8.5	31.4	11	^	^	^	^
Kidney and Renal Pelvis	21.4	11.7	35.4	15	^	^	^	^
Ureter	0.0	0.0	5.0	0	^	^	^	^
Other Urinary Organs	^	^	^	^	0.0	0.0	14.0	0
Eye and Orbit	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Brain and Other Nervous System	5.7	2.0	13.3	6	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	14.0	0
Endocrine System	6.3	2.5	13.8	7	17.5	6.3	39.8	6
Thyroid	6.3	2.5	13.8	7	17.5	6.3	39.8	6
Other Endocrine including Thymus	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Lymphoma	14.2	6.1	27.2	9	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Hodgkin - Nodal	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Hodgkin - Extranodal	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Non-Hodgkin Lymphoma	14.2	6.1	27.2	9	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	8.5	3.0	18.6	6	^	^	^	^
Myeloma	9.5	3.7	19.7	7	^	^	^	^
Leukemia	14.6	7.0	26.7	11	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2004

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	8.9	5.7	13.1	29	0.0	0.0	30.3	0
Acute Lymphocytic Leukemia	1.3	0.5	3.0	6	0.0	0.0	30.3	0
Chronic Lymphocytic Leukemia	6.3	3.6	10.2	19	0.0	0.0	30.3	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	30.3	0
Myeloid and Monocytic Leukemia	2.8	1.2	5.4	10	0.0	0.0	30.3	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	30.3	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	30.3	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	30.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.0	0	0.0	0.0	30.3	0
Other Leukemia	^	^	^	^	0.0	0.0	30.3	0
Other Acute Leukemia	0.0	0.0	1.0	0	0.0	0.0	30.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	30.3	0
Mesothelioma	2.3	0.7	5.0	6	0.0	0.0	30.3	0
Kaposi Sarcoma	0.0	0.0	1.0	0	0.0	0.0	30.3	0
Miscellaneous	14.2	10.1	19.2	47	^	^	^	^

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	14.0	0
Other Lymphocytic Leukemia	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Myeloid and Monocytic Leukemia	9.0	3.5	18.8	7	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	14.0	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	14.0	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Other Leukemia	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Other Acute Leukemia	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.0	0	0.0	0.0	14.0	0
Mesothelioma	^	^	^	^	0.0	0.0	14.0	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	14.0	0
Miscellaneous	9.4	3.6	19.6	7	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2005

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	479.7	455.8	504.5	1,797	456.2	338.5	598.3	64
Oral Cavity and Pharynx	10.0	7.0	13.8	42	0.0	0.0	28.9	0
Lip	^	^	^	^	0.0	0.0	28.9	0
Tongue	2.8	1.3	5.1	11	0.0	0.0	28.9	0
Salivary Gland	^	^	^	^	0.0	0.0	28.9	0
Floor of Mouth	^	^	^	^	0.0	0.0	28.9	0
Gum and Other Mouth	1.8	0.6	3.9	6	0.0	0.0	28.9	0
Nasopharynx	^	^	^	^	0.0	0.0	28.9	0
Tonsil	^	^	^	^	0.0	0.0	28.9	0
Oropharynx	^	^	^	^	0.0	0.0	28.9	0
Hypopharynx	^	^	^	^	0.0	0.0	28.9	0
Other Oral Cavity and Pharynx	0.0	0.0	1.0	0	0.0	0.0	28.9	0
Digestive System	86.4	75.9	97.8	290	105.6	53.7	183.0	15
Esophagus	6.3	3.8	9.6	24	^	^	^	^
Stomach	4.3	2.4	7.0	18	^	^	^	^
Small Intestine	2.6	1.2	5.0	10	^	^	^	^
Colon and Rectum	47.5	39.8	56.3	156	44.2	16.3	95.7	7
Colon excluding Rectum	37.6	30.7	45.5	122	38.7	12.8	88.9	6
Cecum	11.8	7.9	16.7	34	^	^	^	^
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	7.8	4.8	11.8	23	^	^	^	^
Hepatic Flexure	2.3	0.9	4.8	7	0.0	0.0	28.9	0
Transverse Colon	2.3	0.8	4.9	6	0.0	0.0	28.9	0
Splenic Flexure	0.0	0.0	1.0	0	0.0	0.0	28.9	0
Descending Colon	2.1	0.9	4.2	9	0.0	0.0	28.9	0
Sigmoid Colon	7.5	4.8	11.1	29	0.0	0.0	28.9	0
Large Intestine, NOS	3.0	1.4	5.7	11	^	^	^	^
Rectum and Rectosigmoid Junction	9.9	6.6	14.1	34	^	^	^	^
Rectosigmoid Junction	1.8	0.7	3.9	7	0.0	0.0	28.9	0
Rectum	8.1	5.1	12.0	27	^	^	^	^
Anus, Anal Canal and Anorectum	1.5	0.5	3.6	6	0.0	0.0	28.9	0
Liver and Intrahepatic Bile Duct	5.2	2.8	8.6	16	^	^	^	^
Liver	4.8	2.6	8.1	15	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	28.9	0
Gallbladder	^	^	^	^	0.0	0.0	28.9	0
Other Biliary	2.5	0.9	5.1	7	0.0	0.0	28.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2005

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	535.3	480.3	594.5	386	339.3	270.4	419.4	96
Oral Cavity and Pharynx	16.3	8.4	28.2	13	^	^	^	^
Lip	^	^	^	^	0.0	0.0	13.0	0
Tongue	^	^	^	^	0.0	0.0	13.0	0
Salivary Gland	^	^	^	^	0.0	0.0	13.0	0
Floor of Mouth	^	^	^	^	0.0	0.0	13.0	0
Gum and Other Mouth	0.0	0.0	4.8	0	^	^	^	^
Nasopharynx	^	^	^	^	0.0	0.0	13.0	0
Tonsil	^	^	^	^	0.0	0.0	13.0	0
Oropharynx	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Hypopharynx	^	^	^	^	0.0	0.0	13.0	0
Other Oral Cavity and Pharynx	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Digestive System	164.4	134.0	199.1	112	75.7	45.0	118.3	20
Esophagus	7.7	2.7	17.0	6	0.0	0.0	13.0	0
Stomach	21.4	11.8	35.4	16	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	13.0	0
Colon and Rectum	102.7	78.8	131.1	68	32.8	13.5	64.7	8
Colon excluding Rectum	75.1	54.5	100.2	48	^	^	^	^
Cecum	16.6	8.2	29.6	11	0.0	0.0	13.0	0
Appendix	^	^	^	^	0.0	0.0	13.0	0
Ascending Colon	16.7	7.4	31.3	9	^	^	^	^
Hepatic Flexure	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Transverse Colon	14.7	6.5	27.7	9	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	13.0	0
Descending Colon	^	^	^	^	0.0	0.0	13.0	0
Sigmoid Colon	17.2	8.4	30.6	12	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	13.0	0
Rectum and Rectosigmoid Junction	27.7	16.6	43.0	20	^	^	^	^
Rectosigmoid Junction	11.3	4.8	22.2	8	^	^	^	^
Rectum	16.4	8.2	28.8	12	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	13.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^	18.6	6.5	41.7	6
Liver	^	^	^	^	18.6	6.5	41.7	6
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	13.0	0
Gallbladder	^	^	^	^	0.0	0.0	13.0	0
Other Biliary	^	^	^	^	0.0	0.0	13.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2005

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	11.1	7.5	15.7	35	0.0	0.0	28.9	0
Retroperitoneum	^	^	^	^	0.0	0.0	28.9	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	28.9	0
Other Digestive Organs	3.4	1.7	6.1	12	^	^	^	^
Respiratory System	79.4	69.4	90.3	263	75.1	32.4	144.1	10
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	28.9	0
Larynx	3.5	1.8	6.0	14	0.0	0.0	28.9	0
Lung and Bronchus	75.2	65.4	85.9	246	75.1	32.4	144.1	10
Pleura	0.0	0.0	1.0	0	0.0	0.0	28.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.0	0	0.0	0.0	28.9	0
Bones and Joints	1.0	0.4	2.4	6	0.0	0.0	28.9	0
Soft Tissue including Heart	3.6	1.9	6.2	14	0.0	0.0	28.9	0
Skin excluding Basal and Squamous	13.3	9.8	17.6	58	0.0	0.0	28.9	0
Melanoma of the Skin	10.4	7.6	14.1	49	0.0	0.0	28.9	0
Other Non-Epithelial Skin	2.9	1.2	5.6	9	0.0	0.0	28.9	0
Urinary System	44.6	37.5	52.6	161	^	^	^	^
Urinary Bladder	26.4	20.9	32.8	91	^	^	^	^
Kidney and Renal Pelvis	17.0	12.9	22.1	66	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	28.9	0
Other Urinary Organs	^	^	^	^	0.0	0.0	28.9	0
Eye and Orbit	^	^	^	^	0.0	0.0	28.9	0
Brain and Other Nervous System	8.3	5.4	12.0	32	^	^	^	^
Brain	8.1	5.2	11.9	31	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	28.9	0
Endocrine System	11.4	8.4	15.1	54	^	^	^	^
Thyroid	11.2	8.3	14.9	53	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	28.9	0
Lymphoma	27.2	21.8	33.5	106	^	^	^	^
Hodgkin Lymphoma	2.8	1.4	5.0	13	^	^	^	^
Hodgkin - Nodal	2.8	1.4	5.0	13	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	1.0	0	0.0	0.0	28.9	0
Non-Hodgkin Lymphoma	24.4	19.2	30.4	93	^	^	^	^
NHL - Nodal	18.2	13.8	23.5	68	^	^	^	^
NHL - Extranodal	6.2	3.8	9.5	25	^	^	^	^
Myeloma	5.4	3.1	8.6	19	^	^	^	^
Leukemia	15.8	11.8	20.7	62	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2005

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	14.8	6.5	28.0	9	^	^	^	^
Retroperitoneum	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	106.0	81.4	135.1	68	67.8	35.2	114.6	13
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	13.0	0
Larynx	^	^	^	^	0.0	0.0	13.0	0
Lung and Bronchus	103.5	79.1	132.4	66	67.8	35.2	114.6	13
Pleura	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Bones and Joints	^	^	^	^	0.0	0.0	13.0	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	13.0	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	13.0	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	13.0	0
Urinary System	36.6	22.9	54.7	25	^	^	^	^
Urinary Bladder	15.1	6.7	28.4	9	^	^	^	^
Kidney and Renal Pelvis	21.5	11.7	35.6	16	^	^	^	^
Ureter	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Other Urinary Organs	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Eye and Orbit	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Brain and Other Nervous System	5.9	2.2	13.5	6	0.0	0.0	13.0	0
Brain	^	^	^	^	0.0	0.0	13.0	0
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	13.0	0
Endocrine System	12.7	5.6	24.3	10	17.8	6.1	40.4	6
Thyroid	11.8	4.9	23.3	9	17.8	6.1	40.4	6
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	13.0	0
Lymphoma	16.1	7.4	29.7	11	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	4.8	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	4.8	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Non-Hodgkin Lymphoma	16.1	7.4	29.7	11	^	^	^	^
NHL - Nodal	9.7	3.5	20.7	7	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	13.0	0
Leukemia	13.0	6.2	23.7	12	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2005

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	10.1	6.9	14.3	38	0.0	0.0	28.9	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	28.9	0
Chronic Lymphocytic Leukemia	8.3	5.3	12.1	30	0.0	0.0	28.9	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	28.9	0
Myeloid and Monocytic Leukemia	5.3	3.2	8.4	22	^	^	^	^
Acute Myeloid Leukemia	3.6	1.8	6.3	14	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	28.9	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	28.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.0	0	0.0	0.0	28.9	0
Other Leukemia	^	^	^	^	0.0	0.0	28.9	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	28.9	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	28.9	0
Mesothelioma	2.6	1.1	5.2	8	0.0	0.0	28.9	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	28.9	0
Miscellaneous	13.5	9.4	18.6	44	^	^	^	^

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	13.0	0
Other Lymphocytic Leukemia	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Myeloid and Monocytic Leukemia	8.0	2.6	17.8	6	0.0	0.0	13.0	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	13.0	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	13.0	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	13.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Mesothelioma	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Kaposi Sarcoma	0.0	0.0	4.8	0	0.0	0.0	13.0	0
Miscellaneous	15.5	7.1	28.7	10	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2006

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	494.8	471.0	519.5	1,942	344.9	246.0	467.4	51
Oral Cavity and Pharynx	11.3	8.0	15.5	45	0.0	0.0	28.3	0
Lip	^	^	^	^	0.0	0.0	28.3	0
Tongue	2.5	1.1	4.7	10	0.0	0.0	28.3	0
Salivary Gland	^	^	^	^	0.0	0.0	28.3	0
Floor of Mouth	^	^	^	^	0.0	0.0	28.3	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	28.3	0
Nasopharynx	^	^	^	^	0.0	0.0	28.3	0
Tonsil	3.1	1.7	5.3	16	0.0	0.0	28.3	0
Oropharynx	^	^	^	^	0.0	0.0	28.3	0
Hypopharynx	^	^	^	^	0.0	0.0	28.3	0
Other Oral Cavity and Pharynx	0.0	0.0	1.0	0	0.0	0.0	28.3	0
Digestive System	89.1	78.8	100.3	327	100.9	49.9	177.6	14
Esophagus	5.3	3.2	8.2	23	^	^	^	^
Stomach	4.0	2.0	7.1	13	0.0	0.0	28.3	0
Small Intestine	2.3	1.2	4.3	12	^	^	^	^
Colon and Rectum	48.3	40.8	56.7	174	56.6	18.7	123.4	7
Colon excluding Rectum	36.1	29.5	43.5	125	^	^	^	^
Cecum	11.0	7.5	15.4	36	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	28.3	0
Ascending Colon	6.9	4.1	10.7	21	0.0	0.0	28.3	0
Hepatic Flexure	1.3	0.5	3.0	6	0.0	0.0	28.3	0
Transverse Colon	^	^	^	^	0.0	0.0	28.3	0
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	2.4	1.0	4.7	9	0.0	0.0	28.3	0
Sigmoid Colon	8.7	5.8	12.5	33	0.0	0.0	28.3	0
Large Intestine, NOS	3.8	1.9	6.7	12	^	^	^	^
Rectum and Rectosigmoid Junction	12.3	8.8	16.6	49	^	^	^	^
Rectosigmoid Junction	3.7	1.8	6.5	13	^	^	^	^
Rectum	8.6	5.8	12.2	36	^	^	^	^
Anus, Anal Canal and Anorectum	2.5	1.2	4.6	12	^	^	^	^
Liver and Intrahepatic Bile Duct	7.1	4.4	10.6	28	^	^	^	^
Liver	6.8	4.1	10.3	26	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	28.3	0
Gallbladder	^	^	^	^	0.0	0.0	28.3	0
Other Biliary	2.3	1.0	4.5	9	0.0	0.0	28.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2006

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	484.8	434.0	539.6	367	372.3	301.7	453.7	108
Oral Cavity and Pharynx	13.6	6.9	24.1	12	^	^	^	^
Lip	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Tongue	^	^	^	^	0.0	0.0	12.2	0
Salivary Gland	^	^	^	^	0.0	0.0	12.2	0
Floor of Mouth	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	12.2	0
Nasopharynx	8.0	3.1	16.8	7	^	^	^	^
Tonsil	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Oropharynx	^	^	^	^	0.0	0.0	12.2	0
Hypopharynx	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Other Oral Cavity and Pharynx	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Digestive System	153.6	124.8	186.7	109	90.4	57.4	134.5	26
Esophagus	16.2	7.6	29.4	11	0.0	0.0	12.2	0
Stomach	16.5	8.9	28.0	14	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	86.7	65.7	112.0	62	46.0	22.1	82.4	11
Colon excluding Rectum	69.3	50.4	92.5	48	32.6	12.7	65.8	7
Cecum	15.7	7.4	28.5	10	0.0	0.0	12.2	0
Appendix	^	^	^	^	0.0	0.0	12.2	0
Ascending Colon	9.5	3.4	20.3	6	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	12.2	0
Transverse Colon	9.2	3.1	20.1	6	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	20.6	11.6	33.7	16	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	12.2	0
Rectum and Rectosigmoid Junction	17.4	9.3	29.6	14	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	13.6	6.6	24.7	11	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	8.3	2.7	18.5	6	14.9	5.5	33.9	6
Liver	^	^	^	^	14.9	5.5	33.9	6
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	12.2	0
Gallbladder	^	^	^	^	0.0	0.0	12.2	0
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2006

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	12.0	8.4	16.6	42	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	28.3	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	28.3	0
Other Digestive Organs	^	^	^	^	0.0	0.0	28.3	0
Respiratory System	81.3	71.5	92.0	291	47.5	15.0	107.3	6
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	28.3	0
Larynx	4.7	2.7	7.7	18	^	^	^	^
Lung and Bronchus	75.5	66.0	85.8	269	^	^	^	^
Pleura	0.0	0.0	1.0	0	0.0	0.0	28.3	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	28.3	0
Bones and Joints	^	^	^	^	0.0	0.0	28.3	0
Soft Tissue including Heart	2.9	1.5	5.1	14	^	^	^	^
Skin excluding Basal and Squamous	12.7	9.4	16.9	57	^	^	^	^
Melanoma of the Skin	11.6	8.5	15.5	54	0.0	0.0	28.3	0
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Urinary System	42.1	35.1	49.9	154	^	^	^	^
Urinary Bladder	27.6	21.8	34.4	91	^	^	^	^
Kidney and Renal Pelvis	14.3	10.6	18.7	62	0.0	0.0	28.3	0
Ureter	^	^	^	^	0.0	0.0	28.3	0
Other Urinary Organs	0.0	0.0	1.0	0	0.0	0.0	28.3	0
Eye and Orbit	^	^	^	^	0.0	0.0	28.3	0
Brain and Other Nervous System	5.1	2.9	8.1	20	^	^	^	^
Brain	4.8	2.7	7.8	18	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	28.3	0
Endocrine System	11.1	8.3	14.6	57	^	^	^	^
Thyroid	10.5	7.8	14.0	54	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	28.3	0
Lymphoma	26.3	21.1	32.3	108	^	^	^	^
Hodgkin Lymphoma	3.7	2.0	6.2	17	0.0	0.0	28.3	0
Hodgkin - Nodal	3.7	2.0	6.2	17	0.0	0.0	28.3	0
Hodgkin - Extranodal	0.0	0.0	1.0	0	0.0	0.0	28.3	0
Non-Hodgkin Lymphoma	22.6	17.8	28.2	91	^	^	^	^
NHL - Nodal	16.7	12.7	21.6	70	0.0	0.0	28.3	0
NHL - Extranodal	5.9	3.5	9.2	21	^	^	^	^
Myeloma	4.0	2.1	6.9	15	^	^	^	^
Leukemia	18.3	13.9	23.7	67	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2006

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	12.8	4.9	25.7	7	^	^	^	^
Retroperitoneum	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Other Digestive Organs	^	^	^	^	0.0	0.0	12.2	0
Respiratory System	96.4	73.4	123.7	64	58.1	31.5	96.4	15
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	^	^	^	^	0.0	0.0	12.2	0
Lung and Bronchus	91.5	69.0	118.4	60	53.7	28.4	90.8	14
Pleura	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	12.2	0
Bones and Joints	^	^	^	^	0.0	0.0	12.2	0
Soft Tissue including Heart	6.0	2.1	13.6	6	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Melanoma of the Skin	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Other Non-Epithelial Skin	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Urinary System	26.1	15.6	40.7	20	^	^	^	^
Urinary Bladder	6.8	2.5	15.0	6	0.0	0.0	12.2	0
Kidney and Renal Pelvis	19.4	10.3	32.7	14	^	^	^	^
Ureter	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Other Urinary Organs	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Eye and Orbit	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Endocrine System	10.7	4.7	20.7	9	^	^	^	^
Thyroid	10.7	4.7	20.7	9	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Lymphoma	22.8	12.7	37.3	17	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	12.2	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	12.2	0
Hodgkin - Extranodal	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Non-Hodgkin Lymphoma	21.8	11.9	36.1	16	^	^	^	^
NHL - Nodal	10.9	4.0	22.6	7	^	^	^	^
NHL - Extranodal	10.9	4.8	21.2	9	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	11.6	5.2	22.1	10	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2006

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	10.8	7.5	14.9	41	0.0	0.0	28.3	0
Acute Lymphocytic Leukemia	2.2	1.0	4.2	10	0.0	0.0	28.3	0
Chronic Lymphocytic Leukemia	8.3	5.4	12.1	29	0.0	0.0	28.3	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	28.3	0
Myeloid and Monocytic Leukemia	6.9	4.2	10.5	24	^	^	^	^
Acute Myeloid Leukemia	4.8	2.5	8.1	14	0.0	0.0	28.3	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	28.3	0
Chronic Myeloid Leukemia	1.6	0.6	3.4	7	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	28.3	0
Other Leukemia	^	^	^	^	0.0	0.0	28.3	0
Other Acute Leukemia	0.0	0.0	1.0	0	0.0	0.0	28.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	28.3	0
Mesothelioma	^	^	^	^	0.0	0.0	28.3	0
Kaposi Sarcoma	0.0	0.0	1.0	0	^	^	^	^
Miscellaneous	14.0	10.0	19.0	46	0.0	0.0	28.3	0

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	4.7	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	4.7	0	^	^	^	^
Myeloid and Monocytic Leukemia	9.2	3.5	19.3	7	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	12.2	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	12.2	0
Other Leukemia	^	^	^	^	0.0	0.0	12.2	0
Other Acute Leukemia	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	12.2	0
Mesothelioma	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Kaposi Sarcoma	0.0	0.0	4.7	0	0.0	0.0	12.2	0
Miscellaneous	10.0	3.9	20.5	8	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2007

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	464.0	441.6	487.3	1,911	453.5	334.0	597.6	65
Oral Cavity and Pharynx	10.9	7.8	14.7	49	^	^	^	^
Lip	^	^	^	^	0.0	0.0	26.4	0
Tongue	3.7	2.2	6.0	19	0.0	0.0	26.4	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	26.4	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	26.4	0
Nasopharynx	^	^	^	^	0.0	0.0	26.4	0
Tonsil	1.6	0.7	3.2	9	0.0	0.0	26.4	0
Oropharynx	^	^	^	^	0.0	0.0	26.4	0
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Digestive System	70.1	61.3	79.7	276	67.5	28.4	131.2	10
Esophagus	4.6	2.7	7.4	19	^	^	^	^
Stomach	3.3	1.6	5.8	13	^	^	^	^
Small Intestine	2.8	1.3	5.0	12	0.0	0.0	26.4	0
Colon and Rectum	35.0	28.8	41.9	136	^	^	^	^
Colon excluding Rectum	24.1	19.1	30.1	94	^	^	^	^
Cecum	4.5	2.4	7.6	16	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	26.4	0
Ascending Colon	4.8	2.7	7.8	19	0.0	0.0	26.4	0
Hepatic Flexure	^	^	^	^	0.0	0.0	26.4	0
Transverse Colon	^	^	^	^	0.0	0.0	26.4	0
Splenic Flexure	0.0	0.0	1.0	0	0.0	0.0	26.4	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	7.8	5.2	11.3	33	^	^	^	^
Large Intestine, NOS	4.0	2.0	7.0	13	0.0	0.0	26.4	0
Rectum and Rectosigmoid Junction	10.8	7.6	14.9	42	^	^	^	^
Rectosigmoid Junction	3.3	1.6	5.9	13	0.0	0.0	26.4	0
Rectum	7.5	4.9	11.0	29	^	^	^	^
Anus, Anal Canal and Anorectum	2.1	0.9	4.1	10	0.0	0.0	26.4	0
Liver and Intrahepatic Bile Duct	4.7	2.7	7.5	20	^	^	^	^
Liver	4.3	2.4	6.9	19	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	26.4	0
Other Biliary	3.4	1.7	6.0	13	0.0	0.0	26.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2007

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	493.2	441.3	549.2	366	367.9	300.3	445.7	115
Oral Cavity and Pharynx	14.7	6.9	26.8	11	^	^	^	^
Lip	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Tongue	^	^	^	^	0.0	0.0	11.7	0
Salivary Gland	^	^	^	^	0.0	0.0	11.7	0
Floor of Mouth	^	^	^	^	0.0	0.0	11.7	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	0.0	0.0	4.6	0	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	11.7	0
Oropharynx	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Hypopharynx	^	^	^	^	0.0	0.0	11.7	0
Other Oral Cavity and Pharynx	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Digestive System	150.9	122.9	183.0	111	83.2	51.4	126.1	23
Esophagus	^	^	^	^	^	^	^	^
Stomach	30.6	18.7	46.6	22	^	^	^	^
Small Intestine	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Colon and Rectum	82.9	62.4	107.6	60	^	^	^	^
Colon excluding Rectum	58.5	41.0	80.3	40	^	^	^	^
Cecum	9.0	3.2	19.3	6	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	11.7	0
Ascending Colon	9.2	3.5	19.1	7	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	11.7	0
Transverse Colon	^	^	^	^	0.0	0.0	11.7	0
Splenic Flexure	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Descending Colon	^	^	^	^	0.0	0.0	11.7	0
Sigmoid Colon	23.0	12.7	37.6	16	^	^	^	^
Large Intestine, NOS	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Rectum and Rectosigmoid Junction	24.4	14.7	38.0	20	^	^	^	^
Rectosigmoid Junction	8.3	2.9	18.1	6	0.0	0.0	11.7	0
Rectum	16.1	8.7	27.2	14	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	11.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^	33.6	14.8	63.7	9
Liver	^	^	^	^	33.6	14.8	63.7	9
Intrahepatic Bile Duct	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2007

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	11.7	8.2	16.0	44	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	26.4	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	26.4	0
Other Digestive Organs	^	^	^	^	0.0	0.0	26.4	0
Respiratory System	72.7	63.7	82.6	277	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	26.4	0
Larynx	4.7	2.9	7.4	23	0.0	0.0	26.4	0
Lung and Bronchus	67.6	58.9	77.2	253	^	^	^	^
Pleura	0.0	0.0	1.0	0	0.0	0.0	26.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.0	0	0.0	0.0	26.4	0
Bones and Joints	1.1	0.4	2.6	6	0.0	0.0	26.4	0
Soft Tissue including Heart	3.3	1.8	5.7	16	^	^	^	^
Skin excluding Basal and Squamous	13.7	10.1	18.0	59	0.0	0.0	26.4	0
Melanoma of the Skin	12.5	9.2	16.6	54	0.0	0.0	26.4	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	26.4	0
Urinary System	39.8	33.3	47.2	155	^	^	^	^
Urinary Bladder	24.0	18.9	30.0	89	0.0	0.0	26.4	0
Kidney and Renal Pelvis	15.5	11.7	20.2	64	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	26.4	0
Other Urinary Organs	^	^	^	^	0.0	0.0	26.4	0
Eye and Orbit	^	^	^	^	0.0	0.0	26.4	0
Brain and Other Nervous System	6.3	4.1	9.2	29	^	^	^	^
Brain	5.6	3.5	8.4	26	0.0	0.0	26.4	0
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	16.3	12.8	20.3	84	0.0	0.0	26.4	0
Thyroid	15.4	12.1	19.3	80	0.0	0.0	26.4	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	26.4	0
Lymphoma	22.2	17.6	27.7	93	^	^	^	^
Hodgkin Lymphoma	2.5	1.2	4.5	12	0.0	0.0	26.4	0
Hodgkin - Nodal	2.5	1.2	4.5	12	0.0	0.0	26.4	0
Hodgkin - Extranodal	0.0	0.0	1.0	0	0.0	0.0	26.4	0
Non-Hodgkin Lymphoma	19.7	15.3	25.0	81	^	^	^	^
NHL - Nodal	14.3	10.5	18.9	58	^	^	^	^
NHL - Extranodal	5.5	3.3	8.4	23	0.0	0.0	26.4	0
Myeloma	5.4	3.2	8.4	22	^	^	^	^
Leukemia	15.6	11.6	20.6	57	0.0	0.0	26.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2007

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	18.7	10.0	31.6	14	^	^	^	^
Retroperitoneum	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Other Digestive Organs	^	^	^	^	0.0	0.0	11.7	0
Respiratory System	89.5	67.4	116.0	60	40.2	20.0	71.2	12
Nose, Nasal Cavity and Middle Ear	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	84.0	62.6	109.8	56	35.5	16.4	65.7	10
Pleura	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Bones and Joints	^	^	^	^	0.0	0.0	11.7	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Urinary System	36.4	22.7	54.7	24	16.2	5.5	37.0	6
Urinary Bladder	9.7	3.8	20.0	7	^	^	^	^
Kidney and Renal Pelvis	26.7	15.0	43.1	17	^	^	^	^
Ureter	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Other Urinary Organs	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Eye and Orbit	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Brain and Other Nervous System	7.7	3.3	15.7	8	^	^	^	^
Brain	7.7	3.3	15.7	8	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	11.7	0
Lymphoma	15.1	7.7	26.4	13	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	11.7	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	11.7	0
Hodgkin - Extranodal	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Non-Hodgkin Lymphoma	13.9	6.7	25.1	11	^	^	^	^
NHL - Nodal	7.2	2.5	15.9	6	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	11.7	0
Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2007

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	8.0	5.2	11.6	29	0.0	0.0	26.4	0
Acute Lymphocytic Leukemia	1.4	0.6	3.1	7	0.0	0.0	26.4	0
Chronic Lymphocytic Leukemia	5.8	3.4	9.1	20	0.0	0.0	26.4	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	26.4	0
Myeloid and Monocytic Leukemia	7.7	4.9	11.4	28	0.0	0.0	26.4	0
Acute Myeloid Leukemia	4.6	2.6	7.6	17	0.0	0.0	26.4	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	26.4	0
Chronic Myeloid Leukemia	2.9	1.3	5.5	10	0.0	0.0	26.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.0	0	0.0	0.0	26.4	0
Other Leukemia	0.0	0.0	1.0	0	0.0	0.0	26.4	0
Other Acute Leukemia	0.0	0.0	1.0	0	0.0	0.0	26.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1.0	0	0.0	0.0	26.4	0
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	0.0	0.0	1.0	0	0.0	0.0	26.4	0
Miscellaneous	12.1	8.6	16.5	46	^	^	^	^

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	11.7	0
Other Lymphocytic Leukemia	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	11.7	0
Acute Monocytic Leukemia	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Chronic Myeloid Leukemia	0.0	0.0	4.6	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Other Leukemia	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Other Acute Leukemia	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Mesothelioma	0.0	0.0	4.6	0	0.0	0.0	11.7	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	11.7	0
Miscellaneous	33.7	20.1	52.0	20	0.0	0.0	11.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2008

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	487.5	464.7	511.0	2,060	463.2	343.8	606.4	68
Oral Cavity and Pharynx	11.4	8.3	15.2	55	0.0	0.0	25.3	0
Lip	^	^	^	^	0.0	0.0	25.3	0
Tongue	2.6	1.3	4.6	14	0.0	0.0	25.3	0
Salivary Gland	^	^	^	^	0.0	0.0	25.3	0
Floor of Mouth	^	^	^	^	0.0	0.0	25.3	0
Gum and Other Mouth	2.0	0.8	4.1	9	0.0	0.0	25.3	0
Nasopharynx	^	^	^	^	0.0	0.0	25.3	0
Tonsil	3.2	1.8	5.4	17	0.0	0.0	25.3	0
Oropharynx	^	^	^	^	0.0	0.0	25.3	0
Hypopharynx	^	^	^	^	0.0	0.0	25.3	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	25.3	0
Digestive System	88.5	78.7	99.2	350	62.6	21.9	131.5	7
Esophagus	7.4	4.7	10.8	29	0.0	0.0	25.3	0
Stomach	6.9	4.3	10.5	24	0.0	0.0	25.3	0
Small Intestine	1.5	0.5	3.4	6	0.0	0.0	25.3	0
Colon and Rectum	43.9	37.1	51.6	176	^	^	^	^
Colon excluding Rectum	33.0	27.0	39.8	127	^	^	^	^
Cecum	5.6	3.3	8.7	22	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	25.3	0
Ascending Colon	4.4	2.4	7.3	16	0.0	0.0	25.3	0
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	4.9	2.6	8.1	15	0.0	0.0	25.3	0
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	2.1	0.9	4.1	9	0.0	0.0	25.3	0
Sigmoid Colon	10.7	7.5	14.8	44	0.0	0.0	25.3	0
Large Intestine, NOS	2.7	1.2	5.2	9	0.0	0.0	25.3	0
Rectum and Rectosigmoid Junction	11.0	7.9	14.8	49	0.0	0.0	25.3	0
Rectosigmoid Junction	3.3	1.6	5.8	13	0.0	0.0	25.3	0
Rectum	7.7	5.2	10.9	36	0.0	0.0	25.3	0
Anus, Anal Canal and Anorectum	2.6	1.3	4.8	12	0.0	0.0	25.3	0
Liver and Intrahepatic Bile Duct	6.5	4.3	9.5	32	^	^	^	^
Liver	5.8	3.7	8.6	29	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	25.3	0
Other Biliary	3.0	1.4	5.6	12	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2008

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	430.1	384.1	479.9	346	336.5	273.9	408.5	111
Oral Cavity and Pharynx	6.5	2.3	14.4	6	^	^	^	^
Lip	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Tongue	^	^	^	^	0.0	0.0	11.1	0
Salivary Gland	^	^	^	^	0.0	0.0	11.1	0
Floor of Mouth	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	11.1	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Oropharynx	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Hypopharynx	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Other Oral Cavity and Pharynx	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Digestive System	124.9	100.7	152.8	100	101.2	65.8	147.3	28
Esophagus	^	^	^	^	0.0	0.0	11.1	0
Stomach	18.4	10.0	30.7	15	33.7	15.0	63.3	9
Small Intestine	^	^	^	^	0.0	0.0	11.1	0
Colon and Rectum	65.8	48.4	87.1	51	38.2	16.9	71.4	9
Colon excluding Rectum	47.2	32.3	66.0	35	23.8	8.3	51.2	6
Cecum	^	^	^	^	0.0	0.0	11.1	0
Appendix	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Ascending Colon	7.2	2.5	15.8	6	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	11.1	0
Transverse Colon	^	^	^	^	0.0	0.0	11.1	0
Splenic Flexure	0.0	0.0	4.5	0	^	^	^	^
Descending Colon	^	^	^	^	0.0	0.0	11.1	0
Sigmoid Colon	21.6	12.0	35.2	16	^	^	^	^
Large Intestine, NOS	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Rectum and Rectosigmoid Junction	18.6	10.4	30.6	16	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	14.0	7.1	24.8	12	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	11.1	0
Liver and Intrahepatic Bile Duct	11.6	5.4	21.7	10	^	^	^	^
Liver	11.6	5.4	21.7	10	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Gallbladder	^	^	^	^	0.0	0.0	11.1	0
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2008

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	13.4	9.6	18.1	48	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	25.3	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	25.3	0
Other Digestive Organs	^	^	^	^	0.0	0.0	25.3	0
Respiratory System	74.6	65.4	84.6	283	75.6	30.6	147.5	9
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	25.3	0
Larynx	3.4	1.7	5.9	14	0.0	0.0	25.3	0
Lung and Bronchus	70.3	61.4	80.0	265	75.6	30.6	147.5	9
Pleura	0.0	0.0	0.9	0	0.0	0.0	25.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.9	0	0.0	0.0	25.3	0
Bones and Joints	^	^	^	^	0.0	0.0	25.3	0
Soft Tissue including Heart	3.0	1.5	5.2	14	0.0	0.0	25.3	0
Skin excluding Basal and Squamous	16.1	12.3	20.6	74	0.0	0.0	25.3	0
Melanoma of the Skin	15.4	11.7	19.8	70	0.0	0.0	25.3	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	25.3	0
Urinary System	48.6	41.4	56.7	191	52.8	20.2	108.6	8
Urinary Bladder	29.5	23.8	36.1	108	^	^	^	^
Kidney and Renal Pelvis	17.4	13.3	22.2	76	^	^	^	^
Ureter	1.5	0.5	3.4	6	0.0	0.0	25.3	0
Other Urinary Organs	^	^	^	^	0.0	0.0	25.3	0
Eye and Orbit	^	^	^	^	0.0	0.0	25.3	0
Brain and Other Nervous System	9.4	6.7	13.0	43	^	^	^	^
Brain	8.8	6.1	12.2	40	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	25.3	0
Endocrine System	11.0	8.3	14.4	60	^	^	^	^
Thyroid	10.4	7.8	13.6	56	0.0	0.0	25.3	0
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	25.5	20.5	31.2	108	^	^	^	^
Hodgkin Lymphoma	4.2	2.5	6.7	19	^	^	^	^
Hodgkin - Nodal	4.2	2.5	6.7	19	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	0.9	0	0.0	0.0	25.3	0
Non-Hodgkin Lymphoma	21.3	16.7	26.6	89	0.0	0.0	25.3	0
NHL - Nodal	15.8	11.8	20.7	61	0.0	0.0	25.3	0
NHL - Extranodal	5.5	3.5	8.1	28	0.0	0.0	25.3	0
Myeloma	4.7	2.6	7.6	18	^	^	^	^
Leukemia	12.3	8.8	16.6	49	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2008

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	16.4	8.8	27.7	14	^	^	^	^
Retroperitoneum	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Other Digestive Organs	^	^	^	^	0.0	0.0	11.1	0
Respiratory System	91.0	69.4	116.7	64	35.4	16.1	65.6	10
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	11.1	0
Larynx	^	^	^	^	0.0	0.0	11.1	0
Lung and Bronchus	84.8	64.0	109.8	59	35.4	16.1	65.6	10
Pleura	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Bones and Joints	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	0.0	0.0	11.1	0
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Urinary System	27.3	16.3	42.2	21	13.8	5.1	31.5	6
Urinary Bladder	10.0	3.9	20.3	7	^	^	^	^
Kidney and Renal Pelvis	17.3	9.0	29.7	14	^	^	^	^
Ureter	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Other Urinary Organs	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Eye and Orbit	^	^	^	^	0.0	0.0	11.1	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Endocrine System	^	^	^	^	27.8	13.6	50.9	11
Thyroid	^	^	^	^	25.4	11.9	48.0	10
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	8.2	2.8	17.9	6	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	4.5	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	4.5	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Non-Hodgkin Lymphoma	8.2	2.8	17.9	6	^	^	^	^
NHL - Nodal	8.2	2.8	17.9	6	^	^	^	^
NHL - Extranodal	0.0	0.0	4.5	0	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	11.1	0
Leukemia	9.4	4.4	17.9	10	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2008

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	5.2	3.0	8.3	20	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	4.1	2.2	6.9	16	0.0	0.0	25.3	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	25.3	0
Myeloid and Monocytic Leukemia	6.4	4.0	9.6	26	^	^	^	^
Acute Myeloid Leukemia	4.9	2.7	7.9	18	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	0.9	0	0.0	0.0	25.3	0
Chronic Myeloid Leukemia	1.3	0.5	2.9	7	0.0	0.0	25.3	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	25.3	0
Other Leukemia	^	^	^	^	0.0	0.0	25.3	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	25.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	25.3	0
Mesothelioma	2.3	0.9	4.6	8	0.0	0.0	25.3	0
Kaposi Sarcoma	0.0	0.0	0.9	0	0.0	0.0	25.3	0
Miscellaneous	14.6	10.8	19.3	58	0.0	0.0	25.3	0

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Other Lymphocytic Leukemia	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Myeloid and Monocytic Leukemia	7.3	3.1	15.0	8	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	11.1	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	11.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Other Leukemia	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Other Acute Leukemia	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Mesothelioma	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Kaposi Sarcoma	0.0	0.0	4.5	0	0.0	0.0	11.1	0
Miscellaneous	17.6	9.6	29.2	15	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2009

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	414.7	394.1	436.1	1,822	411.5	304.3	540.6	64
Oral Cavity and Pharynx	10.1	7.2	13.6	50	^	^	^	^
Lip	^	^	^	^	0.0	0.0	23.3	0
Tongue	4.0	2.5	6.3	23	0.0	0.0	23.3	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	^	^	^	^	0.0	0.0	23.3	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	1.2	0.4	2.8	6	0.0	0.0	23.3	0
Oropharynx	^	^	^	^	0.0	0.0	23.3	0
Hypopharynx	^	^	^	^	0.0	0.0	23.3	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	23.3	0
Digestive System	71.2	62.7	80.4	306	74.6	36.1	133.6	14
Esophagus	3.0	1.6	5.3	14	^	^	^	^
Stomach	4.3	2.4	7.0	18	0.0	0.0	23.3	0
Small Intestine	2.5	1.2	4.6	11	^	^	^	^
Colon and Rectum	43.7	37.0	51.1	185	50.3	17.9	106.2	8
Colon excluding Rectum	34.2	28.2	41.0	134	41.2	11.8	95.6	6
Cecum	7.6	4.8	11.2	27	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	23.3	0
Ascending Colon	8.5	5.6	12.3	32	^	^	^	^
Hepatic Flexure	2.0	0.7	4.2	7	0.0	0.0	23.3	0
Transverse Colon	2.7	1.2	5.1	10	0.0	0.0	23.3	0
Splenic Flexure	^	^	^	^	0.0	0.0	23.3	0
Descending Colon	2.2	1.0	4.3	10	0.0	0.0	23.3	0
Sigmoid Colon	7.6	5.1	10.9	33	^	^	^	^
Large Intestine, NOS	2.4	1.0	4.6	9	0.0	0.0	23.3	0
Rectum and Rectosigmoid Junction	9.5	6.9	12.8	51	^	^	^	^
Rectosigmoid Junction	3.3	1.9	5.3	18	0.0	0.0	23.3	0
Rectum	6.2	4.1	9.1	33	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	23.3	0
Liver and Intrahepatic Bile Duct	4.5	2.8	7.0	24	^	^	^	^
Liver	4.1	2.4	6.5	22	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	23.3	0
Gallbladder	^	^	^	^	0.0	0.0	23.3	0
Other Biliary	^	^	^	^	0.0	0.0	23.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2009

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	479.5	431.1	531.6	393	309.4	251.2	376.5	109
Oral Cavity and Pharynx	17.5	9.6	29.1	15	^	^	^	^
Lip	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	0.0	0.0	10.4	0
Floor of Mouth	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Gum and Other Mouth	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Nasopharynx	13.7	6.7	24.6	11	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	10.4	0
Oropharynx	^	^	^	^	0.0	0.0	10.4	0
Hypopharynx	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Other Oral Cavity and Pharynx	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Digestive System	138.3	112.7	167.5	111	49.7	27.3	81.9	16
Esophagus	^	^	^	^	0.0	0.0	10.4	0
Stomach	15.2	7.6	26.8	12	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	10.4	0
Colon and Rectum	89.5	68.9	113.9	70	31.6	14.4	58.8	10
Colon excluding Rectum	66.7	48.9	88.5	51	^	^	^	^
Cecum	11.2	4.6	22.1	8	0.0	0.0	10.4	0
Appendix	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	10.4	0
Transverse Colon	9.3	3.5	19.1	7	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	10.4	0
Descending Colon	^	^	^	^	0.0	0.0	10.4	0
Sigmoid Colon	27.3	16.6	41.9	22	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	10.4	0
Rectum and Rectosigmoid Junction	22.7	13.4	35.8	19	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	21.8	12.6	34.7	18	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	10.4	0
Liver and Intrahepatic Bile Duct	9.2	3.9	18.1	8	^	^	^	^
Liver	8.2	3.3	17.0	7	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	10.4	0
Gallbladder	^	^	^	^	0.0	0.0	10.4	0
Other Biliary	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2009

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	9.1	6.2	12.9	37	^	^	^	^
Retroperitoneum	0.0	0.0	0.9	0	0.0	0.0	23.3	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	23.3	0
Other Digestive Organs	^	^	^	^	0.0	0.0	23.3	0
Respiratory System	64.8	56.4	74.0	251	76.7	32.0	147.0	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.9	0	0.0	0.0	23.3	0
Larynx	3.0	1.5	5.3	13	0.0	0.0	23.3	0
Lung and Bronchus	61.6	53.4	70.6	237	76.7	32.0	147.0	9
Pleura	0.0	0.0	0.9	0	0.0	0.0	23.3	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	23.3	0
Bones and Joints	^	^	^	^	0.0	0.0	23.3	0
Soft Tissue including Heart	3.7	1.9	6.3	16	0.0	0.0	23.3	0
Skin excluding Basal and Squamous	12.5	9.2	16.5	59	0.0	0.0	23.3	0
Melanoma of the Skin	11.5	8.4	15.4	56	0.0	0.0	23.3	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	23.3	0
Urinary System	40.1	33.6	47.3	167	^	^	^	^
Urinary Bladder	25.1	20.0	31.1	100	^	^	^	^
Kidney and Renal Pelvis	14.3	10.8	18.7	64	0.0	0.0	23.3	0
Ureter	^	^	^	^	0.0	0.0	23.3	0
Other Urinary Organs	^	^	^	^	0.0	0.0	23.3	0
Eye and Orbit	1.2	0.5	2.7	7	0.0	0.0	23.3	0
Brain and Other Nervous System	7.9	5.3	11.3	34	^	^	^	^
Brain	7.7	5.1	11.1	33	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	13.9	10.8	17.7	72	^	^	^	^
Thyroid	12.9	9.9	16.6	68	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	23.3	0
Lymphoma	21.1	16.6	26.4	89	0.0	0.0	23.3	0
Hodgkin Lymphoma	2.1	1.0	4.0	10	0.0	0.0	23.3	0
Hodgkin - Nodal	1.9	0.8	3.8	9	0.0	0.0	23.3	0
Hodgkin - Extranodal	^	^	^	^	0.0	0.0	23.3	0
Non-Hodgkin Lymphoma	19.0	14.7	24.1	79	0.0	0.0	23.3	0
NHL - Nodal	11.7	8.4	15.8	49	0.0	0.0	23.3	0
NHL - Extranodal	7.3	4.8	10.7	30	0.0	0.0	23.3	0
Myeloma	4.4	2.4	7.2	17	^	^	^	^
Leukemia	6.2	4.0	9.2	30	0.0	0.0	23.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2009

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Pancreas	8.2	3.5	16.4	8	0.0	0.0	10.4	0
Retroperitoneum	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Other Digestive Organs	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Respiratory System	98.5	76.4	124.6	74	46.1	25.0	76.8	15
Nose, Nasal Cavity and Middle Ear	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Larynx	^	^	^	^	0.0	0.0	10.4	0
Lung and Bronchus	93.1	71.7	118.5	70	46.1	25.0	76.8	15
Pleura	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Bones and Joints	0.0	0.0	4.3	0	^	^	^	^
Soft Tissue including Heart	^	^	^	^	0.0	0.0	10.4	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	0.0	0.0	10.4	0
Other Non-Epithelial Skin	0.0	0.0	4.3	0	^	^	^	^
Urinary System	40.3	26.5	58.1	29	27.9	11.7	54.6	8
Urinary Bladder	8.8	3.1	19.0	6	^	^	^	^
Kidney and Renal Pelvis	31.4	19.5	47.4	23	^	^	^	^
Ureter	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Other Urinary Organs	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Eye and Orbit	^	^	^	^	^	^	^	^
Brain and Other Nervous System	5.0	1.8	11.7	6	^	^	^	^
Brain	5.0	1.8	11.7	6	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Endocrine System	10.9	5.3	19.9	11	15.0	5.3	33.7	6
Thyroid	10.9	5.3	19.9	11	15.0	5.3	33.7	6
Other Endocrine including Thymus	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Lymphoma	8.4	3.2	17.5	8	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Hodgkin - Nodal	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Hodgkin - Extranodal	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Non-Hodgkin Lymphoma	8.4	3.2	17.5	8	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	10.4	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2009, by Race

2009

	White				Black			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	2.8	1.4	4.9	14	0.0	0.0	23.3	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	23.3	0
Chronic Lymphocytic Leukemia	2.0	1.0	3.7	11	0.0	0.0	23.3	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	23.3	0
Myeloid and Monocytic Leukemia	2.8	1.4	5.0	14	0.0	0.0	23.3	0
Acute Myeloid Leukemia	2.0	0.9	3.9	10	0.0	0.0	23.3	0
Acute Monocytic Leukemia	0.0	0.0	0.9	0	0.0	0.0	23.3	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	23.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.9	0	0.0	0.0	23.3	0
Other Leukemia	^	^	^	^	0.0	0.0	23.3	0
Other Acute Leukemia	0.0	0.0	0.9	0	0.0	0.0	23.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	23.3	0
Mesothelioma	2.1	0.8	4.4	7	0.0	0.0	23.3	0
Kaposi Sarcoma	0.0	0.0	0.9	0	0.0	0.0	23.3	0
Miscellaneous	10.4	7.2	14.5	40	^	^	^	^

	Alaska Native/American Indian				Asian or Pacific Islander			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Other Lymphocytic Leukemia	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Other Leukemia	^	^	^	^	0.0	0.0	10.4	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	10.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Mesothelioma	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Kaposi Sarcoma	0.0	0.0	4.3	0	0.0	0.0	10.4	0
Miscellaneous	13.6	6.2	25.1	10	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.
 ~ Statistic could not be calculated.
 ^ Statistic not displayed due to fewer than 6 cases.