

Session Type: Rate

Suggested Citation

Software: Surveillance Research Program, National Cancer Institute SEER*Stat software (www.seer.cancer.gov/seerstat) version 7.0.5.

Data: Alaska Bureau of Vital Status SEER*Stat Database - Mortality data for death years 1996 to 2009. Released February 2011. Alaska population data for rate calculations are from the SEER Program (<http://www.seer.cancer.gov/popdata/>) and include populations by borough/census area, expanded races, and Hispanic origin.

Data

Database: AK Mortality w/Borough, Race, & Hispanic Pops (1996-2009), Jan 2012

Statistic

Statistic: Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)

P-Values: .05

Options: Display Confidence Intervals (Tiwari mod) and Standard Errors

Selection

Select Only: Known Age, Male or Female Sex

Table

Page: Year of death

Row: Cause of dth rec - Ca non-gender-specific [COD recode with Kaposi and mesothelioma]

Output

Title: Cancer Deaths in Alaska, 1996 to 2009

Suppress: Statistics based on fewer than 6 cases

Display Rates as: Cases per 100,000

Precision: 1 decimal place (default)

Cancer Deaths in Alaska, 1996 to 2009

Total

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	189.6	185.6	193.6	10,180
Oral Cavity and Pharynx	2.9	2.4	3.4	168
Lip	^	^	^	^
Tongue	0.4	0.3	0.6	25
Salivary Gland	0.2	0.1	0.4	12
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.4	0.2	0.6	22
Nasopharynx	0.8	0.6	1.1	48
Tonsil	0.1	0.0	0.2	8
Oropharynx	0.2	0.1	0.4	12
Hypopharynx	0.1	0.0	0.3	6
Other Oral Cavity and Pharynx	0.6	0.4	0.8	32
Digestive System	47.7	45.7	49.8	2,547
Esophagus	4.8	4.2	5.4	273
Stomach	5.3	4.7	6.0	301
Small Intestine	0.4	0.3	0.6	24
Colon and Rectum	18.4	17.2	19.8	921
Colon excluding Rectum	15.2	14.0	16.4	744
Rectum and Rectosigmoid Junction	3.3	2.8	3.8	177
Anus, Anal Canal and Anorectum	0.2	0.1	0.4	15
Liver and Intrahepatic Bile Duct	5.7	5.1	6.4	338
Liver	4.4	3.8	5.0	260
Intrahepatic Bile Duct	1.4	1.1	1.7	78
Gallbladder	0.6	0.4	0.9	28
Other Biliary	0.5	0.3	0.8	25
Pancreas	10.9	9.9	11.9	584
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.1	0.0	0.3	7
Other Digestive Organs	0.6	0.4	0.9	28
Respiratory System	56.5	54.4	58.7	3,028
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.8	0.6	1.2	44
Lung and Bronchus	55.5	53.4	57.6	2,974
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.3	0.2	0.5	28
Soft Tissue including Heart	1.3	1.0	1.6	88

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

Total

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.7	2.2	3.1	176
Melanoma of the Skin	2.0	1.7	2.4	139
Other Non-Epithelial Skin	0.6	0.4	0.9	37
Urinary System	9.1	8.2	10.1	438
Urinary Bladder	4.5	3.9	5.3	196
Kidney and Renal Pelvis	4.4	3.8	5.0	232
Ureter	^	^	^	^
Other Urinary Organs	0.1	0.0	0.3	6
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.2	3.7	4.8	282
Endocrine System	0.7	0.5	1.0	43
Thyroid	0.5	0.3	0.8	25
Other Endocrine including Thymus	0.2	0.1	0.4	18
Lymphoma	7.4	6.6	8.2	394
Hodgkin Lymphoma	0.4	0.2	0.6	24
Non-Hodgkin Lymphoma	7.0	6.2	7.8	370
Myeloma	3.4	2.9	4.0	173
Leukemia	7.1	6.3	7.9	368
Lymphocytic Leukemia	2.4	2.0	3.0	117
Acute Lymphocytic Leukemia	0.5	0.3	0.7	35
Chronic Lymphocytic Leukemia	1.7	1.3	2.2	71
Other Lymphocytic Leukemia	0.2	0.1	0.4	11
Myeloid and Monocytic Leukemia	3.2	2.7	3.7	185
Acute Myeloid Leukemia	2.4	2.0	2.8	140
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.6	0.4	0.9	36
Other Myeloid/Monocytic Leukemia	0.2	0.1	0.4	8
Other Leukemia	1.5	1.1	1.9	66
Other Acute Leukemia	0.5	0.3	0.8	22
Aleukemic, Subleukemic and NOS	1.0	0.7	1.3	44
Mesothelioma (ICD-10 only)	1.1	0.8	1.5	49
Miscellaneous Malignant Cancer	15.9	14.7	17.1	831

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

1996

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	223.9	204.9	243.9	651
Oral Cavity and Pharynx	3.4	1.5	6.3	11
Lip	0.0	0.0	1.1	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	1.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	1.1	0
Oropharynx	0.0	0.0	1.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	55.2	45.7	65.9	150
Esophagus	4.4	1.9	8.2	11
Stomach	9.4	5.9	13.9	29
Small Intestine	^	^	^	^
Colon and Rectum	25.2	18.7	32.9	62
Colon excluding Rectum	21.2	15.3	28.5	52
Rectum and Rectosigmoid Junction	3.9	1.7	7.3	10
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	2.5	1.1	4.9	9
Liver	2.3	0.9	4.6	8
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	1.1	0
Pancreas	12.5	8.3	17.9	35
Retroperitoneum	0.0	0.0	1.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.1	0
Other Digestive Organs	0.0	0.0	1.1	0
Respiratory System	65.9	56.0	76.8	187
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.1	0
Larynx	0.0	0.0	1.1	0
Lung and Bronchus	65.6	55.8	76.5	186
Pleura	0.0	0.0	1.1	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	1.8	0.8	3.6	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

1996

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	4.3	2.3	7.4	16
Melanoma of the Skin	3.8	1.9	6.8	14
Other Non-Epithelial Skin	^	^	^	^
Urinary System	13.2	8.7	18.9	32
Urinary Bladder	5.6	2.7	9.9	12
Kidney and Renal Pelvis	7.0	4.0	11.2	19
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	1.1	0
Eye and Orbit	0.0	0.0	1.1	0
Brain and Other Nervous System	5.1	3.0	8.3	23
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	1.1	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	9.2	5.8	13.7	29
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	8.9	5.6	13.4	28
Myeloma	5.5	2.7	9.6	13
Leukemia	8.9	5.3	13.7	26
Lymphocytic Leukemia	4.1	1.6	7.9	9
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	3.8	1.4	7.6	7
Other Lymphocytic Leukemia	0.0	0.0	1.1	0
Myeloid and Monocytic Leukemia	3.6	1.7	6.5	14
Acute Myeloid Leukemia	1.5	0.5	3.5	7
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	1.1	0
Miscellaneous Malignant Cancer	19.7	14.3	26.2	55

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

1997

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	195.0	178.1	212.9	615
Oral Cavity and Pharynx	3.9	2.0	6.8	14
Lip	0.0	0.0	1.1	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	1.1	0
Floor of Mouth	0.0	0.0	1.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	1.1	0
Oropharynx	0.0	0.0	1.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	44.9	36.8	54.1	135
Esophagus	3.4	1.5	6.5	9
Stomach	4.9	2.8	7.9	18
Small Intestine	^	^	^	^
Colon and Rectum	16.8	12.0	22.7	52
Colon excluding Rectum	13.3	9.1	18.4	42
Rectum and Rectosigmoid Junction	3.5	1.4	6.8	10
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	5.1	2.5	8.8	14
Liver	3.8	1.7	7.1	11
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	11.8	7.9	16.8	35
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	1.1	0
Other Digestive Organs	0.0	0.0	1.1	0
Respiratory System	60.4	51.7	70.2	198
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.3	0.7	5.1	6
Lung and Bronchus	57.7	49.2	67.1	191
Pleura	0.0	0.0	1.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.1	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	1.1	0.4	2.7	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

1997

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.8	1.0	5.8	9
Melanoma of the Skin	1.7	0.5	4.0	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	8.3	5.0	12.8	23
Urinary Bladder	5.3	2.7	9.2	13
Kidney and Renal Pelvis	3.0	1.2	5.8	10
Ureter	0.0	0.0	1.1	0
Other Urinary Organs	0.0	0.0	1.1	0
Eye and Orbit	0.0	0.0	1.1	0
Brain and Other Nervous System	3.8	2.0	6.6	15
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1.1	0
Lymphoma	6.3	3.7	9.9	22
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	5.9	3.3	9.4	20
Myeloma	3.7	1.6	7.0	9
Leukemia	6.8	3.9	10.8	23
Lymphocytic Leukemia	2.1	0.5	4.9	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.1	0
Myeloid and Monocytic Leukemia	2.9	1.4	5.4	11
Acute Myeloid Leukemia	2.2	0.8	4.5	7
Acute Monocytic Leukemia	0.0	0.0	1.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.1	0
Other Leukemia	1.8	0.5	4.3	6
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	1.1	0
Miscellaneous Malignant Cancer	16.5	11.9	22.2	50

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

1998

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	200.0	183.3	217.6	649
Oral Cavity and Pharynx	4.3	2.2	7.6	14
Lip	0.0	0.0	1.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	1.0	0
Floor of Mouth	0.0	0.0	1.0	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	1.0	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	51.2	43.0	60.3	169
Esophagus	7.9	4.9	11.9	26
Stomach	8.3	5.4	12.1	32
Small Intestine	^	^	^	^
Colon and Rectum	17.8	12.8	23.8	52
Colon excluding Rectum	14.9	10.3	20.5	43
Rectum and Rectosigmoid Junction	2.8	1.2	5.5	9
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.7	3.9	10.4	21
Liver	4.9	2.6	8.1	16
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	8.7	5.7	12.6	31
Retroperitoneum	0.0	0.0	1.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.0	0
Other Digestive Organs	0.0	0.0	1.0	0
Respiratory System	62.6	53.6	72.4	203
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.3	0.9	4.8	7
Lung and Bronchus	60.1	51.3	69.8	195
Pleura	0.0	0.0	1.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

1998

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.5	1.2	4.7	11
Melanoma of the Skin	2.5	1.2	4.7	11
Other Non-Epithelial Skin	0.0	0.0	1.0	0
Urinary System	9.9	6.3	14.5	29
Urinary Bladder	6.6	3.7	10.6	18
Kidney and Renal Pelvis	3.3	1.5	6.0	11
Ureter	0.0	0.0	1.0	0
Other Urinary Organs	0.0	0.0	1.0	0
Eye and Orbit	0.0	0.0	1.0	0
Brain and Other Nervous System	4.1	2.2	6.8	17
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	1.0	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	11.1	7.3	15.9	34
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	10.7	7.0	15.5	33
Myeloma	1.8	0.6	4.0	6
Leukemia	8.1	4.8	12.6	24
Lymphocytic Leukemia	2.4	0.7	5.3	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.0	0
Myeloid and Monocytic Leukemia	4.8	2.4	8.3	15
Acute Myeloid Leukemia	3.5	1.6	6.5	12
Acute Monocytic Leukemia	0.0	0.0	1.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.0	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	1.0	0
Miscellaneous Malignant Cancer	10.8	7.1	15.5	32

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

1999

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	190.6	174.4	207.7	622
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	1.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	1.0	0
Floor of Mouth	0.0	0.0	1.0	0
Gum and Other Mouth	0.0	0.0	1.0	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	1.0	0
Oropharynx	0.0	0.0	1.0	0
Hypopharynx	0.0	0.0	1.0	0
Other Oral Cavity and Pharynx	0.0	0.0	1.0	0
Digestive System	50.3	42.0	59.7	158
Esophagus	3.8	1.9	6.6	13
Stomach	6.1	3.7	9.2	24
Small Intestine	^	^	^	^
Colon and Rectum	21.2	15.7	27.8	61
Colon excluding Rectum	17.0	12.1	23.0	49
Rectum and Rectosigmoid Junction	4.2	2.0	7.4	12
Anus, Anal Canal and Anorectum	0.0	0.0	1.0	0
Liver and Intrahepatic Bile Duct	4.2	2.2	7.1	16
Liver	3.0	1.4	5.6	11
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	1.0	0
Pancreas	13.2	9.1	18.4	40
Retroperitoneum	0.0	0.0	1.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.0	0
Other Digestive Organs	^	^	^	^
Respiratory System	55.1	46.7	64.4	180
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.0	0
Larynx	^	^	^	^
Lung and Bronchus	54.1	45.8	63.3	177
Pleura	0.0	0.0	1.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	1.7	0.5	3.8	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

1999

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.3	0.9	4.7	9
Melanoma of the Skin	1.7	0.6	3.8	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	10.4	6.6	15.3	27
Urinary Bladder	3.8	1.5	7.2	8
Kidney and Renal Pelvis	5.7	3.2	9.2	17
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	1.0	0
Brain and Other Nervous System	4.4	2.6	6.9	20
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1.0	0
Lymphoma	6.8	4.0	10.5	24
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	6.4	3.7	10.1	22
Myeloma	4.8	2.6	8.1	15
Leukemia	6.8	3.9	10.8	21
Lymphocytic Leukemia	2.7	1.0	5.6	7
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.0	0
Myeloid and Monocytic Leukemia	2.5	1.0	5.0	10
Acute Myeloid Leukemia	1.7	0.5	3.8	7
Acute Monocytic Leukemia	0.0	0.0	1.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	2.6	1.0	5.2	8
Miscellaneous Malignant Cancer	19.0	14.3	24.7	65

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2000

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	210.3	193.8	227.8	708
Oral Cavity and Pharynx	5.6	3.4	8.7	23
Lip	0.0	0.0	0.9	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.8	0.7	3.7	7
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.9	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	50.5	42.4	59.5	162
Esophagus	5.1	3.0	7.9	21
Stomach	4.5	2.4	7.7	14
Small Intestine	^	^	^	^
Colon and Rectum	23.0	17.4	29.6	64
Colon excluding Rectum	18.9	13.8	25.1	52
Rectum and Rectosigmoid Junction	4.1	2.1	7.1	12
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.8	4.2	10.2	24
Liver	5.7	3.4	9.0	20
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	8.0	5.3	11.6	31
Retroperitoneum	0.0	0.0	0.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	61.5	53.0	71.0	209
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.9	0
Larynx	^	^	^	^
Lung and Bronchus	60.2	51.7	69.6	205
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2000

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	1.8	0.8	3.6	8
Melanoma of the Skin	1.8	0.8	3.6	8
Other Non-Epithelial Skin	0.0	0.0	0.9	0
Urinary System	10.3	6.8	14.8	32
Urinary Bladder	5.5	2.9	9.3	13
Kidney and Renal Pelvis	4.8	2.7	7.7	19
Ureter	0.0	0.0	0.9	0
Other Urinary Organs	0.0	0.0	0.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	2.9	1.4	5.1	13
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	0.9	0
Lymphoma	10.7	7.1	15.3	35
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	10.6	7.0	15.2	34
Myeloma	4.1	2.1	7.2	13
Leukemia	8.5	5.2	12.7	26
Lymphocytic Leukemia	3.0	1.3	5.8	9
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	2.5	0.9	5.3	6
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.8	1.9	6.6	14
Acute Myeloid Leukemia	3.3	1.5	5.9	12
Acute Monocytic Leukemia	0.0	0.0	0.9	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.9	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	15.8	11.4	21.1	52

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2001

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	193.8	178.3	210.2	680
Oral Cavity and Pharynx	4.7	2.5	7.8	15
Lip	0.0	0.0	0.9	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	0.9	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	0.9	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.9	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	53.4	45.4	62.2	187
Esophagus	4.6	2.6	7.5	17
Stomach	6.2	3.5	10.0	18
Small Intestine	^	^	^	^
Colon and Rectum	22.9	17.7	28.9	78
Colon excluding Rectum	17.7	13.1	23.1	57
Rectum and Rectosigmoid Junction	5.2	3.0	8.2	21
Anus, Anal Canal and Anorectum	0.0	0.0	0.9	0
Liver and Intrahepatic Bile Duct	6.6	4.1	9.8	26
Liver	5.1	3.0	8.1	21
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	11.0	7.6	15.2	40
Retroperitoneum	0.0	0.0	0.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	55.4	47.4	64.2	197
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.9	0
Larynx	^	^	^	^
Lung and Bronchus	55.2	47.2	64.0	196
Pleura	0.0	0.0	0.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.9	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2001

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.9	0.3	2.2	6
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	8.7	5.6	12.9	27
Urinary Bladder	5.5	3.0	9.1	14
Kidney and Renal Pelvis	3.2	1.6	5.7	13
Ureter	0.0	0.0	0.9	0
Other Urinary Organs	0.0	0.0	0.9	0
Eye and Orbit	0.0	0.0	0.9	0
Brain and Other Nervous System	4.4	2.5	7.0	21
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	0.9	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	6.3	3.9	9.6	24
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	5.9	3.5	9.2	22
Myeloma	4.7	2.5	7.8	15
Leukemia	5.5	3.2	8.8	19
Lymphocytic Leukemia	1.3	0.4	2.9	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	0.9	0
Myeloid and Monocytic Leukemia	2.5	1.1	4.8	9
Acute Myeloid Leukemia	1.8	0.7	3.9	7
Acute Monocytic Leukemia	0.0	0.0	0.9	0
Chronic Myeloid Leukemia	0.0	0.0	0.9	0
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	15.6	11.3	20.8	51

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2002

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	191.1	176.1	207.0	712
Oral Cavity and Pharynx	1.7	0.7	3.4	8
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	0.8	0
Gum and Other Mouth	0.0	0.0	0.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	0.8	0
Oropharynx	0.0	0.0	0.8	0
Hypopharynx	0.0	0.0	0.8	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	48.6	41.3	56.8	184
Esophagus	5.8	3.3	9.2	18
Stomach	6.8	4.2	10.1	25
Small Intestine	^	^	^	^
Colon and Rectum	17.9	13.5	23.1	66
Colon excluding Rectum	14.2	10.3	19.0	50
Rectum and Rectosigmoid Junction	3.7	2.0	6.2	16
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	4.5	2.7	7.2	21
Liver	3.5	1.9	6.0	16
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	10.1	7.0	13.9	42
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.8	0
Other Digestive Organs	^	^	^	^
Respiratory System	52.1	44.6	60.4	200
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.8	0
Larynx	^	^	^	^
Lung and Bronchus	51.1	43.7	59.3	197
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2002

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	3.9	2.0	6.5	17
Melanoma of the Skin	2.3	1.0	4.3	12
Other Non-Epithelial Skin	^	^	^	^
Urinary System	7.9	5.1	11.5	27
Urinary Bladder	3.6	1.7	6.4	11
Kidney and Renal Pelvis	3.4	1.7	5.9	13
Ureter	0.0	0.0	0.8	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.0	2.3	6.3	20
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	8.8	5.8	12.6	32
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	7.9	5.1	11.6	29
Myeloma	3.4	1.7	5.8	14
Leukemia	6.4	3.8	9.9	22
Lymphocytic Leukemia	3.0	1.3	5.6	10
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	2.3	0.9	4.7	7
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	1.7	0.6	3.7	7
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	0.8	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	14.8	10.8	19.7	52

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2003

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	189.4	174.8	204.7	732
Oral Cavity and Pharynx	4.9	2.8	7.8	19
Lip	0.0	0.0	0.8	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	0.8	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	0.8	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.8	0
Other Oral Cavity and Pharynx	1.8	0.6	4.0	6
Digestive System	49.8	42.3	58.1	188
Esophagus	5.8	3.5	8.8	24
Stomach	5.0	2.8	7.9	19
Small Intestine	^	^	^	^
Colon and Rectum	18.2	13.7	23.4	65
Colon excluding Rectum	14.7	10.7	19.5	53
Rectum and Rectosigmoid Junction	3.5	1.7	6.1	12
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.5	4.8	11.1	29
Liver	6.0	3.6	9.3	23
Intrahepatic Bile Duct	1.5	0.5	3.3	6
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	10.8	7.5	14.9	40
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	56.6	48.8	65.2	214
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.8	0
Larynx	^	^	^	^
Lung and Bronchus	56.4	48.6	65.0	213
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2003

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	1.7	0.8	3.2	10
Melanoma of the Skin	1.4	0.6	2.8	8
Other Non-Epithelial Skin	^	^	^	^
Urinary System	13.2	9.3	18.0	41
Urinary Bladder	6.9	4.1	10.6	21
Kidney and Renal Pelvis	6.0	3.4	9.4	19
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	0.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.5	2.6	7.1	19
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	7.4	4.8	10.7	31
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	6.4	4.0	9.5	26
Myeloma	2.9	1.5	5.1	13
Leukemia	6.3	3.8	9.5	24
Lymphocytic Leukemia	2.1	0.7	4.5	6
Acute Lymphocytic Leukemia	0.0	0.0	0.8	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.1	1.7	5.3	15
Acute Myeloid Leukemia	2.2	1.0	4.0	11
Acute Monocytic Leukemia	0.0	0.0	0.8	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	15.3	11.4	20.1	62

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2004

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	185.2	170.9	200.2	723
Oral Cavity and Pharynx	3.2	1.6	5.4	13
Lip	0.0	0.0	0.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	0.8	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	0.8	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.8	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	46.9	39.8	54.8	179
Esophagus	4.5	2.6	7.2	19
Stomach	4.5	2.5	7.4	17
Small Intestine	^	^	^	^
Colon and Rectum	16.7	12.4	21.7	59
Colon excluding Rectum	14.7	10.7	19.5	50
Rectum and Rectosigmoid Junction	2.0	0.8	3.9	9
Anus, Anal Canal and Anorectum	0.0	0.0	0.8	0
Liver and Intrahepatic Bile Duct	8.2	5.5	11.7	34
Liver	5.8	3.6	8.8	24
Intrahepatic Bile Duct	2.4	1.1	4.5	10
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	10.5	7.3	14.4	41
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	58.9	51.1	67.4	231
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	58.1	50.4	66.6	228
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	1.1	0.4	2.6	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2004

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.4	1.0	4.5	10
Melanoma of the Skin	2.4	1.0	4.5	10
Other Non-Epithelial Skin	0.0	0.0	0.8	0
Urinary System	8.9	5.9	12.7	32
Urinary Bladder	5.8	3.3	9.1	17
Kidney and Renal Pelvis	3.1	1.6	5.3	15
Ureter	0.0	0.0	0.8	0
Other Urinary Organs	0.0	0.0	0.8	0
Eye and Orbit	0.0	0.0	0.8	0
Brain and Other Nervous System	4.5	2.8	6.8	24
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	4.4	2.5	7.0	18
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	3.9	2.1	6.5	16
Myeloma	3.2	1.6	5.7	12
Leukemia	5.0	3.0	7.8	22
Lymphocytic Leukemia	3.0	1.4	5.5	10
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	2.4	0.9	4.7	7
Other Lymphocytic Leukemia	0.0	0.0	0.8	0
Myeloid and Monocytic Leukemia	1.7	0.8	3.3	10
Acute Myeloid Leukemia	1.7	0.8	3.3	10
Acute Monocytic Leukemia	0.0	0.0	0.8	0
Chronic Myeloid Leukemia	0.0	0.0	0.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	16.8	12.6	21.8	62

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2005

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	171.1	157.9	185.1	723
Oral Cavity and Pharynx	2.1	1.0	3.9	10
Lip	0.0	0.0	0.8	0
Tongue	0.0	0.0	0.8	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	0.8	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	41.0	34.6	48.2	169
Esophagus	4.3	2.5	6.6	22
Stomach	4.0	2.3	6.4	18
Small Intestine	^	^	^	^
Colon and Rectum	15.0	11.1	19.6	59
Colon excluding Rectum	11.2	7.9	15.3	44
Rectum and Rectosigmoid Junction	3.7	2.0	6.2	15
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	5.6	3.5	8.4	25
Liver	4.6	2.7	7.2	20
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	9.3	6.3	13.1	34
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	51.2	44.1	59.0	214
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.8	0
Larynx	^	^	^	^
Lung and Bronchus	50.6	43.6	58.4	212
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2005

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	3.4	1.9	5.7	16
Melanoma of the Skin	2.5	1.2	4.5	12
Other Non-Epithelial Skin	^	^	^	^
Urinary System	6.7	4.3	9.9	29
Urinary Bladder	3.0	1.5	5.4	12
Kidney and Renal Pelvis	3.7	2.0	6.1	17
Ureter	0.0	0.0	0.8	0
Other Urinary Organs	0.0	0.0	0.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	3.7	2.1	5.9	20
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	7.1	4.6	10.3	30
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	7.0	4.5	10.2	29
Myeloma	3.4	1.7	5.9	13
Leukemia	8.3	5.5	11.8	34
Lymphocytic Leukemia	3.5	1.8	6.1	13
Acute Lymphocytic Leukemia	1.3	0.4	3.0	6
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	2.7	1.3	4.8	13
Acute Myeloid Leukemia	2.5	1.1	4.5	11
Acute Monocytic Leukemia	0.0	0.0	0.8	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	2.0	0.8	4.1	8
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	1.8	0.6	3.8	6
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	16.3	12.4	21.0	67

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2006

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	177.5	164.3	191.3	781
Oral Cavity and Pharynx	2.7	1.3	4.8	12
Lip	0.0	0.0	0.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	0.7	0
Floor of Mouth	0.0	0.0	0.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.4	0.5	3.0	6
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	0.7	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	46.4	39.8	53.7	205
Esophagus	5.5	3.5	8.2	28
Stomach	4.1	2.5	6.4	22
Small Intestine	^	^	^	^
Colon and Rectum	17.2	13.2	22.0	69
Colon excluding Rectum	15.0	11.2	19.5	59
Rectum and Rectosigmoid Junction	2.2	1.0	4.2	10
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	4.9	3.0	7.4	25
Liver	4.1	2.4	6.5	20
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	11.6	8.4	15.6	48
Retroperitoneum	0.0	0.0	0.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.7	0
Other Digestive Organs	^	^	^	^
Respiratory System	47.5	40.8	54.8	208
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	46.6	40.0	53.8	203
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.7	0
Bones and Joints	0.0	0.0	0.7	0
Soft Tissue including Heart	1.7	0.8	3.3	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2006

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.4	1.3	4.2	14
Melanoma of the Skin	1.8	0.9	3.4	11
Other Non-Epithelial Skin	^	^	^	^
Urinary System	7.5	5.0	10.8	31
Urinary Bladder	4.0	2.2	6.5	17
Kidney and Renal Pelvis	3.5	1.9	5.9	14
Ureter	0.0	0.0	0.7	0
Other Urinary Organs	0.0	0.0	0.7	0
Eye and Orbit	0.0	0.0	0.7	0
Brain and Other Nervous System	4.3	2.4	6.8	19
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	0.7	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	7.3	4.7	10.6	29
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	7.1	4.6	10.4	28
Myeloma	3.5	1.8	5.9	15
Leukemia	9.5	6.5	13.2	39
Lymphocytic Leukemia	3.9	2.0	6.6	13
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	2.6	1.1	5.0	8
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.5	1.9	5.7	17
Acute Myeloid Leukemia	2.0	0.9	3.8	11
Acute Monocytic Leukemia	0.0	0.0	0.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	2.2	0.9	4.2	9
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	1.9	0.7	3.8	8
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	15.1	11.3	19.6	63

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2007

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	183.4	170.2	197.2	837
Oral Cavity and Pharynx	1.3	0.5	2.8	7
Lip	0.0	0.0	0.7	0
Tongue	0.0	0.0	0.7	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	0.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.7	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	43.1	36.9	50.0	201
Esophagus	3.9	2.3	6.0	22
Stomach	3.2	1.8	5.3	18
Small Intestine	^	^	^	^
Colon and Rectum	19.2	15.0	24.1	81
Colon excluding Rectum	15.9	12.1	20.4	68
Rectum and Rectosigmoid Junction	3.3	1.7	5.7	13
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	4.4	2.7	6.9	23
Liver	2.9	1.6	4.9	17
Intrahepatic Bile Duct	1.5	0.5	3.3	6
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	10.3	7.4	13.9	48
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	0.7	0
Other Digestive Organs	^	^	^	^
Respiratory System	56.8	49.6	64.7	255
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.7	0
Larynx	^	^	^	^
Lung and Bronchus	56.3	49.0	64.1	252
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	1.6	0.7	3.1	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2007

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.2	1.1	3.8	13
Melanoma of the Skin	1.9	0.9	3.6	11
Other Non-Epithelial Skin	^	^	^	^
Urinary System	8.0	5.4	11.3	33
Urinary Bladder	2.7	1.3	4.9	10
Kidney and Renal Pelvis	5.0	3.1	7.7	22
Ureter	0.0	0.0	0.7	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	0.7	0
Brain and Other Nervous System	4.1	2.4	6.5	20
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	0.7	0
Lymphoma	5.0	3.0	7.8	22
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	4.9	2.9	7.6	21
Myeloma	1.6	0.6	3.3	8
Leukemia	7.5	4.9	10.8	31
Lymphocytic Leukemia	1.5	0.6	3.2	8
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	5.1	3.0	8.1	19
Acute Myeloid Leukemia	3.4	1.7	5.8	13
Acute Monocytic Leukemia	0.0	0.0	0.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	1.7	0.6	3.7	6
Miscellaneous Malignant Cancer	19.7	15.5	24.6	88

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2008

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	180.4	167.6	193.9	856
Oral Cavity and Pharynx	2.3	1.1	4.1	11
Lip	0.0	0.0	0.7	0
Tongue	0.0	0.0	0.7	0
Salivary Gland	0.0	0.0	0.7	0
Floor of Mouth	0.0	0.0	0.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	0.7	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	48.5	42.0	55.7	227
Esophagus	4.9	3.1	7.4	25
Stomach	3.9	2.2	6.3	18
Small Intestine	0.0	0.0	0.7	0
Colon and Rectum	17.7	13.7	22.3	77
Colon excluding Rectum	15.0	11.3	19.3	63
Rectum and Rectosigmoid Junction	2.7	1.4	4.6	14
Anus, Anal Canal and Anorectum	0.0	0.0	0.7	0
Liver and Intrahepatic Bile Duct	6.8	4.6	9.5	37
Liver	5.3	3.5	7.7	30
Intrahepatic Bile Duct	1.5	0.6	3.1	7
Gallbladder	0.0	0.0	0.7	0
Other Biliary	^	^	^	^
Pancreas	13.6	10.2	17.7	62
Retroperitoneum	0.0	0.0	0.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.7	0
Other Digestive Organs	^	^	^	^
Respiratory System	54.3	47.4	61.9	260
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.7	0
Larynx	^	^	^	^
Lung and Bronchus	53.2	46.4	60.7	256
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.7	0
Bones and Joints	0.0	0.0	0.7	0
Soft Tissue including Heart	1.1	0.4	2.6	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2008

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	3.3	1.8	5.4	17
Melanoma of the Skin	2.2	1.0	3.9	11
Other Non-Epithelial Skin	1.1	0.3	2.6	6
Urinary System	8.7	6.0	12.1	39
Urinary Bladder	4.6	2.7	7.3	19
Kidney and Renal Pelvis	3.9	2.2	6.3	19
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	0.7	0
Eye and Orbit	0.0	0.0	0.7	0
Brain and Other Nervous System	4.0	2.5	6.0	26
Endocrine System	1.6	0.6	3.2	8
Thyroid	1.2	0.4	2.7	6
Other Endocrine including Thymus	^	^	^	^
Lymphoma	7.5	5.0	10.7	33
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	7.0	4.6	10.0	31
Myeloma	2.6	1.2	4.6	11
Leukemia	5.3	3.4	7.9	27
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	0.7	0
Myeloid and Monocytic Leukemia	3.4	1.9	5.4	18
Acute Myeloid Leukemia	2.9	1.5	4.9	14
Acute Monocytic Leukemia	0.0	0.0	0.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	14.5	11.0	18.7	69

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2009

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	185.2	172.4	198.7	891
Oral Cavity and Pharynx	0.9	0.3	2.1	6
Lip	0.0	0.0	0.7	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	0.7	0
Gum and Other Mouth	0.0	0.0	0.7	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	0.7	0
Oropharynx	0.0	0.0	0.7	0
Hypopharynx	0.0	0.0	0.7	0
Other Oral Cavity and Pharynx	0.0	0.0	0.7	0
Digestive System	45.6	39.5	52.4	233
Esophagus	3.6	2.0	5.8	18
Stomach	5.9	3.8	8.6	29
Small Intestine	^	^	^	^
Colon and Rectum	15.7	12.1	19.9	76
Colon excluding Rectum	13.4	10.1	17.4	62
Rectum and Rectosigmoid Junction	2.3	1.2	3.9	14
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	5.6	3.7	8.0	34
Liver	3.6	2.2	5.7	23
Intrahepatic Bile Duct	1.9	0.9	3.5	11
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	10.6	7.9	14.1	57
Retroperitoneum	0.0	0.0	0.7	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	1.5	0.5	3.2	6
Respiratory System	57.9	50.8	65.7	272
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	1.8	0.7	3.5	8
Lung and Bronchus	55.8	48.9	63.5	263
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.7	0
Bones and Joints	1.0	0.3	2.2	6
Soft Tissue including Heart	1.9	0.8	3.6	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2009

2009

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	3.2	1.9	5.2	20
Melanoma of the Skin	2.3	1.2	4.0	14
Other Non-Epithelial Skin	1.0	0.3	2.2	6
Urinary System	8.5	5.9	11.9	36
Urinary Bladder	2.9	1.4	5.1	11
Kidney and Renal Pelvis	5.3	3.3	8.0	24
Ureter	0.0	0.0	0.7	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	0.7	0
Brain and Other Nervous System	4.7	2.9	7.1	25
Endocrine System	0.9	0.3	2.1	6
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	6.7	4.4	9.6	31
Hodgkin Lymphoma	0.0	0.0	0.7	0
Non-Hodgkin Lymphoma	6.7	4.4	9.6	31
Myeloma	3.7	2.1	6.1	16
Leukemia	6.7	4.4	9.7	30
Lymphocytic Leukemia	1.7	0.7	3.4	9
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	1.3	0.5	2.8	7
Other Lymphocytic Leukemia	0.0	0.0	0.7	0
Myeloid and Monocytic Leukemia	2.7	1.4	4.8	13
Acute Myeloid Leukemia	2.7	1.4	4.8	13
Acute Monocytic Leukemia	0.0	0.0	0.7	0
Chronic Myeloid Leukemia	0.0	0.0	0.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.7	0
Other Leukemia	2.2	0.9	4.3	8
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	13.0	9.8	16.8	63

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.