

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

**Session Type:** Rate

**Suggested Citation**

**Software:** Surveillance Research Program, National Cancer Institute SEER\*Stat software ([www.seer.cancer.gov/seerstat](http://www.seer.cancer.gov/seerstat)) version 7.0.5.

**Data:** Alaska Bureau of Vital Status SEER\*Stat Database - Mortality data for death years 1996 to 2009. Released February 2011. Alaska population data for rate calculations are from the SEER Program (<http://www.seer.cancer.gov/popdata/>) and include populations by borough/census area, expanded races, and Hispanic origin.

**Data**

**Database:** AK Mortality w/Borough, Race, & Hispanic Pops (1996-2009), Jan 2012

**Statistic**

**Statistic:** Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)

**P-Values:** .05

**Options:** Display Confidence Intervals (Tiwari mod) and Standard Errors

**Selection**

**Select Only:** Known Age, Male or Female Sex

**Table**

**Page:** Year of death

**Row:** COD recode with Kaposi and mesothelioma

**Column:** Sex - M & F only [Sex]

**Output**

**Title:** Cancer Deaths in Alaska, 1996 to 2009, by Sex

**Suppress:** Statistics based on fewer than 6 cases

**Display Rates as:** Cases per 100,000

**Precision:** 1 decimal place (default)

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

	Total							
	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	223.6	216.9	230.5	5,548	163.6	158.7	168.6	4,632
<b>Oral Cavity and Pharynx</b>	3.7	3.0	4.6	112	2.0	1.5	2.6	56
Lip	^	^	^	^	0.0	0.0	0.1	0
Tongue	0.6	0.3	0.9	17	0.3	0.1	0.5	8
Salivary Gland	0.4	0.2	0.8	8	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	0.1	0
Gum and Other Mouth	0.6	0.3	0.9	17	^	^	^	^
Nasopharynx	0.9	0.6	1.4	29	0.6	0.4	1.0	19
Tonsil	0.2	0.1	0.4	8	0.0	0.0	0.1	0
Oropharynx	0.3	0.1	0.7	9	^	^	^	^
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	0.5	0.3	0.9	18	0.5	0.3	0.9	14
<b>Digestive System</b>	58.5	55.2	62.0	1,525	37.9	35.5	40.4	1,022
Esophagus	7.5	6.3	8.7	211	2.3	1.7	2.9	62
Stomach	7.3	6.1	8.5	193	3.6	2.9	4.4	108
Small Intestine	0.4	0.2	0.8	13	0.4	0.2	0.7	11
Colon and Rectum	21.3	19.3	23.5	511	15.9	14.3	17.5	410
Colon excluding Rectum	17.9	16.0	20.0	414	12.8	11.4	14.3	330
Rectum and Rectosigmoid Junction	3.4	2.7	4.2	97	3.0	2.4	3.8	80
Anus, Anal Canal and Anorectum	^	^	^	^	0.3	0.1	0.6	10
Liver and Intrahepatic Bile Duct	7.8	6.7	9.0	231	3.8	3.1	4.6	107
Liver	6.4	5.4	7.6	192	2.4	1.9	3.1	68
Intrahepatic Bile Duct	1.4	0.9	1.9	39	1.4	1.0	1.9	39
Gallbladder	0.7	0.4	1.2	17	0.5	0.2	0.8	11
Other Biliary	0.6	0.3	1.1	13	0.5	0.2	0.8	12
Pancreas	12.2	10.7	13.8	319	9.7	8.5	11.0	265
Retroperitoneum	^	^	^	^	0.0	0.0	0.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.1	0	0.3	0.1	0.5	7
Other Digestive Organs	0.4	0.2	0.9	9	0.8	0.5	1.2	19
<b>Respiratory System</b>	69.4	65.8	73.2	1,760	45.7	43.1	48.4	1,268
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	1.6	1.1	2.2	38	0.2	0.1	0.5	6
Lung and Bronchus	67.7	64.2	71.4	1,717	45.3	42.7	47.9	1,257
Pleura	0.0	0.0	0.1	0	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	0.1	0
<b>Bones and Joints</b>	0.4	0.2	0.6	19	0.2	0.1	0.5	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

	Total							
	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	1.5	1.1	2.1	53	1.1	0.7	1.5	35
Skin excluding Basal and Squamous	3.6	2.9	4.4	118	1.7	1.3	2.3	58
Melanoma of the Skin	2.6	2.0	3.3	88	1.5	1.1	2.0	51
Other Non-Epithelial Skin	1.0	0.6	1.4	30	0.3	0.1	0.5	7
Breast	^	^	^	^	23.3	21.5	25.1	742
Female Genital System	0.0	0.0	0.1	0	13.2	11.8	14.6	397
Cervix Uteri	0.0	0.0	0.1	0	2.0	1.6	2.6	76
Corpus and Uterus, NOS	0.0	0.0	0.1	0	2.5	1.9	3.2	69
Corpus Uteri	0.0	0.0	0.1	0	1.3	0.9	1.8	38
Uterus, NOS	0.0	0.0	0.1	0	1.2	0.8	1.7	31
Ovary	0.0	0.0	0.1	0	7.3	6.3	8.4	216
Vagina	0.0	0.0	0.1	0	^	^	^	^
Vulva	0.0	0.0	0.1	0	0.7	0.4	1.1	17
Other Female Genital Organs	0.0	0.0	0.1	0	0.5	0.3	0.9	15
Male Genital System	24.2	21.7	26.9	421	^	^	^	^
Prostate	23.8	21.3	26.4	407	^	^	^	^
Testis	0.2	0.1	0.4	7	0.0	0.0	0.1	0
Penis	^	^	^	^	0.0	0.0	0.1	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	0.1	0
Urinary System	14.3	12.6	16.2	313	4.9	4.1	5.9	125
Urinary Bladder	7.7	6.4	9.2	147	2.1	1.5	2.8	49
Kidney and Renal Pelvis	6.2	5.1	7.3	159	2.7	2.1	3.4	73
Ureter	^	^	^	^	^	^	^	^
Other Urinary Organs	^	^	^	^	^	^	^	^
Eye and Orbit	^	^	^	^	^	^	^	^
Brain and Other Nervous System	5.0	4.2	6.0	171	3.4	2.8	4.1	111
Endocrine System	0.9	0.5	1.4	21	0.7	0.4	1.0	22
Thyroid	0.6	0.3	1.1	13	0.4	0.2	0.7	12
Other Endocrine including Thymus	0.2	0.1	0.5	8	0.2	0.1	0.5	10
Lymphoma	8.9	7.6	10.3	234	6.1	5.2	7.2	160
Hodgkin Lymphoma	0.4	0.2	0.6	14	0.4	0.2	0.7	10
Non-Hodgkin Lymphoma	8.5	7.2	10.0	220	5.8	4.8	6.8	150
Myeloma	3.9	3.1	4.9	91	3.1	2.4	3.8	82
Leukemia	8.9	7.6	10.4	217	5.6	4.7	6.6	151
Lymphocytic Leukemia	3.5	2.6	4.5	76	1.7	1.2	2.3	41
Acute Lymphocytic Leukemia	0.7	0.4	1.1	24	0.3	0.2	0.6	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

	Total							
	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	2.5	1.7	3.4	45	1.2	0.8	1.7	26
Other Lymphocytic Leukemia	0.3	0.1	0.7	7	^	^	^	^
Myeloid and Monocytic Leukemia	3.9	3.1	4.8	107	2.6	2.0	3.3	78
Acute Myeloid Leukemia	2.9	2.2	3.7	79	2.0	1.5	2.6	61
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	0.1	0
Chronic Myeloid Leukemia	0.7	0.4	1.2	22	0.5	0.3	0.8	14
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^
Other Leukemia	1.6	1.0	2.3	34	1.3	0.9	1.9	32
Other Acute Leukemia	0.5	0.2	1.0	11	0.5	0.2	0.8	11
Aleukemic, Subleukemic and NOS	1.0	0.6	1.6	23	0.9	0.5	1.3	21
Mesothelioma (ICD-10 only)	2.5	1.7	3.4	43	0.2	0.1	0.5	6
Miscellaneous Malignant Cancer	17.7	15.9	19.7	445	14.4	12.9	16.0	386

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1996

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	266.5	234.2	301.4	356	191.1	168.2	216.0	295
<b>Oral Cavity and Pharynx</b>	6.4	2.4	13.0	9	^	^	^	^
Lip	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	0.0	0.0	2.0	0
Floor of Mouth	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	2.0	0
Nasopharynx	^	^	^	^	0.0	0.0	2.0	0
Tonsil	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Oropharynx	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Hypopharynx	^	^	^	^	0.0	0.0	2.0	0
Other Oral Cavity and Pharynx	0.0	0.0	2.8	0	^	^	^	^
<b>Digestive System</b>	70.4	53.8	89.8	90	42.4	31.6	55.3	60
Esophagus	6.4	2.0	14.0	8	^	^	^	^
Stomach	15.7	8.9	25.1	23	3.6	1.1	8.2	6
Small Intestine	^	^	^	^	0.0	0.0	2.0	0
Colon and Rectum	29.3	18.6	43.1	34	21.9	14.2	31.8	28
Colon excluding Rectum	24.6	14.7	37.7	28	18.8	11.7	28.1	24
Rectum and Rectosigmoid Junction	4.7	1.5	10.6	6	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	2.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	2.8	0	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	2.0	0
Other Biliary	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Pancreas	13.7	7.0	23.5	16	12.0	6.8	19.1	19
Retroperitoneum	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Other Digestive Organs	0.0	0.0	2.8	0	0.0	0.0	2.0	0
<b>Respiratory System</b>	85.4	68.2	105.1	113	50.1	38.8	63.3	74
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Larynx	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Lung and Bronchus	85.0	67.8	104.6	112	50.1	38.8	63.3	74
Pleura	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	2.0	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	2.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1996

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	7.5	3.4	14.0	13	^	^	^	^
Melanoma of the Skin	6.5	2.7	12.9	11	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	2.0	0
Breast	0.0	0.0	2.8	0	28.8	20.9	38.6	53
Female Genital System	0.0	0.0	2.8	0	15.2	9.5	22.9	25
Cervix Uteri	0.0	0.0	2.8	0	2.7	1.0	6.0	6
Corpus and Uterus, NOS	0.0	0.0	2.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	2.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	2.8	0	^	^	^	^
Ovary	0.0	0.0	2.8	0	8.3	4.2	14.5	13
Vagina	0.0	0.0	2.8	0	^	^	^	^
Vulva	0.0	0.0	2.8	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.8	0	^	^	^	^
Male Genital System	20.0	11.1	32.1	20	0.0	0.0	2.0	0
Prostate	19.0	10.2	31.0	18	0.0	0.0	2.0	0
Testis	^	^	^	^	0.0	0.0	2.0	0
Penis	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	2.0	0
Urinary System	19.3	11.2	30.3	22	8.0	3.7	14.5	10
Urinary Bladder	11.3	5.0	20.7	11	^	^	^	^
Kidney and Renal Pelvis	6.9	3.0	13.3	10	6.8	3.0	12.8	9
Ureter	^	^	^	^	0.0	0.0	2.0	0
Other Urinary Organs	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Eye and Orbit	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Brain and Other Nervous System	6.7	3.6	11.5	17	3.1	0.9	7.4	6
Endocrine System	^	^	^	^	0.0	0.0	2.0	0
Thyroid	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	2.0	0
Lymphoma	8.5	4.3	15.0	16	9.2	4.7	15.7	13
Hodgkin Lymphoma	0.0	0.0	2.8	0	^	^	^	^
Non-Hodgkin Lymphoma	8.5	4.3	15.0	16	8.6	4.3	15.1	12
Myeloma	9.0	3.0	18.9	7	3.8	1.3	8.3	6
Leukemia	10.9	5.0	19.7	16	7.2	3.1	13.5	10
Lymphocytic Leukemia	5.9	1.6	13.9	6	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	2.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1996

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Myeloid and Monocytic Leukemia	2.7	1.1	6.1	8	3.9	1.2	8.8	6
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	2.0	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.8	0	^	^	^	^
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	2.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2.8	0	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Miscellaneous Malignant Cancer	20.1	12.3	30.5	27	19.0	12.2	27.9	28

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1997

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	230.0	201.1	261.3	337	169.2	148.5	191.6	278
<b>Oral Cavity and Pharynx</b>	5.3	2.5	10.0	11	^	^	^	^
Lip	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Floor of Mouth	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	0.0	0.0	1.9	0
Tonsil	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Oropharynx	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Hypopharynx	0.0	0.0	2.6	0	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.9	0
<b>Digestive System</b>	63.2	47.9	81.3	85	31.4	22.8	41.9	50
Esophagus	^	^	^	^	^	^	^	^
Stomach	6.9	3.3	12.8	13	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	1.9	0
Colon and Rectum	20.7	12.4	31.7	29	14.1	8.5	21.5	23
Colon excluding Rectum	16.3	9.3	25.8	23	11.1	6.3	17.7	19
Rectum and Rectosigmoid Junction	4.4	1.0	11.2	6	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	1.9	0
Liver and Intrahepatic Bile Duct	9.5	3.7	18.5	11	^	^	^	^
Liver	8.0	2.8	16.5	10	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	1.9	0
Pancreas	16.6	9.4	26.5	21	8.3	4.3	14.2	14
Retroperitoneum	^	^	^	^	0.0	0.0	1.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Other Digestive Organs	0.0	0.0	2.6	0	0.0	0.0	1.9	0
<b>Respiratory System</b>	79.8	65.0	96.5	129	42.2	32.3	53.8	69
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.6	0	^	^	^	^
Larynx	5.5	1.4	12.8	6	0.0	0.0	1.9	0
Lung and Bronchus	74.3	60.5	90.0	123	41.3	31.6	52.8	68
Pleura	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.6	0	0.0	0.0	1.9	0
<b>Bones and Joints</b>	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1997

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	2.6	0	23.2	16.2	32.1	41
Female Genital System	0.0	0.0	2.6	0	24.5	17.1	33.6	41
Cervix Uteri	0.0	0.0	2.6	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	2.6	0	5.2	2.0	10.6	7
Corpus Uteri	0.0	0.0	2.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	2.6	0	^	^	^	^
Ovary	0.0	0.0	2.6	0	16.9	10.9	24.6	28
Vagina	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Vulva	0.0	0.0	2.6	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.6	0	^	^	^	^
Male Genital System	24.5	13.8	38.8	22	0.0	0.0	1.9	0
Prostate	24.2	13.6	38.5	21	0.0	0.0	1.9	0
Testis	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Penis	^	^	^	^	0.0	0.0	1.9	0
Other Male Genital Organs	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Urinary System	14.3	6.9	25.1	15	4.7	1.9	9.3	8
Urinary Bladder	9.5	3.6	18.9	8	^	^	^	^
Kidney and Renal Pelvis	4.8	1.3	11.5	7	^	^	^	^
Ureter	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Other Urinary Organs	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Eye and Orbit	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Brain and Other Nervous System	6.0	2.5	11.8	11	^	^	^	^
Endocrine System	0.0	0.0	2.6	0	^	^	^	^
Thyroid	0.0	0.0	2.6	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Lymphoma	6.0	2.9	11.0	12	6.1	2.7	11.4	10
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.9	0
Non-Hodgkin Lymphoma	5.1	2.2	9.9	10	6.1	2.7	11.4	10
Myeloma	^	^	^	^	^	^	^	^
Leukemia	5.1	2.4	9.8	12	7.3	3.3	13.3	11
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1997

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	0.0	0.0	2.6	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Myeloid and Monocytic Leukemia	3.3	1.1	7.8	6	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.6	0	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Miscellaneous Malignant Cancer	14.7	9.1	22.4	26	17.0	10.6	25.4	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1998

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	234.8	206.9	265.0	353	172.9	152.5	195.1	296
<b>Oral Cavity and Pharynx</b>	6.1	2.5	12.1	10	^	^	^	^
Lip	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Tongue	0.0	0.0	2.4	0	^	^	^	^
Salivary Gland	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Floor of Mouth	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.8	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	1.8	0
Oropharynx	^	^	^	^	0.0	0.0	1.8	0
Hypopharynx	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.8	0
<b>Digestive System</b>	59.7	46.9	74.6	101	41.8	31.9	53.6	68
Esophagus	10.4	5.2	18.1	16	5.8	2.6	10.9	10
Stomach	11.3	6.1	18.7	20	5.7	2.7	10.3	12
Small Intestine	0.0	0.0	2.4	0	^	^	^	^
Colon and Rectum	16.0	9.9	24.1	27	17.7	11.1	26.3	25
Colon excluding Rectum	11.9	6.9	18.9	21	15.8	9.6	24.1	22
Rectum and Rectosigmoid Junction	4.1	1.2	9.3	6	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	2.4	0	^	^	^	^
Liver and Intrahepatic Bile Duct	9.0	4.9	15.2	16	^	^	^	^
Liver	6.6	3.3	11.8	13	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	1.8	0
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	11.1	6.0	18.4	19	6.8	3.4	11.9	12
Retroperitoneum	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Digestive Organs	0.0	0.0	2.4	0	0.0	0.0	1.8	0
<b>Respiratory System</b>	74.1	59.7	90.6	115	52.4	41.5	65.0	88
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.4	0	^	^	^	^
Larynx	4.1	1.2	9.3	6	^	^	^	^
Lung and Bronchus	70.1	56.1	86.1	109	51.3	40.5	63.8	86
Pleura	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.4	0	0.0	0.0	1.8	0
<b>Bones and Joints</b>	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1998

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	2.6	0.8	6.3	6	^	^	^	^
Melanoma of the Skin	2.6	0.8	6.3	6	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Breast	0.0	0.0	2.4	0	25.3	18.1	34.0	49
Female Genital System	0.0	0.0	2.4	0	14.0	8.6	21.2	24
Cervix Uteri	0.0	0.0	2.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	2.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	2.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	2.4	0	^	^	^	^
Ovary	0.0	0.0	2.4	0	7.4	3.7	12.8	13
Vagina	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Vulva	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Female Genital Organs	0.0	0.0	2.4	0	^	^	^	^
Male Genital System	24.8	15.8	36.3	30	0.0	0.0	1.8	0
Prostate	24.5	15.6	36.0	29	0.0	0.0	1.8	0
Testis	^	^	^	^	0.0	0.0	1.8	0
Penis	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Male Genital Organs	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Urinary System	15.2	8.6	24.2	20	5.5	2.4	10.6	9
Urinary Bladder	8.8	3.9	16.3	11	4.9	1.9	10.0	7
Kidney and Renal Pelvis	6.4	2.6	12.5	9	^	^	^	^
Ureter	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Urinary Organs	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Eye and Orbit	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Brain and Other Nervous System	4.6	2.2	8.9	11	3.3	1.1	7.3	6
Endocrine System	0.0	0.0	2.4	0	^	^	^	^
Thyroid	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Endocrine including Thymus	0.0	0.0	2.4	0	^	^	^	^
Lymphoma	17.3	9.6	28.0	23	6.7	3.2	12.1	11
Hodgkin Lymphoma	0.0	0.0	2.4	0	^	^	^	^
Non-Hodgkin Lymphoma	17.3	9.6	28.0	23	6.1	2.7	11.3	10
Myeloma	^	^	^	^	^	^	^	^
Leukemia	14.2	6.9	24.8	16	4.5	1.8	9.1	8
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1998

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Myeloid and Monocytic Leukemia	7.1	2.5	14.6	9	3.4	1.1	7.6	6
Acute Myeloid Leukemia	4.1	1.2	9.5	7	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	1.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Miscellaneous Malignant Cancer	12.1	5.8	21.1	15	10.7	6.1	17.2	17

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1999

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	222.4	195.0	252.2	328	167.8	147.9	189.4	294
<b>Oral Cavity and Pharynx</b>	^	^	^	^	^	^	^	^
Lip	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Floor of Mouth	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Gum and Other Mouth	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Oropharynx	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Hypopharynx	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Other Oral Cavity and Pharynx	0.0	0.0	2.3	0	0.0	0.0	1.8	0
<b>Digestive System</b>	56.1	42.6	71.8	81	45.7	35.4	57.7	77
Esophagus	5.9	2.6	11.3	10	^	^	^	^
Stomach	7.8	3.9	13.7	13	4.7	2.3	8.7	11
Small Intestine	0.0	0.0	2.3	0	^	^	^	^
Colon and Rectum	22.7	14.0	34.0	29	20.4	13.6	29.0	32
Colon excluding Rectum	19.8	11.7	30.7	25	15.1	9.3	22.7	24
Rectum and Rectosigmoid Junction	^	^	^	^	5.3	2.2	10.3	8
Anus, Anal Canal and Anorectum	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Liver and Intrahepatic Bile Duct	5.1	1.9	10.6	8	3.5	1.4	7.3	8
Liver	4.8	1.7	10.3	7	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	0.0	0.0	2.3	0	^	^	^	^
Other Biliary	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Pancreas	14.5	8.1	23.5	21	12.1	7.1	19.0	19
Retroperitoneum	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Other Digestive Organs	0.0	0.0	2.3	0	^	^	^	^
<b>Respiratory System</b>	69.1	54.7	85.7	107	43.6	33.7	55.2	73
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	68.0	53.7	84.5	105	42.8	33.1	54.3	72
Pleura	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.3	0	0.0	0.0	1.8	0
<b>Bones and Joints</b>	0.0	0.0	2.3	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1999

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	4.7	1.7	9.9	8	^	^	^	^
Melanoma of the Skin	3.4	0.9	8.0	6	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	1.8	0
Breast	0.0	0.0	2.3	0	20.7	14.6	28.4	43
Female Genital System	0.0	0.0	2.3	0	8.9	4.9	14.6	17
Cervix Uteri	0.0	0.0	2.3	0	2.8	0.9	6.4	6
Corpus and Uterus, NOS	0.0	0.0	2.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Uterus, NOS	0.0	0.0	2.3	0	^	^	^	^
Ovary	0.0	0.0	2.3	0	4.0	1.5	8.3	7
Vagina	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Vulva	0.0	0.0	2.3	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.3	0	^	^	^	^
Male Genital System	21.6	12.7	33.5	21	0.0	0.0	1.8	0
Prostate	21.1	12.2	32.9	20	0.0	0.0	1.8	0
Testis	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Penis	^	^	^	^	0.0	0.0	1.8	0
Other Male Genital Organs	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Urinary System	16.1	8.8	26.1	18	6.2	2.8	11.6	9
Urinary Bladder	^	^	^	^	^	^	^	^
Kidney and Renal Pelvis	9.9	4.7	17.6	13	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	1.8	0
Other Urinary Organs	0.0	0.0	2.3	0	^	^	^	^
Eye and Orbit	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Brain and Other Nervous System	4.2	1.9	8.2	10	4.5	2.1	8.5	10
Endocrine System	^	^	^	^	0.0	0.0	1.8	0
Thyroid	^	^	^	^	0.0	0.0	1.8	0
Other Endocrine including Thymus	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Lymphoma	10.3	5.3	17.4	18	3.6	1.2	7.9	6
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.8	0
Non-Hodgkin Lymphoma	9.6	4.7	16.7	16	3.6	1.2	7.9	6
Myeloma	5.8	2.0	12.2	8	4.4	1.7	8.8	7
Leukemia	7.4	3.0	14.4	10	6.3	2.8	11.6	11
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

1999

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	1.8	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	2.3	0	^	^	^	^
Mesothelioma (ICD-10 only)	5.7	1.9	12.3	7	^	^	^	^
Miscellaneous Malignant Cancer	17.7	11.4	26.1	33	19.6	13.1	27.8	32

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2000

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	247.3	219.0	277.7	374	185.1	164.7	207.1	334
<b>Oral Cavity and Pharynx</b>	8.2	4.4	13.7	17	3.2	1.1	6.9	6
Lip	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Tongue	^	^	^	^	0.0	0.0	1.7	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	1.7	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.7	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	1.7	0
Oropharynx	^	^	^	^	^	^	^	^
Hypopharynx	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
<b>Digestive System</b>	64.8	50.7	81.1	99	39.0	29.6	50.0	63
Esophagus	9.0	5.0	14.7	18	^	^	^	^
Stomach	7.3	2.9	14.2	9	^	^	^	^
Small Intestine	0.0	0.0	2.2	0	^	^	^	^
Colon and Rectum	32.3	21.6	45.5	39	16.9	10.8	24.8	25
Colon excluding Rectum	26.3	16.6	38.7	31	14.3	8.7	21.6	21
Rectum and Rectosigmoid Junction	6.0	2.4	11.9	8	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	2.2	0	^	^	^	^
Liver and Intrahepatic Bile Duct	8.1	4.4	13.4	16	5.0	2.1	9.7	8
Liver	6.7	3.4	11.7	13	4.4	1.7	8.8	7
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	6.7	3.4	11.8	14	9.1	5.2	14.7	17
Retroperitoneum	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Digestive Organs	^	^	^	^	0.0	0.0	1.7	0
<b>Respiratory System</b>	74.2	59.6	90.8	113	52.6	42.2	64.6	96
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Larynx	^	^	^	^	0.0	0.0	1.7	0
Lung and Bronchus	72.7	58.2	89.3	110	51.7	41.4	63.5	95
Pleura	0.0	0.0	2.2	0	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	1.7	0
<b>Bones and Joints</b>	0.0	0.0	2.2	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2000

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Breast	0.0	0.0	2.2	0	28.0	21.0	36.5	61
Female Genital System	0.0	0.0	2.2	0	13.9	9.0	20.3	28
Cervix Uteri	0.0	0.0	2.2	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	2.2	0	3.5	1.4	7.3	7
Corpus Uteri	0.0	0.0	2.2	0	^	^	^	^
Uterus, NOS	0.0	0.0	2.2	0	^	^	^	^
Ovary	0.0	0.0	2.2	0	8.4	4.6	13.7	16
Vagina	0.0	0.0	2.2	0	^	^	^	^
Vulva	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Female Genital Organs	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Male Genital System	31.8	20.8	45.7	33	0.0	0.0	1.7	0
Prostate	31.3	20.3	45.1	31	0.0	0.0	1.7	0
Testis	^	^	^	^	0.0	0.0	1.7	0
Penis	^	^	^	^	0.0	0.0	1.7	0
Other Male Genital Organs	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Urinary System	15.6	9.3	24.0	24	5.5	2.3	10.7	8
Urinary Bladder	9.3	4.2	17.0	10	^	^	^	^
Kidney and Renal Pelvis	6.2	3.2	10.9	14	^	^	^	^
Ureter	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Urinary Organs	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Eye and Orbit	^	^	^	^	0.0	0.0	1.7	0
Brain and Other Nervous System	2.8	0.9	6.6	6	3.0	1.1	6.4	7
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Lymphoma	10.7	5.7	17.8	19	10.1	5.5	16.5	16
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.7	0
Non-Hodgkin Lymphoma	10.4	5.4	17.5	18	10.1	5.5	16.5	16
Myeloma	^	^	^	^	5.0	2.1	9.7	8
Leukemia	8.7	4.2	15.3	15	7.6	3.6	13.4	11
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2000

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.2	0	^	^	^	^
Myeloid and Monocytic Leukemia	7.0	2.9	13.3	11	^	^	^	^
Acute Myeloid Leukemia	6.7	2.7	13.1	10	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Leukemia	0.0	0.0	2.2	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.2	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	2.2	0	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	1.7	0
Miscellaneous Malignant Cancer	18.7	11.6	28.0	30	13.4	8.2	20.3	22

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2001

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	233.4	206.8	262.1	371	165.1	146.2	185.4	309
<b>Oral Cavity and Pharynx</b>	10.2	5.2	17.6	14	^	^	^	^
Lip	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Tongue	^	^	^	^	0.0	0.0	1.6	0
Salivary Gland	^	^	^	^	0.0	0.0	1.6	0
Floor of Mouth	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.6	0
Nasopharynx	^	^	^	^	0.0	0.0	1.6	0
Tonsil	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Oropharynx	^	^	^	^	0.0	0.0	1.6	0
Hypopharynx	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
<b>Digestive System</b>	62.7	49.7	77.6	109	45.3	35.5	56.7	78
Esophagus	6.9	3.5	12.0	13	^	^	^	^
Stomach	12.3	6.1	21.0	15	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	27.0	18.7	37.4	46	19.2	13.0	27.1	32
Colon excluding Rectum	21.7	14.3	31.2	34	14.1	8.8	21.1	23
Rectum and Rectosigmoid Junction	5.3	2.1	10.5	12	5.1	2.2	9.6	9
Anus, Anal Canal and Anorectum	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Liver and Intrahepatic Bile Duct	5.6	3.0	9.6	15	6.8	3.3	11.9	11
Liver	5.0	2.6	8.7	14	4.5	1.8	9.0	7
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	0.0	0.0	2.1	0	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	1.6	0
Pancreas	9.0	4.9	15.0	17	12.5	7.8	18.8	23
Retroperitoneum	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Digestive Organs	0.0	0.0	2.1	0	^	^	^	^
<b>Respiratory System</b>	65.5	52.3	80.8	108	47.8	38.0	59.1	89
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Larynx	0.0	0.0	2.1	0	^	^	^	^
Lung and Bronchus	65.5	52.3	80.8	108	47.3	37.5	58.6	88
Pleura	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.1	0	0.0	0.0	1.6	0
<b>Bones and Joints</b>	0.0	0.0	2.1	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2001

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	21.5	15.2	29.2	45
Female Genital System	0.0	0.0	2.1	0	15.0	9.7	21.9	28
Cervix Uteri	0.0	0.0	2.1	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	2.1	0	^	^	^	^
Corpus Uteri	0.0	0.0	2.1	0	^	^	^	^
Uterus, NOS	0.0	0.0	2.1	0	^	^	^	^
Ovary	0.0	0.0	2.1	0	7.2	3.8	12.2	14
Vagina	0.0	0.0	2.1	0	^	^	^	^
Vulva	0.0	0.0	2.1	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.1	0	^	^	^	^
Male Genital System	26.0	16.7	37.8	32	0.0	0.0	1.6	0
Prostate	25.7	16.5	37.5	31	0.0	0.0	1.6	0
Testis	^	^	^	^	0.0	0.0	1.6	0
Penis	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Male Genital Organs	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Urinary System	14.0	7.8	22.5	19	4.8	2.0	9.3	8
Urinary Bladder	8.6	3.9	15.8	10	^	^	^	^
Kidney and Renal Pelvis	5.3	1.9	11.0	9	^	^	^	^
Ureter	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Urinary Organs	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Eye and Orbit	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Brain and Other Nervous System	6.9	3.1	12.9	13	2.6	1.1	5.4	8
Endocrine System	^	^	^	^	0.0	0.0	1.6	0
Thyroid	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	1.6	0
Lymphoma	8.0	3.8	14.5	14	5.2	2.4	9.6	10
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	7.5	3.4	13.9	13	4.9	2.1	9.2	9
Myeloma	5.6	2.2	11.1	8	4.1	1.6	8.2	7
Leukemia	6.1	2.8	11.4	10	4.7	2.0	9.1	9
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	2.1	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2001

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.6	0
Other Lymphocytic Leukemia	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Myeloid and Monocytic Leukemia	4.2	1.4	9.0	6	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Chronic Myeloid Leukemia	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^
Other Leukemia	0.0	0.0	2.1	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.1	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	2.1	0	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	1.6	0
Miscellaneous Malignant Cancer	20.2	13.0	29.4	30	11.7	7.0	18.0	21

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2002

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	234.7	208.5	262.9	396	158.5	140.5	177.9	316
<b>Oral Cavity and Pharynx</b>	^	^	^	^	^	^	^	^
<b>Lip</b>	^	^	^	^	0.0	0.0	1.6	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	1.6	0
<b>Salivary Gland</b>	0.0	0.0	2.0	0	^	^	^	^
<b>Floor of Mouth</b>	0.0	0.0	2.0	0	0.0	0.0	1.6	0
<b>Gum and Other Mouth</b>	0.0	0.0	2.0	0	0.0	0.0	1.6	0
<b>Nasopharynx</b>	^	^	^	^	^	^	^	^
<b>Tonsil</b>	0.0	0.0	2.0	0	0.0	0.0	1.6	0
<b>Oropharynx</b>	0.0	0.0	2.0	0	0.0	0.0	1.6	0
<b>Hypopharynx</b>	0.0	0.0	2.0	0	0.0	0.0	1.6	0
<b>Other Oral Cavity and Pharynx</b>	0.0	0.0	2.0	0	^	^	^	^
<b>Digestive System</b>	57.6	46.0	71.0	109	39.6	30.7	49.9	75
<b>Esophagus</b>	9.6	5.1	16.0	15	^	^	^	^
<b>Stomach</b>	8.8	4.6	14.9	15	5.1	2.4	9.4	10
<b>Small Intestine</b>	^	^	^	^	0.0	0.0	1.6	0
<b>Colon and Rectum</b>	19.0	12.6	27.2	36	16.3	10.7	23.4	30
<b>Colon excluding Rectum</b>	14.6	9.0	22.1	27	13.1	8.1	19.7	23
<b>Rectum and Rectosigmoid Junction</b>	4.4	1.7	8.9	9	3.2	1.2	6.6	7
<b>Anus, Anal Canal and Anorectum</b>	^	^	^	^	^	^	^	^
<b>Liver and Intrahepatic Bile Duct</b>	6.3	3.3	10.7	16	^	^	^	^
<b>Liver</b>	5.1	2.5	9.3	13	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	^	^	^	^
<b>Gallbladder</b>	^	^	^	^	^	^	^	^
<b>Other Biliary</b>	0.0	0.0	2.0	0	^	^	^	^
<b>Pancreas</b>	11.4	6.6	18.1	23	9.0	5.3	14.3	19
<b>Retroperitoneum</b>	0.0	0.0	2.0	0	0.0	0.0	1.6	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	2.0	0	0.0	0.0	1.6	0
<b>Other Digestive Organs</b>	^	^	^	^	^	^	^	^
<b>Respiratory System</b>	67.6	54.6	82.4	122	38.7	30.2	48.7	78
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	2.0	0	0.0	0.0	1.6	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	1.6	0
<b>Lung and Bronchus</b>	65.5	52.7	80.1	119	38.7	30.2	48.7	78
<b>Pleura</b>	0.0	0.0	2.0	0	0.0	0.0	1.6	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	2.0	0	0.0	0.0	1.6	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	1.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2002

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	3.9	1.8	7.6	11	3.2	1.1	7.0	6
Melanoma of the Skin	2.7	1.0	5.9	8	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	2.0	0	21.2	15.2	28.7	47
Female Genital System	0.0	0.0	2.0	0	17.4	12.0	24.3	37
Cervix Uteri	0.0	0.0	2.0	0	2.5	0.9	5.6	6
Corpus and Uterus, NOS	0.0	0.0	2.0	0	4.6	2.0	8.9	9
Corpus Uteri	0.0	0.0	2.0	0	^	^	^	^
Uterus, NOS	0.0	0.0	2.0	0	^	^	^	^
Ovary	0.0	0.0	2.0	0	7.8	4.4	12.7	17
Vagina	0.0	0.0	2.0	0	0.0	0.0	1.6	0
Vulva	0.0	0.0	2.0	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.0	0	^	^	^	^
Male Genital System	40.2	27.8	55.4	39	0.0	0.0	1.6	0
Prostate	40.2	27.8	55.4	39	0.0	0.0	1.6	0
Testis	0.0	0.0	2.0	0	0.0	0.0	1.6	0
Penis	0.0	0.0	2.0	0	0.0	0.0	1.6	0
Other Male Genital Organs	0.0	0.0	2.0	0	0.0	0.0	1.6	0
Urinary System	14.6	9.0	22.0	24	^	^	^	^
Urinary Bladder	6.7	3.1	12.3	10	^	^	^	^
Kidney and Renal Pelvis	6.9	3.4	12.3	12	^	^	^	^
Ureter	0.0	0.0	2.0	0	0.0	0.0	1.6	0
Other Urinary Organs	^	^	^	^	^	^	^	^
Eye and Orbit	0.0	0.0	2.0	0	^	^	^	^
Brain and Other Nervous System	3.9	1.9	7.4	11	3.9	1.7	7.5	9
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	0.0	0.0	2.0	0	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	10.9	6.0	17.8	20	7.0	3.6	12.1	12
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	10.6	5.8	17.5	19	5.7	2.7	10.4	10
Myeloma	3.8	1.5	7.9	8	2.7	0.9	6.1	6
Leukemia	10.4	5.1	18.1	15	3.7	1.4	7.6	7
Lymphocytic Leukemia	4.8	1.5	10.5	7	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2002

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.6	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.0	0	0.0	0.0	1.6	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	1.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.0	0	0.0	0.0	1.6	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	1.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	1.6	0
Miscellaneous Malignant Cancer	14.3	8.3	22.5	24	15.5	10.2	22.5	28

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2003

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	231.1	206.0	258.1	410	158.1	140.4	177.1	322
<b>Oral Cavity and Pharynx</b>	2.9	1.0	6.2	7	6.4	3.2	11.2	12
Lip	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Tongue	^	^	^	^	0.0	0.0	1.5	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.5	0
Nasopharynx	0.0	0.0	1.9	0	^	^	^	^
Tonsil	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Oropharynx	^	^	^	^	^	^	^	^
Hypopharynx	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
<b>Digestive System</b>	63.0	50.0	77.9	110	39.6	30.9	49.7	78
Esophagus	9.8	5.2	16.4	19	^	^	^	^
Stomach	5.6	2.6	10.3	11	4.0	1.6	7.9	8
Small Intestine	0.0	0.0	1.9	0	^	^	^	^
Colon and Rectum	18.6	11.8	27.5	30	18.1	12.4	25.4	35
Colon excluding Rectum	16.4	9.9	25.0	25	13.9	9.0	20.3	28
Rectum and Rectosigmoid Junction	^	^	^	^	4.2	1.7	8.5	7
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	11.1	6.0	18.3	19	4.8	2.2	8.9	10
Liver	9.9	5.0	16.9	16	3.1	1.1	6.5	7
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	1.5	0
Other Biliary	^	^	^	^	0.0	0.0	1.5	0
Pancreas	15.4	9.2	23.6	25	7.7	4.2	12.7	15
Retroperitoneum	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.9	0	^	^	^	^
Other Digestive Organs	0.0	0.0	1.9	0	^	^	^	^
<b>Respiratory System</b>	77.3	63.7	92.7	139	38.6	30.0	48.5	75
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Larynx	^	^	^	^	0.0	0.0	1.5	0
Lung and Bronchus	77.0	63.4	92.3	138	38.6	30.0	48.5	75
Pleura	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.9	0	0.0	0.0	1.5	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	1.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2003

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	2.0	0.7	4.7	6	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	1.5	0
Breast	0.0	0.0	1.9	0	23.0	16.9	30.3	54
Female Genital System	0.0	0.0	1.9	0	10.0	6.0	15.5	21
Cervix Uteri	0.0	0.0	1.9	0	3.2	1.2	6.7	7
Corpus and Uterus, NOS	0.0	0.0	1.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	1.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	1.9	0	^	^	^	^
Ovary	0.0	0.0	1.9	0	3.2	1.3	6.5	8
Vagina	0.0	0.0	1.9	0	^	^	^	^
Vulva	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Other Female Genital Organs	0.0	0.0	1.9	0	^	^	^	^
Male Genital System	15.9	9.2	24.9	21	0.0	0.0	1.5	0
Prostate	15.9	9.2	24.9	21	0.0	0.0	1.5	0
Testis	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Penis	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Other Male Genital Organs	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Urinary System	20.6	13.0	30.4	28	7.5	3.9	12.8	13
Urinary Bladder	12.3	6.5	20.4	16	^	^	^	^
Kidney and Renal Pelvis	7.6	3.5	13.7	11	4.5	1.8	8.7	8
Ureter	^	^	^	^	0.0	0.0	1.5	0
Other Urinary Organs	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Eye and Orbit	^	^	^	^	0.0	0.0	1.5	0
Brain and Other Nervous System	3.6	1.4	7.2	9	5.2	2.4	9.5	10
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	0.0	0.0	1.5	0
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	8.3	4.5	13.9	19	6.3	3.1	10.9	12
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	7.5	3.8	13.0	16	5.2	2.4	9.6	10
Myeloma	2.7	0.8	6.2	6	3.3	1.3	6.7	7
Leukemia	9.1	4.6	15.8	16	4.0	1.6	7.9	8
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	1.9	0	0.0	0.0	1.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2003

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.5	0
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	3.8	1.7	7.4	10	^	^	^	^
Acute Myeloid Leukemia	2.8	1.2	5.9	8	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.9	0	0.0	0.0	1.5	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	1.5	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	0.0	0.0	1.9	0	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	^	^	^	^
Miscellaneous Malignant Cancer	20.7	13.5	30.0	37	11.6	7.3	17.4	25

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2004

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	228.2	203.8	254.4	411	151.0	133.9	169.4	312
<b>Oral Cavity and Pharynx</b>	2.5	0.8	5.8	6	3.7	1.4	7.4	7
Lip	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Tongue	0.0	0.0	1.8	0	^	^	^	^
Salivary Gland	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Floor of Mouth	^	^	^	^	0.0	0.0	1.5	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Oropharynx	^	^	^	^	0.0	0.0	1.5	0
Hypopharynx	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
<b>Digestive System</b>	61.5	49.2	75.5	113	34.3	26.3	43.9	66
Esophagus	7.4	3.5	13.3	15	^	^	^	^
Stomach	7.8	3.8	13.6	13	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	1.5	0
Colon and Rectum	20.7	13.7	29.6	35	13.0	8.2	19.4	24
Colon excluding Rectum	18.9	12.2	27.6	31	11.1	6.6	17.1	19
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Liver and Intrahepatic Bile Duct	9.7	5.6	15.4	21	6.7	3.5	11.5	13
Liver	6.8	3.5	11.7	15	4.7	2.1	8.8	9
Intrahepatic Bile Duct	2.8	0.9	6.6	6	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	1.5	0
Other Biliary	0.0	0.0	1.8	0	^	^	^	^
Pancreas	13.6	8.4	20.5	26	7.6	4.1	12.5	15
Retroperitoneum	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.8	0	^	^	^	^
Other Digestive Organs	0.0	0.0	1.8	0	^	^	^	^
<b>Respiratory System</b>	67.3	55.0	81.3	125	51.5	41.7	62.6	106
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	1.5	0
Larynx	^	^	^	^	0.0	0.0	1.5	0
Lung and Bronchus	66.8	54.5	80.8	123	50.8	41.1	61.8	105
Pleura	0.0	0.0	1.8	0	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	1.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2004

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	3.6	1.4	7.4	8	^	^	^	^
Melanoma of the Skin	3.6	1.4	7.4	8	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Breast	0.0	0.0	1.8	0	18.5	13.1	25.3	43
Female Genital System	0.0	0.0	1.8	0	12.3	7.9	18.1	27
Cervix Uteri	0.0	0.0	1.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	1.8	0	3.3	1.2	6.8	7
Corpus Uteri	0.0	0.0	1.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	1.8	0	^	^	^	^
Ovary	0.0	0.0	1.8	0	5.3	2.6	9.5	11
Vagina	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Vulva	0.0	0.0	1.8	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	1.8	0	^	^	^	^
Male Genital System	26.3	17.4	37.4	33	0.0	0.0	1.5	0
Prostate	25.9	17.1	37.1	32	0.0	0.0	1.5	0
Testis	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Penis	^	^	^	^	0.0	0.0	1.5	0
Other Male Genital Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Urinary System	15.2	9.1	23.2	25	3.9	1.5	7.9	7
Urinary Bladder	11.2	5.8	18.8	14	^	^	^	^
Kidney and Renal Pelvis	4.0	1.8	7.6	11	^	^	^	^
Ureter	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Other Urinary Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Eye and Orbit	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Brain and Other Nervous System	6.5	3.6	10.7	18	2.4	0.8	5.4	6
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	0.0	0.0	1.8	0	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	4.9	2.0	9.8	10	4.1	1.7	7.9	8
Hodgkin Lymphoma	0.0	0.0	1.8	0	^	^	^	^
Non-Hodgkin Lymphoma	4.9	2.0	9.8	10	3.2	1.1	6.7	6
Myeloma	2.9	0.9	6.7	6	3.3	1.2	7.0	6
Leukemia	7.9	4.3	13.0	17	^	^	^	^
Lymphocytic Leukemia	4.7	1.9	9.2	8	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2004

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Myeloid and Monocytic Leukemia	2.6	0.9	5.7	7	^	^	^	^
Acute Myeloid Leukemia	2.6	0.9	5.7	7	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Chronic Myeloid Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Other Leukemia	^	^	^	^	0.0	0.0	1.5	0
Other Acute Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	1.5	0
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	1.5	0
Miscellaneous Malignant Cancer	23.5	15.9	33.1	38	11.7	7.3	17.6	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2005

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	208.4	185.6	232.9	400	143.9	127.9	161.3	323
<b>Oral Cavity and Pharynx</b>	3.1	1.2	6.4	8	^	^	^	^
<b>Lip</b>	0.0	0.0	1.7	0	0.0	0.0	1.4	0
<b>Tongue</b>	0.0	0.0	1.7	0	0.0	0.0	1.4	0
<b>Salivary Gland</b>	^	^	^	^	0.0	0.0	1.4	0
<b>Floor of Mouth</b>	0.0	0.0	1.7	0	0.0	0.0	1.4	0
<b>Gum and Other Mouth</b>	0.0	0.0	1.7	0	^	^	^	^
<b>Nasopharynx</b>	^	^	^	^	^	^	^	^
<b>Tonsil</b>	^	^	^	^	0.0	0.0	1.4	0
<b>Oropharynx</b>	^	^	^	^	0.0	0.0	1.4	0
<b>Hypopharynx</b>	^	^	^	^	0.0	0.0	1.4	0
<b>Other Oral Cavity and Pharynx</b>	^	^	^	^	0.0	0.0	1.4	0
<b>Digestive System</b>	55.6	43.8	69.1	103	30.1	23.0	38.6	66
<b>Esophagus</b>	7.4	4.0	12.4	18	^	^	^	^
<b>Stomach</b>	4.2	1.6	8.6	8	4.1	1.9	7.7	10
<b>Small Intestine</b>	0.0	0.0	1.7	0	^	^	^	^
<b>Colon and Rectum</b>	22.8	15.3	32.1	39	9.3	5.5	14.4	20
<b>Colon excluding Rectum</b>	18.5	11.7	27.3	30	6.3	3.3	10.6	14
<b>Rectum and Rectosigmoid Junction</b>	4.3	1.8	8.3	9	3.0	1.0	6.4	6
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	1.7	0	^	^	^	^
<b>Liver and Intrahepatic Bile Duct</b>	7.9	4.1	13.4	16	3.6	1.6	7.1	9
<b>Liver</b>	7.2	3.6	12.6	14	2.5	0.9	5.6	6
<b>Intrahepatic Bile Duct</b>	^	^	^	^	^	^	^	^
<b>Gallbladder</b>	^	^	^	^	^	^	^	^
<b>Other Biliary</b>	^	^	^	^	0.0	0.0	1.4	0
<b>Pancreas</b>	10.8	5.8	17.8	18	8.2	4.6	13.3	16
<b>Retroperitoneum</b>	^	^	^	^	0.0	0.0	1.4	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	1.7	0	^	^	^	^
<b>Other Digestive Organs</b>	0.0	0.0	1.7	0	^	^	^	^
<b>Respiratory System</b>	59.6	48.2	72.6	122	43.9	35.1	54.1	92
<b>Nose, Nasal Cavity and Middle Ear</b>	0.0	0.0	1.7	0	0.0	0.0	1.4	0
<b>Larynx</b>	^	^	^	^	0.0	0.0	1.4	0
<b>Lung and Bronchus</b>	58.3	47.1	71.2	120	43.9	35.1	54.1	92
<b>Pleura</b>	0.0	0.0	1.7	0	0.0	0.0	1.4	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	1.7	0	0.0	0.0	1.4	0
<b>Bones and Joints</b>	^	^	^	^	0.0	0.0	1.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2005

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	1.4	0
Skin excluding Basal and Squamous	4.5	2.1	8.2	11	^	^	^	^
Melanoma of the Skin	2.6	1.0	5.6	7	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	1.4	0
Breast	0.0	0.0	1.7	0	17.5	12.6	23.7	46
Female Genital System	0.0	0.0	1.7	0	10.0	6.4	15.0	26
Cervix Uteri	0.0	0.0	1.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	1.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	1.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Ovary	0.0	0.0	1.7	0	6.8	3.8	11.2	17
Vagina	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Vulva	0.0	0.0	1.7	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	1.7	0	^	^	^	^
Male Genital System	26.5	18.0	37.1	35	0.0	0.0	1.4	0
Prostate	25.1	16.8	35.5	33	0.0	0.0	1.4	0
Testis	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Penis	^	^	^	^	0.0	0.0	1.4	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	1.4	0
Urinary System	12.5	7.3	19.4	24	^	^	^	^
Urinary Bladder	6.6	2.9	12.3	11	^	^	^	^
Kidney and Renal Pelvis	5.9	2.7	10.6	13	^	^	^	^
Ureter	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Other Urinary Organs	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Eye and Orbit	^	^	^	^	0.0	0.0	1.4	0
Brain and Other Nervous System	5.1	2.6	9.0	14	2.3	0.8	5.2	6
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	0.0	0.0	1.4	0
Other Endocrine including Thymus	0.0	0.0	1.7	0	^	^	^	^
Lymphoma	10.1	5.5	16.5	19	4.9	2.4	8.8	11
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.4	0
Non-Hodgkin Lymphoma	9.9	5.4	16.3	18	4.9	2.4	8.8	11
Myeloma	^	^	^	^	4.1	1.8	7.9	9
Leukemia	8.3	4.0	14.5	15	8.7	5.1	13.7	19
Lymphocytic Leukemia	4.6	1.6	9.8	8	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2005

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	3.7	1.6	7.2	9
Acute Myeloid Leukemia	^	^	^	^	3.5	1.4	6.9	8
Acute Monocytic Leukemia	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	^	^	^	^
Miscellaneous Malignant Cancer	15.8	10.4	22.7	34	16.0	10.8	22.6	33

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2006

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	193.2	172.4	215.7	404	165.9	148.8	184.4	377
<b>Oral Cavity and Pharynx</b>	2.9	1.1	6.2	7	^	^	^	^
Lip	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Tongue	0.0	0.0	1.6	0	^	^	^	^
Salivary Gland	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Floor of Mouth	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.4	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	1.4	0
Oropharynx	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Hypopharynx	0.0	0.0	1.6	0	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.4	0
<b>Digestive System</b>	52.7	42.7	64.3	122	39.5	31.2	49.2	83
Esophagus	7.9	4.5	12.8	21	3.1	1.1	6.4	7
Stomach	5.0	2.6	8.7	15	3.0	1.1	6.2	7
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	18.2	12.4	25.6	38	15.7	10.6	22.3	31
Colon excluding Rectum	15.4	10.1	22.3	32	14.0	9.1	20.3	27
Rectum and Rectosigmoid Junction	2.8	0.9	6.2	6	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	1.6	0	^	^	^	^
Liver and Intrahepatic Bile Duct	9.1	5.1	14.7	21	^	^	^	^
Liver	7.9	4.1	13.3	17	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	1.4	0
Pancreas	10.4	6.2	16.3	22	12.5	8.1	18.4	26
Retroperitoneum	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Digestive Organs	0.0	0.0	1.6	0	^	^	^	^
<b>Respiratory System</b>	51.7	41.6	63.4	111	44.3	35.6	54.4	97
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.6	0	^	^	^	^
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	50.9	40.8	62.5	108	43.5	34.9	53.4	95
Pleura	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.6	0	0.0	0.0	1.4	0
<b>Bones and Joints</b>	0.0	0.0	1.6	0	0.0	0.0	1.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2006

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	3.2	1.1	6.9	9	^	^	^	^
Skin excluding Basal and Squamous	3.6	1.6	6.9	10	^	^	^	^
Melanoma of the Skin	3.0	1.2	6.1	8	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	1.6	0	27.2	21.0	34.7	73
Female Genital System	0.0	0.0	1.6	0	12.1	7.9	17.4	30
Cervix Uteri	0.0	0.0	1.6	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	1.6	0	2.7	0.9	6.0	6
Corpus Uteri	0.0	0.0	1.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	1.6	0	^	^	^	^
Ovary	0.0	0.0	1.6	0	6.9	4.0	11.2	18
Vagina	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Vulva	0.0	0.0	1.6	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Male Genital System	18.7	12.2	27.1	28	0.0	0.0	1.4	0
Prostate	18.7	12.2	27.1	28	0.0	0.0	1.4	0
Testis	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Penis	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Male Genital Organs	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Urinary System	12.4	7.7	18.7	25	2.8	1.0	6.2	6
Urinary Bladder	7.2	3.6	12.3	14	^	^	^	^
Kidney and Renal Pelvis	5.3	2.5	9.6	11	^	^	^	^
Ureter	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Urinary Organs	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Eye and Orbit	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Brain and Other Nervous System	5.9	2.6	10.9	12	3.2	1.2	6.5	7
Endocrine System	^	^	^	^	0.0	0.0	1.4	0
Thyroid	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	1.4	0
Lymphoma	7.1	3.4	12.6	14	7.5	4.1	12.4	15
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.4	0
Non-Hodgkin Lymphoma	6.8	3.2	12.3	13	7.5	4.1	12.4	15
Myeloma	2.8	1.0	6.1	7	3.9	1.6	7.6	8
Leukemia	13.1	7.9	20.0	25	6.5	3.4	10.9	14
Lymphocytic Leukemia	4.4	1.5	9.1	7	3.3	1.2	6.9	6
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2006

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	4.1	1.7	7.9	10	2.9	1.1	6.1	7
Acute Myeloid Leukemia	2.4	0.7	5.6	6	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^
Other Leukemia	4.7	1.8	9.4	8	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	1.4	0
Aleukemic, Subleukemic and NOS	4.0	1.4	8.5	7	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	^	^	^	^
Miscellaneous Malignant Cancer	17.0	10.7	25.3	31	14.4	9.7	20.6	32

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2007

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	212.3	190.6	235.5	453	161.3	144.8	179.1	384
<b>Oral Cavity and Pharynx</b>	^	^	^	^	^	^	^	^
Lip	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Tongue	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Salivary Gland	0.0	0.0	1.6	0	^	^	^	^
Floor of Mouth	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.4	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	1.4	0
Oropharynx	^	^	^	^	0.0	0.0	1.4	0
Hypopharynx	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Oral Cavity and Pharynx	0.0	0.0	1.6	0	^	^	^	^
<b>Digestive System</b>	53.0	42.9	64.4	126	33.2	25.8	41.9	75
Esophagus	8.1	4.6	13.0	22	0.0	0.0	1.4	0
Stomach	3.6	1.6	7.1	10	2.9	1.2	5.8	8
Small Intestine	^	^	^	^	0.0	0.0	1.4	0
Colon and Rectum	24.9	17.7	33.8	47	14.3	9.6	20.2	34
Colon excluding Rectum	22.2	15.4	30.8	41	10.7	6.8	15.8	27
Rectum and Rectosigmoid Junction	2.7	0.9	6.0	6	3.6	1.4	7.2	7
Anus, Anal Canal and Anorectum	0.0	0.0	1.6	0	^	^	^	^
Liver and Intrahepatic Bile Duct	5.6	3.0	9.5	17	2.9	1.0	6.2	6
Liver	4.3	2.1	7.6	14	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	0.0	0.0	1.6	0	^	^	^	^
Other Biliary	0.0	0.0	1.6	0	^	^	^	^
Pancreas	8.8	5.4	13.6	25	11.2	7.0	16.8	23
Retroperitoneum	^	^	^	^	0.0	0.0	1.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Digestive Organs	^	^	^	^	0.0	0.0	1.4	0
<b>Respiratory System</b>	71.3	59.2	84.9	153	44.1	35.6	53.9	102
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Larynx	^	^	^	^	0.0	0.0	1.4	0
Lung and Bronchus	70.3	58.3	83.8	150	44.1	35.6	53.9	102
Pleura	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	1.4	0
<b>Bones and Joints</b>	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2007

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	2.4	1.0	5.1	8	^	^	^	^
Skin excluding Basal and Squamous	2.2	0.7	5.0	7	2.2	0.8	4.9	6
Melanoma of the Skin	^	^	^	^	2.2	0.8	4.9	6
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	1.4	0
Breast	^	^	^	^	25.9	19.8	33.1	68
Female Genital System	0.0	0.0	1.6	0	14.0	9.7	19.5	38
Cervix Uteri	0.0	0.0	1.6	0	3.2	1.3	6.3	8
Corpus and Uterus, NOS	0.0	0.0	1.6	0	2.8	1.1	5.6	8
Corpus Uteri	0.0	0.0	1.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	1.6	0	^	^	^	^
Ovary	0.0	0.0	1.6	0	8.0	4.9	12.4	22
Vagina	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Vulva	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Female Genital Organs	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Male Genital System	20.1	13.1	28.8	30	0.0	0.0	1.4	0
Prostate	19.8	12.9	28.5	29	0.0	0.0	1.4	0
Testis	^	^	^	^	0.0	0.0	1.4	0
Penis	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Male Genital Organs	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Urinary System	13.1	8.0	19.7	24	3.9	1.7	7.5	9
Urinary Bladder	5.0	2.1	9.8	8	^	^	^	^
Kidney and Renal Pelvis	7.5	3.9	12.6	15	3.1	1.2	6.4	7
Ureter	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Urinary Organs	^	^	^	^	0.0	0.0	1.4	0
Eye and Orbit	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Brain and Other Nervous System	3.1	1.5	6.0	11	4.5	2.0	8.5	9
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Lymphoma	7.7	3.7	13.5	15	3.2	1.2	6.5	7
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.4	0
Non-Hodgkin Lymphoma	7.5	3.6	13.2	14	3.2	1.2	6.5	7
Myeloma	2.4	0.8	5.5	6	^	^	^	^
Leukemia	8.7	4.4	14.8	15	7.0	3.9	11.4	16
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2007

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.4	0
Myeloid and Monocytic Leukemia	5.1	2.0	10.0	8	5.2	2.5	9.3	11
Acute Myeloid Leukemia	^	^	^	^	3.8	1.6	7.4	8
Acute Monocytic Leukemia	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	1.4	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	^	^	^	^
Miscellaneous Malignant Cancer	21.6	14.9	29.9	46	18.6	13.2	25.4	42

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2008

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	210.8	189.9	233.2	465	155.7	139.8	172.8	391
<b>Oral Cavity and Pharynx</b>	3.2	1.3	6.5	8	^	^	^	^
Lip	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Tongue	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Salivary Gland	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Floor of Mouth	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.3	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	1.3	0
Oropharynx	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
<b>Digestive System</b>	58.7	48.2	70.6	134	38.2	30.5	47.2	93
Esophagus	8.0	4.7	12.6	20	^	^	^	^
Stomach	4.1	1.6	8.1	9	3.6	1.5	6.9	9
Small Intestine	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Colon and Rectum	20.1	14.0	27.8	42	15.1	10.3	21.2	35
Colon excluding Rectum	17.5	11.6	24.8	34	12.7	8.3	18.3	29
Rectum and Rectosigmoid Junction	2.7	1.1	5.5	8	2.4	0.8	5.4	6
Anus, Anal Canal and Anorectum	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Liver and Intrahepatic Bile Duct	10.0	6.2	15.1	26	3.8	1.8	7.0	11
Liver	7.4	4.4	11.6	21	3.2	1.4	6.2	9
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	14.5	9.6	20.9	33	12.2	8.0	17.7	29
Retroperitoneum	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Digestive Organs	^	^	^	^	^	^	^	^
<b>Respiratory System</b>	63.6	52.3	76.2	143	47.3	38.7	57.1	117
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	61.7	50.7	74.2	140	46.7	38.2	56.5	116
Pleura	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.5	0	0.0	0.0	1.3	0
<b>Bones and Joints</b>	0.0	0.0	1.5	0	0.0	0.0	1.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2008

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	5.8	2.8	10.4	13	^	^	^	^
Melanoma of the Skin	3.6	1.4	7.1	8	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	1.5	0	17.6	12.6	23.7	47
Female Genital System	0.0	0.0	1.5	0	13.1	8.9	18.5	34
Cervix Uteri	0.0	0.0	1.5	0	3.3	1.6	6.1	11
Corpus and Uterus, NOS	0.0	0.0	1.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	1.5	0	^	^	^	^
Uterus, NOS	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Ovary	0.0	0.0	1.5	0	7.2	4.0	11.7	16
Vagina	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Vulva	0.0	0.0	1.5	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	1.5	0	^	^	^	^
Male Genital System	23.0	15.8	31.9	38	0.0	0.0	1.3	0
Prostate	22.4	15.3	31.3	37	0.0	0.0	1.3	0
Testis	^	^	^	^	0.0	0.0	1.3	0
Penis	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Male Genital Organs	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Urinary System	12.2	7.4	18.7	25	5.8	3.0	9.8	14
Urinary Bladder	7.4	3.8	12.7	14	^	^	^	^
Kidney and Renal Pelvis	4.8	2.1	9.2	11	3.1	1.2	6.3	8
Ureter	0.0	0.0	1.5	0	^	^	^	^
Other Urinary Organs	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Eye and Orbit	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Brain and Other Nervous System	2.9	1.1	6.1	8	5.4	3.1	8.8	18
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1.5	0	^	^	^	^
Lymphoma	9.2	5.1	14.9	18	6.4	3.5	10.6	15
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	8.5	4.6	14.0	17	5.9	3.1	9.9	14
Myeloma	4.7	2.1	8.7	10	^	^	^	^
Leukemia	6.6	3.6	10.8	18	4.1	1.8	7.7	9
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2008

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.3	0
Other Lymphocytic Leukemia	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Myeloid and Monocytic Leukemia	3.5	1.6	6.7	11	3.2	1.2	6.4	7
Acute Myeloid Leukemia	2.5	0.9	5.5	7	3.2	1.2	6.4	7
Acute Monocytic Leukemia	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	1.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	1.3	0
Mesothelioma (ICD-10 only)	^	^	^	^	^	^	^	^
Miscellaneous Malignant Cancer	16.9	11.5	23.8	40	12.0	7.8	17.4	29

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2009

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
<b>All Malignant Cancers</b>	212.3	191.7	234.4	490	163.1	146.8	180.5	401
<b>Oral Cavity and Pharynx</b>	^	^	^	^	^	^	^	^
<b>Lip</b>	0.0	0.0	1.5	0	0.0	0.0	1.3	0
<b>Tongue</b>	^	^	^	^	0.0	0.0	1.3	0
<b>Salivary Gland</b>	^	^	^	^	0.0	0.0	1.3	0
<b>Floor of Mouth</b>	0.0	0.0	1.5	0	0.0	0.0	1.3	0
<b>Gum and Other Mouth</b>	0.0	0.0	1.5	0	0.0	0.0	1.3	0
<b>Nasopharynx</b>	^	^	^	^	^	^	^	^
<b>Tonsil</b>	0.0	0.0	1.5	0	0.0	0.0	1.3	0
<b>Oropharynx</b>	0.0	0.0	1.5	0	0.0	0.0	1.3	0
<b>Hypopharynx</b>	0.0	0.0	1.5	0	0.0	0.0	1.3	0
<b>Other Oral Cavity and Pharynx</b>	0.0	0.0	1.5	0	0.0	0.0	1.3	0
<b>Digestive System</b>	54.4	44.9	65.2	143	36.2	28.8	44.8	90
<b>Esophagus</b>	3.9	1.8	7.4	11	2.8	1.1	5.8	7
<b>Stomach</b>	7.6	4.3	12.4	19	4.2	1.9	7.7	10
<b>Small Intestine</b>	^	^	^	^	^	^	^	^
<b>Colon and Rectum</b>	14.4	10.0	20.1	40	15.7	10.8	21.8	36
<b>Colon excluding Rectum</b>	12.2	8.0	17.6	32	13.5	9.0	19.3	30
<b>Rectum and Rectosigmoid Junction</b>	2.3	0.9	4.7	8	2.2	0.8	4.8	6
<b>Anus, Anal Canal and Anorectum</b>	0.0	0.0	1.5	0	^	^	^	^
<b>Liver and Intrahepatic Bile Duct</b>	7.6	4.5	12.0	24	3.7	1.7	7.0	10
<b>Liver</b>	6.6	3.6	10.9	20	^	^	^	^
<b>Intrahepatic Bile Duct</b>	^	^	^	^	2.7	1.0	5.7	7
<b>Gallbladder</b>	^	^	^	^	^	^	^	^
<b>Other Biliary</b>	^	^	^	^	^	^	^	^
<b>Pancreas</b>	15.4	10.4	21.6	39	6.3	3.6	10.2	18
<b>Retroperitoneum</b>	0.0	0.0	1.5	0	0.0	0.0	1.3	0
<b>Peritoneum, Omentum and Mesentery</b>	0.0	0.0	1.5	0	^	^	^	^
<b>Other Digestive Organs</b>	^	^	^	^	^	^	^	^
<b>Respiratory System</b>	73.2	61.1	86.8	160	45.9	37.4	55.5	112
<b>Nose, Nasal Cavity and Middle Ear</b>	^	^	^	^	0.0	0.0	1.3	0
<b>Larynx</b>	3.5	1.3	7.3	7	^	^	^	^
<b>Lung and Bronchus</b>	69.1	57.3	82.2	152	45.7	37.2	55.3	111
<b>Pleura</b>	0.0	0.0	1.5	0	0.0	0.0	1.3	0
<b>Trachea, Mediastinum and Other Respiratory Organs</b>	0.0	0.0	1.5	0	0.0	0.0	1.3	0
<b>Bones and Joints</b>	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2009

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	2.7	1.0	5.6	7
Skin excluding Basal and Squamous	3.4	1.7	6.3	13	2.9	1.1	6.0	7
Melanoma of the Skin	1.7	0.7	3.7	8	2.7	1.0	5.7	6
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	1.5	0	27.9	21.5	35.4	72
Female Genital System	0.0	0.0	1.5	0	8.2	5.0	12.7	21
Cervix Uteri	0.0	0.0	1.5	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	1.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Uterus, NOS	0.0	0.0	1.5	0	^	^	^	^
Ovary	0.0	0.0	1.5	0	6.1	3.4	9.9	16
Vagina	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Vulva	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Female Genital Organs	0.0	0.0	1.5	0	^	^	^	^
Male Genital System	23.2	16.0	32.1	39	^	^	^	^
Prostate	23.0	15.8	31.9	38	^	^	^	^
Testis	^	^	^	^	0.0	0.0	1.3	0
Penis	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Male Genital Organs	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Urinary System	9.7	5.6	15.4	20	7.6	4.3	12.2	16
Urinary Bladder	3.4	1.0	7.4	6	^	^	^	^
Kidney and Renal Pelvis	5.5	2.8	9.5	13	4.9	2.4	8.7	11
Ureter	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Urinary Organs	^	^	^	^	0.0	0.0	1.3	0
Eye and Orbit	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Brain and Other Nervous System	7.9	4.5	12.7	20	^	^	^	^
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	6.4	3.4	10.8	17	6.8	3.7	11.3	14
Hodgkin Lymphoma	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Non-Hodgkin Lymphoma	6.4	3.4	10.8	17	6.8	3.7	11.3	14
Myeloma	4.4	1.7	8.7	8	3.4	1.4	6.7	8
Leukemia	8.2	4.4	13.6	17	5.6	2.9	9.6	13
Lymphocytic Leukemia	1.9	0.6	4.5	6	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

## Cancer Deaths in Alaska, 1996 to 2009, by Sex

2009

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Myeloid and Monocytic Leukemia	3.9	1.5	8.1	8	^	^	^	^
Acute Myeloid Leukemia	3.9	1.5	8.1	8	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Chronic Myeloid Leukemia	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.5	0	0.0	0.0	1.3	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	1.3	0
Miscellaneous Malignant Cancer	13.8	9.1	19.8	34	11.8	7.7	17.0	29

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.